



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
N1011	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1012	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	None	Motion	Supported by design	v2.19
N1031	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1032	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3011	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3012	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3031	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3032	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3071	Refer to N3072(V1.1 3.0_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
N3072	V1.13.0_ST D-1	H.264	1	Camera	1600x1200	Y/N	1/1	Pan Tilt	Motion	None	v4.1
N5012	V1.01_STD-1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.16
N5013	V1.04_STD-1	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
N5071	V1.02[BETA]_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.2
N6011	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6012	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6013	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6014	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6015	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
N6016	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6031	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6032	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6033	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6034	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6035	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6036	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6037	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6038	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
N6072	Refer to N6075(V1.05_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
N6073	Refer to N6075(V1.05_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
N6074	Refer to N6075(V1.05_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
N6075	V1.05_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v2.4
N6076	Refer to N6075	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
N6077	Refer to N6075	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
N6082	Refer to N9085 (V1.05.0)	H.264	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v4.1
N8011	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N8012	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
N8031	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N8032	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N8072	V1.03_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.2
N8072-C	V1.04.0_ST D-1	H.264	1	Camera	1600x1200	N/N	-	-	Motion	None	v4.1
N9012	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9018	V1.01_STD-1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
N9032	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9033	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9034	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
N9071	None	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.4
N9073	Refer to N3072(V1.1 3.0)	H.264	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
N9074	Refer to N3072(V1.1 3.0)	H.264	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
N9082	Refer to N9085 (V1.05.0)	H.264	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v4.1
N9085	V1.05.0	H.264	1	Camera	1600x1200	N/N	-	-	Motion	None	v4.1
S4071	V1.04_STD-1	H.264 MJPEG	4	Video Server	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.1
ACD2000Q	v3.04.08	MJPEG MPEG4	4	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Tets by link	v2.15
ACD2100	A1D-220-V3.08.08-AC	MJPEG MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
ACD2200	None	MJPEG MPEG4	4	Video Server	720x480	Y/N	8/8	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACD2300	None	MJPEG MPEG4	8	Video Server	720x480	Y/N	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACD2400	AGD-R2N-V2.05.02-AC	MJPEG MPEG4	16	Video Server	720x480	Y/N	32/32	Pan Tilt Zoom	Motion	None	v1.0
ACM1011	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
ACM1231	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM1232	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ACM1311	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM1431	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM1432	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM1511	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM3001	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM3011	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM3211	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACM3311	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACM3401	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ACM3411	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM3511	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM3601	A1D-220- V3.10.22- AC	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.2
ACM3603	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.2
ACM3701	A1D-220- V3.10.22- AC	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.2
ACM3703	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.2
ACM4000	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM4001	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.2
ACM4100	A1D-220- V3.09.14- AC	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ACM4200	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM4201	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM5001	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
ACM5601	A1D-220- V3.08.08- AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
ACM5711	A1D-220- V3.08.08- AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
ACM5811	A1D-220- V3.12.13- AC	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.7
ACM7411	A1D-220- V3.09.14- AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
ACM7511	A1D-220- V3.12.13- AC	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.7
ACM8201	A1D-220- V3.10.22- AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ACM8211	A1D-220-V3.09.14-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
ACM8511	A1D-220-V3.11.13-AC	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
AMU9401	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	None	v1.1
AMU9711	A1D-220-V3.10.22-NB	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Test by link	v1.1
B210	Refer to E416 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
B27	Refer to B47(V6.08.30)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	Supported by design	v3.12
B410	Refer to E416 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
B47	V6.08.30	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	None	v3.12
B51	V6.09.45	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v4.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
B53	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.5
B61	V6.08.30	H.264 MJPEG	1	Camera	2592x1944	Y/N	2/2	Zoom	Motion	None	v3.12
B67	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/2	Zoom	Motion	None	v3.5
B81	Refer to B61(v6.08.30)	H.264 MJPEG	1	Camera	2592x1944	Y/N	2/2	Zoom	Motion	Supported by design	v3.12
B94	V6.06.16	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
B95	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.11
B97	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.4
CAM5130	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.2
CAM5140	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CAM5150	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.2
CAM5200	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM5201	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CAM5221	A1D-M2N-V2.08.11-AC	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.0
CAM5300	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM5301	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM5321	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM5500	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM6100	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CAM6200	A1D-2.07.14-AC	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
CAM6220	A1D-2.07.14-AC	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
CAM6500	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
CAM6510	A1D-M2N-V2.08.11-AC	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
CAM6520	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
CAM6600	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
CAM6610	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
CAM6620	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
CAM6630	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CAM7100	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CAM7120	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CAM7200	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CAM7220	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CAM7300	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CAM7301	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CAM7320	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CAM7321	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CAM7322	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D11	V6.02.03	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v2.12
D12	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D21	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.14
D22	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
D22FA	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
D31	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.14
D32	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D41	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D42	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D51	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D52	v6.02.03	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.12
D54	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D55	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D61	V6.03.17	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.14
D62	Refer to E84(v6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
D64	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D65	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D71	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D72	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D72A	Refer to Generic (A1D-500-V6.05.23-AC)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1
D81	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D82	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D82A	Refer to Generic (A1D-500-V6.05.23-AC)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1
E11	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E12	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E13	V6.02.03	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	None	v2.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
E21	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E210	Refer to E416 (V6.09.45)	H.264 MJPEG	1	Camera	1920x1080	N/N	0/0	-	Motion	Supported by design	v4.9
E22	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
E22FA	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
E23	Refer to E84(v6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
E24	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E25	Refer to D61(V6.03.17)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.14
E26	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E31	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
E32	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E33	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
E34	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E38	V7.00.44	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.9
E41	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E416	V6.09.45	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.9
E42	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E43	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
E44	Refer to E84(v6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
E45	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E46	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E46A	v6.08.30	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.7
E51	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E52	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E53	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E54	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
E55	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E56	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
E61	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E618	Refer to E816 (V6.09.45)	H.264 MJPEG	1	Camera	3648x2736	Y/N	1/1	Zoom	Motion	Supported by design	v4.9
E62	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E63	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
E64	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E65	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E66	Refer to D61(V6.03.17)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.14
E67	Refer to E84(v6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
E71	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
E72	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E73	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
E73A	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
E74	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E81	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E816	V6.09.45	H.264 MJPEG	1	Camera	3648x2736	Y/N	1/1	Zoom	Motion	None	v4.9
E82	A1D-500-V6.07.24-AC	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v3.11
E83	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
E84	V6.02.03	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
E85	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E86	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E86A	Refer to E46A(v6.08.30)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.7
E87	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E91	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E92	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E925	A1D-500-V6.09.07-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v4.5
E95	V6.06.16	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.4
E96	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	N/N	-	-	Motion	None	v3.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
E97	V6.07.23	H.264 MJPEG	1	Camera	3648x2736	N/N	-	-	Motion	None	v3.7
Generic Sever	H1.03.01	H.264 MJPEG	16	Video Server	2592x1944	Y/N	16/16	Pan Tilt Zoom	Motion	None	v4.5
I51	Refer to I71(A1D-500-V6.06.16-AC)	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.2
I71	A1D-500-V6.07.24-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.10
I92	v6.08.30	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v3.13
I94	V6.06.16	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.5
I96	v6.08.30	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v4.7
KCM3211	A1D-311-V5.04.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Zoom	Motion	None	v2.0
KCM3311	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	N/N	-	-	Motion	None	v2.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
KCM3911	V5.10.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.15
KCM5111	A1D-311-V5.04.07-AC	H.264 MJPEG MPEG4	1	CAmera	2032x1920	Y/N	2/2	-	Motion	None	v1.19
KCM5211	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.2
KCM5211E	Refer to KCM5211	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Pan Tilt Zoom	None	Supported by design	v1.19
KCM5311	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.14
KCM5311E	Refer to KCM5311E	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.19
KCM5511	V5.12.12	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	None	v3.10
KCM5611	A1D-311-V5.12.12-AC	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v4.1
KCM7111	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	-	Motion	None	v1.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
KCM7211	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.14
KCM7311	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Zoom	Motion	None	v2.2
KCM7911	v5.10.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.15
KCM8111	V5.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.14
KCM8211	Refer to KCM8111(V5.10.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.14
Q110	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
Q112	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
Q115	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
Q19	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SED2100	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.2
SED2120	A1D-M2N-V2.08.11-AC	MPEG4	1	Video Server	720x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
SED2140	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2310Q	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2320Q	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2400	None	MPEG4	2	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2420	A1D-220-V3.08.08-AC	MPEG4	2	Video Server	720x480	Y/N	-	-	Motion	None	v1.0
SED2600	None	MPEG4	8	Video Server	720x480	Y/N	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2610	None	MPEG4	8	Video Server	720x480	Y/N	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SED26X0	None	MPEG4	8	Video Server	720x480	Y/N	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0
TCD2100	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	1/1	Pan Tilt Zoom	Motion	None	v1.7
TCD2500	A1D-310-V4.09.17-AC	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.14
TCM1111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM1231	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.2
TCM1232	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.2
TCM1511	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.4
TCM3001	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.7
TCM3011	A1D-310V4.07.10AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCM3111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM3401	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.7
TCM3411	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.7
TCM3511	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.2
TCM4101	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.2
TCM4201	A1D-310-V4.08.05-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.7
TCM4301	A1D-310-V4.05.13-AC	H.264 MJPEG MPEG4	1	Cdamera	1280x1024	Y/n	-	-	Motion	Supported by design	v1.0
TCM4511	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM5001	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCM5111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM5311	A1D-310-V4.05.13-AC	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.0
TCM5312	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v1.2
TCM5601	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	-	None	v1.2
TCM5611	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	-	None	v1.2
TCM6630	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.4
TCM7011	A1D-310V4.06.09AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.7
TCM7411	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.2
TCM7511	None	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCM7811	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.8
TMU9811	A1D-310-V4.07.10-NB	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v1.1
TMU9911	A1D-310-V4.07.10-NB	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v1.1
V21	H1.03.01	H.264 MJPEG	1	Video Server	960x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.5
V23	H1.03.01	H.264 MJPEG	4	Video Server	960x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v4.5
V24	H1.03.01	H.264 MJPEG	4	Video Server	960x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v4.5
V32	H2.02.31	H.264 MJPEG	16	Video Server	960x576	Y/N	16/16	Pan Tilt Zoom	Motion	None	v4.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ADKID134 RT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKID204 VRT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKID207 RT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKID207 VRT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKIL134 RT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKIL207 RT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AD-AGB8025-SD4F	Refer to AMU8030(eh20160719 NSZ)	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
AD-TGB3020A W4FZ	Refer to TSD3012(V1.2.1.50B161 01314)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
AMH3025	eh20160719 NSP	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v5.4
AMU8030	eh20160719 NSZ	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v5.4
TSD3012	V1.2.1.50B1 6101314	MJPEG H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v5.3
TXB3020	Refer to TSD3012(V1.2.1.50B161 01314)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
ZH2030R-AW	2.1.0.3.1.19 _0.55.2	MJPEG H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Test by link	v5.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ADC-V520	0100h	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	None	v3.1
ADC-V620PT	0102b	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	0/0	Pan Tilt	Motion	None	v3.1
ADC-VS420	0100d	H.264 MPEG4 MJPEG	4	Video Sever	720x576	N/N	4/4	Pan Tilt Zoom	Motion	None	v3.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ADCi600-D131	AD00-00-15-11	H.264 MJPEG	1	Cmaera	1280x720	Y/N	2/1	-	Motion	None	v2.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AM2816T	V6.M.2.12779	H.264 MJPEG MPEG4	1	Fisheye Camera	1536x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.2
AM2030D	refer to AM2590D(6.D.2.9659)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.7
AM2110D	6.B.2.7248	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v1.18
AM2120D	6.B.2.9031	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.7
AM2221D	Refer to AM2231D	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.18
AM2231D	6.C.2.7107	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.18
AM2331D	6.C.2.8943	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt	Motion	None	v2.7
AM2530D	Refer to AM2590D	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.7
AM2570D	Refer to AM2590D	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AM2590D	6.D.2.9659	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.7
AM2730D	Refer to AM2590D	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	None	H.264 MJPEG	4	Fisheye Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
Note:	<p>Support generic dewarp Generic test model: AV5245 and AV12186 1. Fps would not meet setting due to camera performance. 2. Audio function possible doesn't work after connect/disconnect, and need to reboot camera to recover.</p>										
AV10005	65147	H.264 MJPEG	1	Camera	3648x2752	N/N	-	-	Motion	None	v1.4
AV10115	65225	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	None	v3.2
AV10225	Refer to AV3105(65525)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.2
AV10255	65209	H.264 MJPEG	1	Camera	3648x12572	N/N	1/1	-	Motion	Supported by design	v2.9
AV10255P MTIR	65228	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	Zoom	Motion	None	v3.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AV10256P MTIR	Refer to AV10265PM TIR(65528)	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	Zoom	Motion	Supported by design	v3.5
AV1115	65525	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.1
AV1125	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV1145	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV12186	65184	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	None	v2.14
AV12186DN	Refer to AV12186(65184)	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.7
AV12366DN	65188	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	None	v3.5
AV1255	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV1300	64328	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	None



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AV1305	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV1310	None	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.2
AV1315	65191	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.9
AV1325	65129	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.10
AV1355	65130	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.0
AV1455	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV2000	64328	MJPEG	1	Cmaera	1600x1184	N/N	-	-	Motion	Supported by design	v1.0
AV20175DN	65188	H.264 MJPEG	4	Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6
AV20185	65174	H.264 MJPEG	4	Camera	2592x1944	N/N	1/1	-	Motion	None	v1.15



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AV20365	65170	H.264 MJPEG	4	Camera	2560x1920	N/N	1/1	-	Motion	None	v2.8
AV2105	64331	MJPEG	1	Cmaera	1600x1184	N/N	-	-	Motion	None	v1.0
AV2110	None	MJPEG	1	Camera	1600x1200	N/N	0/0	-	Motion	None	v1.2
AV2115	65225	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v3.1
AV2116	Refer to AV2115(65218)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.0
AV2125	65201	H.264 MJPEG	1	Camera	1920x1056	N/N	1/1	-	Motion	None	v1.14
AV2146	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2225	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2226	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AV2245	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2246	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2255	65218	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v2.16
AV2256	Refer to AV2255(65219)	H.264 MJPEG	1	Camera	1920x1056	N/N	1/1	Zoom	Motion	Supported by design	v3.0
AV2455	65220	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.18
AV2456	Refer to AV2455(65220)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.0
AV2805	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2815	65191	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.9
AV2825	65129	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV3100M	64327	MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v4.1
AV3105	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3110	None	MJPEG	1	Camera	2048x1536	N/N	0/0	-	Motion	Supported by design	v1.2
AV3115	65525	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v3.1
AV3116	65219	H264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.15
AV3125	65218	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v2.17
AV3130	61906	MJPEG	1	CAmera	2048x1536	N/N	-	-	Motion	None	v1.0
AV3135	65153	H.264 MJPEG	1	Camera	1920x1536	N/N	1/1	-	Motion	None	v1.18
AV3145	Refer to AV3146(65219)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AV3146	65219	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
AV3155	65225	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	None
AV3225	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3226	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3245	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3246	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3255	Refer to AV3115(65218)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.9
AV3256	65219	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
AV3455	Refer to AV3105(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.2



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AV3456	65220	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.19
AV40185	65186	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	None	v2.17
AV5100	61906	MJPEG	1	Camera	2560x1600	N/N	-	-	Motion	None	v1.0
AV5105	64331	H.264 MJPEG	1	Camera	2560x1600	N/N	1/1	-	Motion	None	v1.0
AV5110	None	MJPEG	1	Camera	2560x1920	N/N	0/0	-	Motion	Supported by design	v1.2
AV5115	65225	H.264 MJPEG	1	Camera	2560x1600	N/N	1/1	-	Motion	None	v3.3
AV5125	65199	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v1.14
AV5155	65225	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	-	Motion	None	v1.0
AV5245	65221	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AV5245DN	65229	H.264 MJPEG	1	Fisheye Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6
AV5255	65218	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	None	v2.16
AV5455	65220	H.264 MJPEG	1	Camera	2560x1920	N/N	1/1	-	Motion	Test by link	v2.19
AV8180	65010	H.264 MJPEG	4	Camera	1600x1184	N/N	-	-	Motion	None	v1.0
AV8185	65813	H.264 MJPEG	4	Camera	1600x1184	N/N	-	-	Motion	None	v1.0
AV8185DN	65183	H.264 MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	Test by link	v2.16
AV8360	65010	H.264 MJPEG	4	Camera	1600x1184	N/N	-	-	Motion	None	v1.0
AV8365	65813	H.264 MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV8365DN	65183	H.264 MJPEG	4	Camera	1600x1200	N/N	1/1	-	Motion	None	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FB2027-1	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FB2027-2	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FB2027-3	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FB2028	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FB2028-T1	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FB2028-T2	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FB2028TM	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FB3027	2.5.1057.60	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	None	v2.20
FB3028	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FB3028-RT1	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
FB3028-RT2	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
FB3028-RTM	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
FD2020	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FD3020	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
FD3020-M	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
FV2006	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FV2028	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
FV3028	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FV3028-RT	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
FV3028-RTM	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
FX2000	2.5.1057.60	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v2.20
FX3000-R	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
SF2121H-BHR-30	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
SF2121H-BHR-50	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
SF2121H-R	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	v9.10.1 190531	MJPEG H.264	4	Video Sever Camera	2592x1944	Y/N	4/4	Pan Tilt Zoom	Motion	None	v19.6
Note:	Only guarantee stream works fine.										
201A	4.4	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
205	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
206	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
206M	v1.0	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.0
206W	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
207	4.4	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
207MW	None	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
207W	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
209FD	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
209FD-R	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
209MFD	None	MPEG4 MJPEG	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	None	v1.0
209MFD-R	None	MPEG4 MJPEG	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
210	4.4	MPEG4 MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
2100	2.31	MJPEG	1	Camera	640x480	N/N	-	-	-	Test by link	v4.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
211	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	None	v1.0
211A	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
211M	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
211W	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
212	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
212 PTZ-V	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
213	None	MJPEG MPEG4	1	Camera	704x576	Y/N	2/3	Pan Tilt Zoom	Motion	Supported by design	v1.0
214	4.49	MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.18
215	None	MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
215 PTZ-E	None	MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
216FD	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
216FD-V	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
216MFD	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
216MFD-V	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
221	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.0
223M	v1.0	MJPEG MPEG4	1	Camera	1600x1200	Y/N	2/1	-	Motion	Supported by design	v1.0
225FD	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.0
231D	None	MJPEG MPEG4	1	Camera	704x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
232D	None	MJPEG MPEG4	1	Camera	704x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
233D	None	MJPEG MPEG4	1	Camera	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
2400	None	MJPEG	4	Video Sever	704x576	N/N	4/1	-	Motion	Supported by design	v1.0
240Q	None	MJPEG	4	Video Sever	704x576	N/N	4/1	-	Motion	Supported by design	v1.0
240Q Blade	None	MJPEG	4	Video Sever	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241Q	None	MJPEG MPEG4	4	Video Sever	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241Q Blade	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	None	v1.9
241QA	4.30	MJPEG MPEG4	4	Video Sever	704x576	Y/N	4/4	-	Motion	None	v1.9
241S	None	MJPEG MPEG4	1	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
241S Blade	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	None	v1.9
241SA	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	4/4	-	Motion	Supported by design	v1.9
242S	None	MJPEG MPEG4	1	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
243Q	None	MJPEG MPEG4	1	Video Server	704x576	N/N	1/1	-	Motion	Supported by design	v1.9
243Q Blade	None	MJPEG MPEG4	1	Video Server	704x576	N/N	1/1	-	Motion	Supported by design	v1.9
243SA	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	4/4	-	Motion	Supported by design	v1.9
2460	None	MJPEG	4	Video Server	704x576	N/N	4/1	-	Motion	Supported by design	v1.9
247S	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	1/1	-	Motion	Supported by design	v1.9
C3003-E	5.95.4.1	MJPEG H.264	1	Camera	16x16	N/N	-	-	-	None	v5.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F41	5.85.3	MJPEG H.264	1	Camera	1920x1080	Y/N	4/4	-	Motion	Test by link	v4.9
F44	5.85.3	MJPEG H.264	4	Video Sever	1920x1080	Y/N	4/4	-	Motion	Test by link	v4.9
M1004-W	5.40.5.1	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	None	v3.4
M1011	5.00	H264 MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
M1011-W	5.00	H264 MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
M1013	5.40.5.1	MJPEG H.264	1	Camera	800x600	N/N	-	-	Motion	None	v2.9
M1014	5.40.5	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	None	v2.6
M1025	5.40.5	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.7
M1031-W	5.00	H264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
M1034-W	5.40beta1	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	None	v2.6
M1054	5.15.1	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.3
M1103	5.08	MJPEG H.264	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.3
M1104	5.09	MJPEG H.264	1	Camera	1280x800	N/N	-	Zoom	Motion	None	v1.3
M1113	5.08	MJPEG H.264	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.3
M1114	None	MJPEG H.264	1	Camera	1280x800	N/N	-	Zoom	Motion	Supported by design	v1.2
M1125	5.75.3.3	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	-	Motion	Test by link	v4.15
M1143-L	5.40beta19	MJPEG H.264	1	Camera	800x600	N/N	1/1	-	Motion	None	v2.6
M1144-L	5.40.10.4	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
M1354	5.60.1	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v3.12
M2014	Refer to P1204(5.40.12)	MJPEG H.264	1	Camera	11280x720	N/N	1/1	-	Motion	Supported by design	v2.19
M2025-LE	8.40.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v18.12
M3004	5.50.5.1	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v3.12
M3005	5.40.5.3	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.7
M3006	5.40.13	MJPEG H.264	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.9
M3007	5.55.1.1	MJPEG H.264	1	Camera	2592x1944	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
M3011	5.01	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
M3014	None	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
M3024-L	5.40.5	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.20
M3025	5.50.5.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.12
M3026	Refer to M3024-L(5.40.5)	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v3.0
M3027	Refer to M3007(5.40.13.1)	MJPEG H.264	1	Camera	2592x1944	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v3.6
M3037	5.75.1	MJPEG H.264	1	Camera	2592x1944	Y/N	-	-	Motion	Test by link	v4.9
M3044-V	v6.15.1	MJPEG H.264	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v4.15
M3045-V	v6.15.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.15
M3047-P	7.15.2.2	H.264 MJPEG	1	Fisheye Camera	2048x2048	N/N	-	-	Motion	Test by link	v18.5
M3105-LVE	8.40.1	H.264 MJPEG	1	Camera	1920x1080	N/N	0/0	-	Motion	Test by link	v18.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
M3113-R	None	MJPEG H.264	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.0
M3113VE	None	MJPEG H.264	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.0
M3114	5.12.1	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v1.15
M3114-R	5.12.1	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v1.15
M3114-VE	5.12	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v1.15
M3203	None	MJPEG H.264	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.2
M3204	None	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v1.2
M5013	5.25.2	MJPEG H.264	1	Camera	800x600	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v1.13
M5014	5.50.3.4	MJPEG H.264	1	Camera	1280x720	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v5.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
M5525-E	8.20.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v18.7
M7001	None	MJPEG H.264	1	Video Server	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.2
M7010	5.40.6.1	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.17
M7014	5.40.7.1	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.6
M7016	5.51.2.5	MJPEG H.264	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	Test by link	v5.3
P1204	5.40.12	MJPEG H.264	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.9
P1214	5.40.12	MJPEG H.264	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.17
P1214-E	5.40.12	MJPEG H.264	1	Camera	1280x720	N/N	1/1	-	Motion	Test by link	v4.7
P1311	5.01	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P1343	5.06	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
P1343-E	None	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1344	None	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
P1344-E	None	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1346	5.22	MJPEG H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.13
P1346-E	None	MJPEG H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1347	5.11	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v1.10
P1347-E	None	MJPEG H.264	1	CAmera	2060x1920	Y/N	1/1	-	Motion	Supported by design	v1.0
P1353-E	Refer to P1354(5.40.14)	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
P1354	5.40.14	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v2.9
P1355-E	Refer to P1354(5.40.14)	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.1
P1357	5.40.19.1	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.1
P1364	6.30.1	MJPEG H.264	1	Camera	1280x960	Y/N	-	-	Motion	Test by link	v5.2
P1365	v5.75.3.3	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.14
P1365 Mk II	8.30.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v18.8
P1367	8.20.1.1	H.264 MJPEG	1	Camera	3072x1728	Y/N	1/1	Zoom	Motion	Test by link	v18.7
P1405-LE	5.80.1.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.14
P1425-E	Refer to P1425-LE (5.80.1)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
P1425-LE	5.80.1	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Test by link	v4.4
P1427-LE	5.80.1	MJPEG H.264	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	Test by link	v4.6
P1428-E	5.55.5.1	MJPEG H.264	1	Camera	3840x2160	N/N	1/1	Zoom	Motion	Test by link	v3.11
P1435-LE	8.20.1	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Test by link	v18.6
P3214-V	5.55.3.2	MJPEG H.264	1	Camera	1280x960	N/N	4/4	Zoom	Motion	Test by link	v3.13
P3215-V	5.55.3.2	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v3.13
P3224	Refer to P3224-LV (5.73.3.1)	MJPEG H.264	1	Camera	1280x960	N/N	-	Zoom	Motion	Supported by design	v4.9
P3224-LV	5.73.3.1	MJPEG H.264	1	Camera	1280x960	N/N	-	Zoom	Motion	Test by link	v4.9
P3225	Refer to P3225-LVE(5.75.3.1)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v4.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
P3225-LV Mk II	8.20.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v18.8
P3225-LVE	5.75.3.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v4.8
P3301	5.11	MJPEG H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
P3301-V	None	MJPEG H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
P3304	None	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v1.2
P3304-V	None	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v1.2
P3343	5.06	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
P3344	5.06	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
P3346	5.20	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
P3353	5.40.17	H.264 MJPEG	1	Camera	800x600	Y/N	1/1	-	Motion	None	v2.17
P3354	5.40.10.2	H.264 MJPEG	1	Camera	1280x960	N/N	1/1	-	Motion	Test by link	v2.2
P3363	5.40.17.1	MJPEG H.264	1	Camera	800x600	Y/N	1/1	-	Motion	Test by link	v3.8
P3364	5.40.10.1	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v2.2
P3364-L	5.60.1.4	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Zoom	Motion	Test by link	v4.4
P3364-LV	Refer to P3364-L(5.60.1.4)	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Zoom	Motion	Supported by design	v4.4
P3365	5.55.3.2	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Test by link	v4.3
P3365-V	Refer to P3365(5.55.3.2)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.3
P3365-VE	Refer to P3365(5.55.3.2)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
P3367	5.40.3	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Test by link	v2.1
P3384	5.40.19	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v3.7
P3905	5.55.3	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.3
P3905-R	Refer to P3905(5.55.3)	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3
P3905-RE	Refer to P3905(5.55.3)	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3
P3915	5.55.3	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v4.3
P3915-R	Refer to P3915(5.55.3)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.3
P5414	5.55.1	MJPEG H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.20
P5415	Refer to P5414(5.55.1)	MJPEG H.264	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v3.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
P5512	5.25	MJPEG H.264	1	Camera	704x480	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
P5512-E	None	MJPEG H.264	1	Camera	704x480	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
P5514	5.85.1	MJPEG H.264	1	Camera	1280x720	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v4.6
P5522	5.25	MJPEG H.264	1	Camera	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v1.13
P5522-E	None	MJPEG H.264	1	Camera	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
P5532	5.15	MJPEG H.264	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.10
P5532-E	None	MJPEG H.264	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.10
P5534	5.15.1	MJPEG H.264	1	Camera	1280x720	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.2
P5534-E	None	MJPEG H.264	1	Camera	1280x720	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
P5544	5.41.2.2	MJPEG H.264	1	Camera	1280x720	Y/N	4/4	Zoom	Motion	Test by link	v3.12
P5624	Refer to P5624-E(5.75.1)	MJPEG H.264	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v4.3
P5624-E	5.75.1	MJPEG H.264	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v4.3
P5635	Refer to P5635-E(5.75.1)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.3
P5635-E	6.20.1.4	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v5.13
P7210	5.50.2	MJPEG H.264	5	Video Sever	1536x1152	Y/N	4/4	Pan Tilt Zoom	Motion	None	v3.0
P7214	5.50.4.9	H.264 MJPEG	5	Video Server	D1	Y/N	4/4	Pan Tilt Zoom	Motion	None	v18.5
P7224	5.40.7	MJPEG H.264	4	Video Sever	720x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.6
P8221	5.10.2	MJPEG H.264	1	Camera	2048x1536	Y/N	8/8	-	Motion	Test by link	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
P8513	Refer to P8514	MJPEG H.264	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.2
P8514	5.21	MJPEG H.264	1	Camera	1280x800	Y/N	-	-	Motion	Test by link	v2.2
Q1602	5.40.3	MJPEG H.264	1	Camera	768x576	Y/N	1/1	-	Motion	Test by link	v2.1
Q1604	5.11.1	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v2.5
Q1614	5.55.1	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v3.8
Q1615	5.55.3	MJPEG H.264	1	Camera	1920x1200	Y/N	1/1	-	Motion	Test by link	v3.8
Q1635	5.80.1.2	MJPEG H.264	1	Camera	1920x1200	Y/N	2/0	-	Motion	Test by link	v4.7
Q1755	None	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.9
Q1755-E	None	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Q1765-LE	5.55.1	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.9
Q1910	5.11	MJPEG H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.2
Q1910-E	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.2
Q1921	5.20.1	MJPEG H.264	1	Camera	768x576	Y/N	2/2	-	Motion	Test by link	v2.1
Q1922	Refer to Q1921	MJPEG H.264	1	Camera	768x576	Y/N	2/2	-	Motion	Supported by design	v2.1
Q1931-E	5.55.1	MJPEG H.264	1	Camera	768x576	Y/N	2/2	-	Motion	Test by link	v3.1
Q2901-E	5.55.4.1	MJPEG H.264	1	Camera	720x576	Y/N	-	-	Motion	Test by link	v4.7
Q3505	5.80.1	MJPEG H.264	1	Camera	1920x1200	Y/N	-	Zoom	Motion	Test by link	v4.2
Q3505-V	Refer to Q3505(5.80.1)	MJPEG H.264	1	Camera	1920x1080	Y/N	-	Zoom	Motion	Supported by design	v4.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Q3708-PVE	5.95.4.2	H.264 MJPEG	3	Camera	2560x1920	N/N	-	-	Motion	Test by link	v5.11
Q6000	Refer to Q6000-E(5.65.1)	MJPEG H.264	5	Video Sever	1920x1440	N/N	-	-	Motion	Supported by design	v4.4
Q6000-E	5.65.1	MJPEG H.264	5	Video Sever	1920x1440	N/N	-	-	Motion	Test by link	v4.3
Q6000-E-MkII	6.50.2.2	MJPEG H.264	5	Video Server	1920x1440	N/N	-	-	Motion	Test by link	v18.4
Q6032	None	MJPEG H.264	1	Camera	752x480	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q6032-E	5.05	MJPEG H.264	1	Camera	704x576	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q6034	5.15	MJPEG H.264	1	Camera	1280x800	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.4
Q6034-E	None	MJPEG H.264	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.9
Q6035	5.25	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v1.15



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Q6035-E	None	MJPEG H.264	1	Camera	1920x1080	Y/n	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q6042	5.55.1	MJPEG H.264	1	Camera	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v3.1
Q6044	5.55.1	MJPEG H.264	1	Camera	1280x720	N/N	4/4	Pan Tilt Zoom	Motion	None	v2.20
Q6044-E	5.70.1.1	MJPEG H.264	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.4
Q6045	5.55.1	MJPEG H.264	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.20
Q6045-E	5.70.1.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.6
Q6045-E-MkII	6.50.2.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	None	v18.6
Q6055	7.30.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v18.6
Q6115-E	5.65.2	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Q7401	None	MJPEG H.264	1	Camera	704x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
Q7404	5.02	MJPEG H.264	4	Camera	768x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q7406	5.11.1	MJPEG H.264	1	Video Sever	704x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.6
Q7411	5.40.13	MJPEG H.264	1	Video Sever	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.17
Q7414	5.25	MJPEG H.264	1	Video Sever	704x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.6
Q7424-R	5.40.10	MJPEG H.264	4	Video Sever	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.7
V5915	5.75.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v4.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
BIP-1000c	None	H.264 MJPEG MPEG4	1	Camera	1024x768	N/N	1/1	-	Motion	Supported by design	v1.3
BIP-1000c-dn	None	H.264 MJPEG MPEG4	1	Camera	1024x768	N/N	1/1	-	Motion	Supported by design	v1.3
BIP-1300c	None	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	1/1	-	Motion	Supported by design	v1.3
BIP-1300c-dn	BIP-1300cdn-1.6-2	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	1/1	-	Motion	None	v1.3
BIP-1600c	None	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.3
BIP-1600c-dn	None	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.3
BIP-640c	None	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.3
BIP-640c-dn	None	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.3
BIP2-D1920c-dn	3.8.0	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/N	1/1	-	Motion	Test by link	v2.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
BN1008FE	v2.0.0703.1 002.6.1.125 .1.0	H.264 MJPEG	1	Camera	3072x2048	Y/N	1/1	-	Motion	None	v4.15
BN1009/I RPTZ-2.0S	v2.0.0701.1 002.6.1.114 .3.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	None	v4.15
BN6009M2	v2.0.0801.1 002.6.1.61. 2.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.15
BN6009M2 WD	v2.0.1001.1 002.6.1.56. 2.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.15
BN6035M2	v2.0.0801.1 002.6.1.61. 2.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.15
BN6035M4	v2.0.0801.1 002.6.1.61. 2.0	H.264 MJPEG	1	Camera	2688x1520	Y/N	-	-	Motion	None	v4.15
BN7029	V2.0.1.0_16 0511	H.264	1	Camera	2592x1520	Y/N	1/1	-	Motion	None	v5.0
BN7035	V2.0.1.0_16 0511	H.264	1	Camera	2592x1520	N/N	-	-	Motion	None	v5.0
BN7036	V2.0.1.0_16 0511	H.264	1	Camera	2592x1520	Y/N	1/1	-	Motion	None	v5.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	5.90.0112 (12510590)	H.264	1	Fisheye Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.6
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> H.264 only support IP mode of GOP structure. (Camera→Encoder Profile→Profile N→Expert Settings→GOP structure →IP) (NUUO Server limitation) Only support G.711 audio codec. (Camera performance limitation) After changing MJPEG resolution on web and getting camera setting on NUUO, resolution will return to previous setting. (Camera Firmware issue) Snapshot resolution is not correspond to existing profile. (Camera Firmware issue) Sometimes set multi-stream fail due to limitations of inter-streaming dependency.(NUUO Server limitation) Can't set tream3 quality value. (Camera Firmware issue) Some resolution can't set framerate (NIN-733 Stream2 only support fps 7.5 under 1280x720)(Camera performance limitation) MJPEG framerate can't synchronize to web setting. (Camera performance limitation) Can't set framerate 1 under base frame rate 50/60 ips mode. (Camera performance limitation) NUUO not test ptz functions. 										
NBC-225-P	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-255-P	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-265-P	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-274-P	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-274-PM	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NBC-274-PT	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-455	5.72.0028(28500572)	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Test by link	v3.5
NBN-40012	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
NBN-498	5.72.0028(28500572)	H.264	1	Camera	704x576	Y/N	2/1	None	Motion	Test by link	v3.5
NBN-50022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NBN-71013-B	5.92.0090(90500592)	H.264	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.8
NBN-733	Refer to NIN-733(5.90.0112)	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	Supported by design	v3.3
NBN-832	Refer to NDN-832(5.90.0112)	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v3.3
NDC-225-P	39500570	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NDC-225-PI	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NDC-255-P	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NDC-265-P	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NDC-274-P	15500552	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.7
NDC-274-PT	Refer to NDC-274-P(15500552)	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.7
NDC-455	Refer to NBC-455 (5.72.0028)	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Supported by design	v3.5
NDI-50022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NDN-265-PIO	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NDN-40012	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NDN-498	Refer to NBN-498(5.72.0028)	H.264	1	Camera	704x576	Y/N	2/1	None	Motion	Supported by design	v3.5
NDN-50022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NDN-733	Refer to NIN-733(5.90.0112)	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	Supported by design	v3.3
NDN-832	5.90.0112	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v3.3
NIN-40012	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
NIN-733	5.90.0112	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	None	v3.3
NIN-832	Refer to NDN-832(5.90.0112)	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v3.3
NTC-255-PI	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NTC-265-PI	Refer to NDN-265-PIO(39500570)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NTI-40012	5.90.0126	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.5
NTI-50022	5.90.0126	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
NUC-50022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NUC-51022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NWC-455	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
NWC-495	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
NWD-455	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
NWD-495	56500410	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	None	v2.11
VG5-7028-C1PC4	Refer to VG5-7130-CPT4(6.11.0021)	H.264	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VG5-7130-CPT4	6.11.0021	H.264	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.8
VG5-7130-EPC4	Refer to VG5-7130-CPT4(6.11.0021)	H.264	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.8
VIP X1 XFE	39500570	H.264	1	Camera	704x480	Y/N	1/1	-	Motion	None	v2.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:
Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
130N	v3.1.0.9	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Zoom	Motion	None	v2.1
30xN	V3.2.2.8	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.4
50xA	v3.2.2.8	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Test by link	v3.3
CB-100A	v3.0.2.4	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.5
CB-100Ae	v3.0.2.4	MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.5
FB-100A	v3.0.2.3	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5
FB-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5
FD-100A	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5
FD-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FD-130Ae	Refer to VD-130Ap	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.18
FD-130Ap	Refer to VD-130Ap	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.18
Hydracam	v3.2.3.4	H.264	3	Camera	1280x720	Y/N	2/2	-	-	None	v3.7
OB-100A	v3.1.0.8	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	Zoom	Motion	None	v2.2
OB-E200Nf	v3.7.0.18.3 u	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.9
OSD-200A 20xp	gk20140422 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.4
OSD-200Np	3.7.0.35	H264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v5.14
OSD/PZ-040D	v3.1.0.8	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.2
OSD/PZ-040E	v3.1.0.8	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v2.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VD-130Ae	Refer to VD-130Ap	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.18
VD-130Ap	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.18
VD-E200Nf	Refer to OB-E200Nf(V3.7.0.18.3T)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.7
VS-04A	3.5.2.15	H.264 MJPEG	1	Camera	720x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v3.7
W/VS-01A	v3.1.0.6	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.2
WCB-100A	v2.3.5.6.1	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.1
WCB-100Ae	v3.0.2.4	MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.5
WFB-100A	V2.3.7.8	H.264 MJPEG MPEG4	1	cAMERA	1280X800	Y/N	1/0	-	Motion	None	v1.1
WFB-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VB-H43	1.2.0	H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v5.0
VB-H651V	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v5.10
VB-H651VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v5.10
VB-H652LVE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v5.10
VB-H751LE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v5.10
VB-H760VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v5.10
VB-H761LVE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Supported by design	v5.10
VB-M50B	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-M640V	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VB-M640VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10
VB-M641V	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	-	Motion	Supported by design	v5.10
VB-M641VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	-	Motion	Supported by design	v5.10
VB-M740E	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10
VB-M741LE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	-	Motion	Supported by design	v5.10
VB-R10VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-R11	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-R11VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-R12VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v5.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VB-R13	1.1.0	H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v5.10
VB-R13VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-S30D	1.1.0	MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.9
VB-S30VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-S31D	Refer to VB-S30D(1.1.0)	MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.9
VB-S800D	1.3.0	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.16
VB-S800VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v5.10
VB-S805D	Refer to VB-S905F(1.0.0)	MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.9
VB-S900F	Refer to VB-S800D(1.1.0)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VB-S905F	1.0.0	MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.9
VB-S910F	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Supported by design	v5.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS20HDI R3V	v1.8.0801.1 001.93.0.66 .1.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.4
DCS30HDI R30	v1.8.0601.1 001.93.0.65 .1.0	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	cx20141008 NSA	MJPEG H.264	1	Fisheye Camera	1920x1080	Y/N	4/2	-	Motion	Supported by design	v4.0
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> 1. It can't stop pan & tilt sometimes. (Camera performance limitation) 2.It can't set zoom speed. (Camera Firmware issue) 3.It should set one stream in MJPEG, the snapshot will work. (Camera Firmware issue) 4.If set preset point too fast, it will set wrong point. (Camera performance limitation) 5.The resolution setting doesn't sync with web. (Camera Firmware issue) 										
B13H	v1.1.0.0	MPEG4 MJPEG H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.0
C10-W	v1.1.0.0(buid2)	MPEG4 MJPEG H.264	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.0
D13HD	v1.1.0.0	MPEG4 MJPEG H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.0
W13H	v1.1.0.0	MPEG4 MJPEG H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BL3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.2
BL3104	4.2.1.0(15831)T	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	-	Motion	Test by link	v18.6
BL5103	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.3
BL5105	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
BL5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v4.3
BL7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.3
BL7304	VK1.0.27.3_GZ	MJPEG H.264 H.265	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v5.8
BL7305	01_C020	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.5
DM3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DM3102V2	IPC_D1202-B0003P10D1806	H265 H264 MJPEG	1	Camera	1920x1080	N/N	N/N	N/N	Motion	Supported by design	V19.3
DM3104	4.2.1.0(15831)T	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	-	Motion	None	v18.5
DM3112	Refer to D4211 (02_C022)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.5
DM5103	01_C018	MJPEG H.264 H.265	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.3
DM5113	01_C014	MJPEG H.264 H.265	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.8
DM5115	01_C017	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.9
DM5115V2	02.03.0.6.14208	H.265 H.264 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	None	v18.9
DM5302	02_C022	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v4.3
DM7302	01_C020	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DM7304	VK1.0.27.3_GZ	MJPEG H.264 H.265	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v5.8
DM7305	01_C010	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.6
FE5403	01_C020	MJPEG H.264 H.265	1	Camera	2048x1520	Y/N	1/1	-	Motion	Supported by design	v4.7
FE5405	01_C020	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CIVS-IPC-2500	v1.1.3R15	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	None	v1.0
CIVS-IPC2-500W	v1.1.3R03	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	None	v1.0
PVC-300	2.0.0.1	H.264 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IBE3815N VR	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
IBE3815PVR	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
IBE5810N CR	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
IBE5810PCR	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
IBP503OCR	Refer to IGP1030(XNET.A1-2.01.13.0204)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IDC4000T	T1-1.0.13.0424	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.16
IDC4050F	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IDC4050IR	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IDC4050VF	XNET.M1-3.00.13.1125	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.2
IDC4050VR	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IDP4000VD	XNET.A1-1.1.9.1104	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.1
IDP4000VR	XNET.A1-1.1.9.1104	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.1
IDP4030VR	Refer to IGP1030(XNET.A1-2.01.13.0204)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IDP5035VR	Refer to IGP2035F(XNET.M2-3.00.13.0204)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IGC2050F	XNET.M1-3.00.13.0204	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
IGP1000	None	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	None	v1.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IGP1030	XNET.A1-2.01.13.0204	H.264	1	Camera	1280x860	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
IGP2035F	XNET.M2-3.00.13.0204	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
IJB2000	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	-	-	-	Supported by design	v1.1
INS2000	XNET.A1-2.01.13.0902	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.2
IPM3063N	None	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
IPM3063P	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
IS1765x	Refer to ISMC1063x	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
ISMC1063N	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
ISMC1063x	XNET.A1-2.01.13.0204	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	4/0	Pan Tilt Zoom	Motion	None	v2.13

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ISS2765N W	None	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
ISS2765P W	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	-	-	-	Supported by design	v1.1
ISS2965x	Refer to ISMC1063x	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	4/0	Pan Tilt Zoom	Motion	Supported by design	None
ISS403222 8W	Refer to IGP2035F(X NET.M2-3.00.13.0204)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
ISSM2063x	Refer to ISMC1063x	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/n	4/0	Pan Tilt Zoom	Motion	Supported by design	None
IVC5055V R	Refer to IDC4050VF(X NET.M1-3.00.13.1125)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
IVP4000V R	XNET.A1-1.1.9.1028	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	None	v1.1
IVP4030V R	Refer to IGP1030(XNET.A1-2.01.13.0204)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IVP5035V R	Refer to CNB IGP2035F(X NET.M2-3.00.13.020 4)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IXC2050IR	Refer to IGC2050F(X NET.M2-2.00.12.102 6)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11
IXP3035V R	Refer to IGP2035F(X NET.M2-3.00.13.020 4)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
MPC1070P N	1.0.46	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v3.4
MVC2050V R	3.4.2	H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.3
NDE5055M F	Refer to NGE2055F(X NET.N1-1.02.13.020 4)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NDE5055V R	Refer to NGE2055F(X NET.N1-1.02.13.020 4)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NGE2055F	XNET.N1-1.02.13.020 4	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NVE5055M F	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NVE5055V R	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NXE3055M R	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NXE3055V R	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	2.622.0000 000.21.R, Build Date: 2018-01-12 2.210.BW03 .0.T.A.2017. 3N.NR, build : 2015-11- 06 2.210.0006. 0.T.A.2017, build : 2016-03-24	H.264 H.265 MJPEG	1	Camera	2688x1520	Y/N	7/2	Pan Tilt Zoom	Motion	None	v18.3
Note:	<p>Firmware must be 2.622.0000000.21.R, Build Date: 2018-01-12 or above then can use generic model. Firmware must be 2.210.0006.0.T.A.2017, build : 2016-03-24 or above then can use generic model.</p> <ol style="list-style-type: none"> The range of parameter on camera will be changed by other parameter, our parameter dialog can't synchronize with camera. (Camera Firmware issue) Image Parameters cannot be set normally. (Camera Firmware issue) Audio G.711A (16k) and G.711Mu (16k) works abnormal. (NUUO server limitation) PTZ cannot normally use Speed and AutoPan functions. (Camera Firmware issue) DO cannot normally work. (Camera Firmware issue) Camera with H.265 will have gray image. (NUUO server limitation) <p>Firmware must be 2.210.BW03.0.T.A.2017.3N.NR, build : 2015-11-06 or above then can use generic model.</p> <ol style="list-style-type: none"> Server dose not support G.726, AAC, and G.711A with 16k. (NUUO server limitation) Zoom, focus, and gotoPreset work abnormally. (Camera Firmware issue) Stream parameter setting may fail if the ranges of bitrate is not synchronized with the camera web. (Camera Firmware issue) The list of frame rate is not synchronized with the one on the camera web. (Camera Firmware issue) 										
DH-SD6AL230 FN-HNI	2.420.0001. 0.R.3.3019. 9A.NR,build :2016-01- 22	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Test by link	v5.9
DH-SD6AL240-HNI	2.621.0000 000.1.R.D32 .4010.9A.NR , Build Date: 2017- 08-23	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Test by link	v18.6
HCVR5104 H	3.200.0005. 1.R, Build Date: 2014- 04-27	H.264	4	DVR	1280x720	Y/N	-	Pan Tilt Zoom	-	None	v3.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HDB3300	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
HDBW3300	V2.000 , Update 2011.10.22	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
HF3110	V2.000 , Update 2011.10.22	H.264 MJPEG	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
HF3211	V2.000 , Update 2011.10.22	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
HF3300	V2.000 , Update 2011.10.22	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.16
IPC-5100	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-5200	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-EBW81200	2.400.0000.4.R, build : 2015-08-06	MJPEG H.264	1	Camera	4000x3000	Y/N	2/1	-	Motion	None	v4.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-EBW8600	2.400.0000.4.R, build : 2015-08-06	MJPEG H.264	1	Camera	3072x2048	Y/N	2/1	-	Motion	None	v4.12
IPC-HD2100	2.212.0000.1.T, build : 2014-02-08	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	None	v3.1
IPC-HDB3101	Refer to IPC-HFW3101C(2.103)	MJPEG H.264	1	Camera	1280x860	Y/N	2/1	-	Motion	Supported by design	v2.12
IPC-HDB5100	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5100-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5200	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5200-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HDB5202	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5202-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5300	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5300-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5302	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5302-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW232 OR-ZS	2.600.0005.0.R,build:2016-12-19	MJPEG H.264	1	Camera	2048x1536	N/N	-	Zoom	Motion	Test by link	v5.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPC-HDBW3101	Refer to IPC-HFW3101C(2.103)	MJPEG H.264	1	Camera	1280x860	Y/N	2/1	-	Motion	Supported by design	v2.12
IPC-HDBW3300	v2.000	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	None	None	None	v1.16
IPC-HDBW4421E	Refer to IPC-HFW5421E-Z(2.400.000 0.30.R,build :2015-12-15)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.14
IPC-HDBW4421F-AS	Refer to IPC-HFW5421E-Z(2.400.000 0.30.R,build :2015-12-15)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.14
IPC-HDBW5100	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5100-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5121E-Z	Refer to IPC-HFW5421E-Z(2.400.000 0.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPC-HDBW5200	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5200-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5202	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5202-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5220E-Z	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HDBW5221E-Z	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HDBW5300	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HDBW530 0-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW530 2	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW530 2-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW542 1E-Z	Refer to IPC-HFW5421E-Z(2.400.0000.0.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HDBW543 1E-Z	2.460.0000.3.R, Build Date: 2017-01-05	H.264 H.265	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Test by link	v5.10
IPC-HDW4421E	Refer to IPC-HFW5421E-Z(2.400.0000.0.30.R,build :2015-12-15)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.14
IPC-HF5121E-Z	Refer to IPC-HFW5421E-Z(2.400.0000.0.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HFW5221E	Refer to IPC-HFW5421E-Z(2.400.000 0.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HFW5421E	Refer to IPC-HFW5421E-Z(2.400.000 0.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HFW81200E	2.400.0000.7.R	H.264 MJPEG	1	Camera	4000x3000	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.11
IPC-HFW1220S	2.420.0000.11.R, build : 2015-07-07	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.12
IPC-HFW3101C	V2.103	MJPEG H.264	1	Camera	1280x960	Y/N	2/1	-	Motion	Test by link	v2.12
IPC-HFW3200C	2.212.0000.1.T, build : 2014-02-08	MJPEG H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v3.1
IPC-HFW5100-IRA	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5100C	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPC-HFW5100D	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5100E-VF	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5121E-Z	Refer to IPC-HFW5421E-Z(2.400.0000.0.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HFW5200-IRA	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5200C	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5200D	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5200E-VF	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPC-HFW5200E-Z	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5202C	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5220E-Z	Refer to IPC-HFW5421E-Z(2.400.0000.0.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HFW5221E-Z	Refer to IPC-HFW5421E-Z(2.400.0000.0.30.R,build :2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HFW5300C	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5300E-VF	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5300E-Z	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPC-HFW5302C	2.420.0005.0.R, build : 2014-12-05	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	None	v3.13
IPC-HFW5421E-Z	2.400.0000.30.R,build:2016-06-04	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	None	v4.16
IPC-HFW5431E-Z	2.622.0000000.21.R, Build Date: 2018-01-12	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Test by link	v18.3
SD32203S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD40212S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD42212S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD42C212S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SD50120S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD50220S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD50230S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD52C120 S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD52C220 S-HN	2.210.0003.0.R.A.2017, build : 2014-11-12	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.13
SD52C230 S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD59120S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SD59212S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD59220S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD59230S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD63120S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD63220S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD63230S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD6366E-HN	2.213.0000.1.R, build : 2013-12-27	MJPEG H.264	1	Camera	704x576	Y/N	7/2	Pan Tilt Zoom	Motion	Test by link	v3.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SD65XX-HN	2.102.0001.0.D	MJPEG H.264	1	Camera	1920x1028	Y/N	7/2	Pan Tilt Zoom	Motion	None	v2.5
SD69XX-HN	Refer to SD65XX-HN(2.102.0001.0.D)	MJPEG H.264	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
SD6A230-HN	2.212.0000.3.R, build : 2014-02-08	MJPEG H.264	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	None	v3.5
SD6AL230 F-HNI	Refer to DH-SD6AL240-HNI (FW: 2.621.0000000.1.R.D32.4010.9A.NR , Build Date: 2017-	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Supported by design	v18.6
SD6C120S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD6C220S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD6C230S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SD6C430U N-HN	2.420.0000.5.R.301d.3N.NR, build : 2016-04-13	MJPEG H.264	1	Camera	2592x1520	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v5.3
SDZW2030 S-HN	Refer to SD52C220S - HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Universal Model	V1.01.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1280x800	Y/N	-	-	Motion	None	V2.14
DCS-1100	1	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
DCS-1100L	1.03_4130	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.6
DCS-1130	1	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
DCS-1130L	1.03_4130	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.6
DCS-1201	V0.00.01	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.13
DCS-1301	0.01.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1
DCS-2102	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
DCS-2103	1.20.00	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.16



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-2103B1	Refer to DCS-2132LB (v2.00.05)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v4.6
DCS-2120	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	None	v1.0
DCS-2121	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
DCS-2130	Refer to DCS-2103(1.20.00)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.16
DCS-2132L	1.00.06	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.7
DCS-2132LB	v2.00.05	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v4.5
DCS-2136L	v1.03.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v4.7
DCS-2210	V1.22	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6
DCS-2210L	Refer to DCS-2230L (v0.03.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-2230	Refer to DCS-2210(V1.22)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.4
DCS-2230L	v0.03.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6
DCS-2310L	1.03.08	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v4.16
DCS-2310LB1	0.03.00	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	V3.7
DCS-2330L	v1.00.01	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v4.8
DCS-2332L	V1.02.00	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v4.9
DCS-2530L	1.00.21	MJPEG H.264	1	Camera	1920x1080	Y/N	-	-	Motion	None	v5.1
DCS-2630L	v1.02.02	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.13
DCS-3010	v1.12.07	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v3.7



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-3110	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
DCS-3112	V1.11.01	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	2/1	Pan Tilt	Motion	None	v4.6
DCS-3220	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
DCS-3220G	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
DCS-3410	None	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	Pan Tilt	Motion	None	v1.0
DCS-3411	1.02_4125	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	Pan Tilt	Motion	None	v2.6
DCS-3415	1	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Zoom	Motion	None	v1.0
DCS-3420	1.03	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
DCS-3430	1.02_4125	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	Pan Tilt	Motion	None	v2.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-3511	v1.10.13	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.4
DCS-3530	Refer to DCS- 3511(v1.00. 06)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15
DCS-3710	1	MJPEG MPEG4	1	Camera	1280x960	Y/N	2/1	Pan Tilt	Motion	None	v2.6
DCS-3710B1	V0.02.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	2/1	Pan Tilt	Motion	None	v4.6
DCS-3713	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.6
DCS-3714	v1.00.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	2/1	Pan Tilt	Motion	None	v4.6
DCS-3715	v1.20	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.8
DCS-3716	v1.00.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	None	v4.7
DCS-4201	V1.00.02	MJPEG H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v4.2



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-4602EV	v1.99.00 [HW: B]	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v18.3
DCS-4603	0.00.08	MJPEG H.264	1	Camera	2048x1536	N/N	1/1	Zoom	Motion	None	v5.9
DCS-4605EV	v1.00.02 [HW: A]	H264 H265 MJPEG	1	Camera	2592x1944	N/N	-	-	Motion	None	v18.2
DCS-4622	1.00.03	MJPEG H.264	1	Camera	1920x1536	Y/N	-	-	Motion	None	v5.0
DCS-4633EV	0.00.03	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v5.14
DCS-4701E	v2.00.05 [HW: B]	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v18.5
DCS-4703E	Refer to DCS-4603(0.00.08)	MJPEG H.264	1	Camera	2048x1536	N/N	1/1	Zoom	Motion	Supported by design	v5.9
DCS-4705E	v1.00.02 [HW: B]	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v18.7
DCS-4802E	v2.00.00 [HW: B]	H.264 H.265 MJPEG	1	Camera	1920 x 1080	N/N	-	-	Motion	None	v18.7



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-5000L	v1.02.01	MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	None	v4.12
DCS-5010L	Refer to DCS-5020L(1.01)	H.264 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	Supported by design	v2.15
DCS-5020L	1.01	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.15
DCS-5029L	Refer to DCS-5222LB(V2.01.05)	MJPEG H.264	1	Camera	1280x720	Y/N	1/1	Pan Tilt	Motion	Supported by design	v4.13
DCS-5030L	v1.01.06	MJPEG H.264	1	Camera	1280x720	Y/N	-	Pan Tilt	Motion	None	v4.13
DCS-5211L	1.1	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	Pan Tilt	Motion	None	v2.15
DCS-5220	200	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	None	v1.0
DCS-5220 Bx	2.00	MJPEG MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	None	v1.0
DCS-5220(TW)	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-5222L	1.10	H.264 MPEG4	1	Camera	1280x720	Y/N	1/1	Pan Tilt	Motion	None	v2.15
DCS-5222LB	2.01.05	MJPEG H.264	1	Camera	1280x720	Y/N	1/1	Pan Tilt	Motion	None	v4.5
DCS-5222LB2	Refer to DCS-5222LB(V2.01.05)	MJPEG H.264	1	Camera	1280x720	Y/N	-	Pan Tilt	Motion	Supported by design	v3.8
DCS-5230	1.02_4317	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	None	v2.6
DCS-5230L	1.02_4317	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	None	v2.6
DCS-5605	1.01_4126	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-5610	None	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
DCS-5615	v1.00.02	MJPEG H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt	Motion	None	v2.19
DCS-5635	1.01_4126	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-6004L	V1.02.03	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v5.4
DCS-6005L	Refer to DCS- 6004L(V1.0 2.03)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v5.4
DCS-6010L	V1.12.02	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	Pan Tilt Zoom	Motion	None	v4.6
DCS-6045L	V1.00b3	H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.4
DCS-6110	1	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	-	Motion	None	v1.0
DCS-6111	1	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
DCS-6112	v2.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.6
DCS-6112B1	V3.00.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6
DCS-6112V	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-6113	Refer to DCS-6112(2.10.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
DCS-6113B1	v3.00.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.5
DCS-6113V	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.6
DCS-6113VB1	Refer to DCS-6112B1(v3.00.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.3
DCS-6115	v0.09.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v4.7
DCS-6116	v1.00.09	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v4.10
DCS-6210	V1.00.06	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.7
DCS-6212L	0.01.00	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.10
DCS-6314	V1.01	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.4



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-6315	Refer to DCS-6115(0.09.00)	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v4.7
DCS-6410	1	MJPEG MPEG4	1	Camera	704x576	Y/N	2/1	Pan Tilt	Motion	None	v1.0
DCS-6510	v1.02	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v4.10
DCS-6511	Refer to DCS-7513(v2.0.23)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.5
DCS-6513	1.02.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.0
DCS-6515	Refer to DCS-7518(1.00.00)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v4.1
DCS-6517	Refer to DCS-7517(v2.00.00)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v5.7
DCS-6616	2.12.01	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	8/1	Pan Tilt Zoom	Motion	None	v5.11
DCS-6620	1.05	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.3



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-6620G	1.05	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.3
DCS-6815B1	0.01.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	8/1	Pan Tilt Zoom	Motion	None	v2.6
DCS-6817B1	v2.00.02	MJPEG H.264 H.265	1	Camera	720x576	Y/N	8/1	Pan Tilt Zoom	Motion	None	v2.12
DCS-6818B1	0.01.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	8/1	Pan Tilt Zoom	Motion	None	v2.6
DCS-6915	v1.00.10	H.264	1	Camera	1900x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.12
DCS-6915B1	Refer to DCS- 6915(1.00.1 0)	MJPEG H.264	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.7
DCS-7000L	0.09.00	MJPEG H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v4.5
DCS-7010L	V1.05.03	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v4.3
DCS-7110	v1.20_2012 0517	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-7110A3	V2.10.03	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	Pan Tilt	Motion	None	v3.9
DCS-7110B1	v3.00.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v4.4
DCS-7410	1	MJPEG MPEG4	1	Camera	704x576	Y/N	2/1	Pan Tilt	Motion	None	v1.10
DCS-7413	1.00.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.10
DCS-7413B1	v2.11.08	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6
DCS-7510	None	MJPEG MPEG4	1	Camera	704x576	Y/N	2/1	Pan Tilt	Motion	None	v1.0
DCS-7513	v2.0.23	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.5
DCS-7517	v1.11.00	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	Zoom	Motion	Test by link	v5.15
DCS-7517B	v2.00.00	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v5.7



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-7518	V1.00	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.12
DCS-900	1	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-910	1	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-920	None	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-930	1.00 build 2	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.8
DCS-930L	1.00 build 2	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.8
DCS-930LB	v2.15.06	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	Test by link	v5.15
DCS-931L	1.00_2.0.16 -b28	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-932	1	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-932L	1	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.9
DCS-932LB	2.13.13	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v4.14
DCS-933L	1.00_2.0.16-b28	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-935L	V1.00	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.5
DCS-936L	v1.02.00	H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v4.15
DCS-940L	1	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.18
DCS-942L	V1.20	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.13
DCS-942LB	V2.00_3815	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v4.5
DCS-950	None	MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-950G	None	MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
DCS-960L	v1.03.05	H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v4.13
DCS-G900	None	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-N2100	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-N2104	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-N2200	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	None	v2.9
DCS-N2204	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	None	v2.9
DCS-N3530	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	Motion	None	v2.9
DCS-N3531	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-N3534	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DCS-N4141	None	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N4532	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	-	Motion	None	v2.9
DCS-N4533	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	-	Motion	None	v2.9
DCS-N5424	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	None	Motion	None	v2.9
DCS-N5440	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N5441	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N5442	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N5444	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-N6240	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N6241	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N6244	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-P603	v1.02.02	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Test by link	v18.1
DCS-P703	Refer to DCS-P603 (FW: v1.02.02)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v18.1
DCS2120(T W)	0201tw	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
DVS-104	None	MJPEG	4	Camera	720x576	N/N	4/2	-	Motion	Supported by design	v1.0
DVS-210-1	1.00.01	MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0
DVS-301-1	1.00.01	H.264 MPEG4 MJPEG	1	Camera	720x480	Y/N	None	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DVS-N1010	None	MPEG4 MJPEG	4	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3010	None	MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3011	None	MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3014	None	MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3040	None	MPEG4 MJPEG	4	Video Server	720x576	N/N	4/4	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3041	None	MPEG4 MJPEG	4	Video Server	688x544	N/N	4/4	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3044	None	MPEG4 MJPEG	4	Video Server	688x544	N/N	4/4	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-4721	VE1.0.22.2	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.1
DCS-H30-51D/S	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
DCS-H41-11D/SI	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
DCS-H41-11D/SO	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
DCS-H42-21D/SA	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
DCS-H42-21D/SM	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
DCS-H50-21D/S	1.0.0X0	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.4
DCS-H70-21D	2.0.9A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.15
DCS-H70-21D/A	2.0.9A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/n	1/1	-	Motion	None	v2.20



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-H70-21D/M	Refer to DCS-H70-21D/A(2.0.9 A5S2)	H.264 MJPEG	1	Camera	1920x1080	Y/n	1/1	-	Motion	Supported by design	v2.20
DCS-H70-21D/SA1	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
DCS-H70-21D/SM1	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
DCS-H70-22D	2.0.9A5S2	MJPEG H.264	1	CAmera	1920x1080	Y/N	1/1	-	Motion	None	v3.1
DCS-H_Series	None	MJPEG H.264	1	Fisheye Camera	2592x1944	Y/N	4/2	-	Motion	Supported by design	v3.6
DCS-N20M-10H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
DCS-N30M-51H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
DCS-N31M-21H3	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
DCS-N40M-22H3	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-N40M-32H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
DCS-N40M-33H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
DCS-N40M-53H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
DCS-N40M-81H3	VC1.0.10	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.11
DCS-N62-40H2	V1.0.40	H.264 MJPEG	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.11
DCS-N70M-20H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	Supported by design	v2.17
DCS-N70M-21H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
DCS-N70M-21H3	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
DCS-N70M-50H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-V30M-50H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
DCS-V30M-51H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
DCS-V30M-51H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
DCS-V40M-12H	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
DCS-V40M-32H	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
DCS-V40M-32H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	Supported by design	v2.17
DCS-V40M-33H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	Supported by design	v2.17
DCS-V70M-11H	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
DCS-V70M-20H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	Supported by design	v2.17



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DCS-V70M-21H	v1.0.30	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.17
DCS-V70M-21H2	VB1.0.29	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.18
DCS-V70M-50H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.17
DCS-V90R-10F/A0	V4.02.R11.0 0001905.10 010.230800 0	H.264	1	Camera	1280x960	N/N	-	Pan Tilt Zoom	Motion	None	v18.7
DCS-V_Series	None	MJPEG H.264	1	Fisheye Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v3.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	z120141215 NSZ z120141111 NSX z120141027 NSA	H.264 MJPEG	1	Fisheye Camera	2048x2048	Y/N	1/1	-	Motion	Test by link	v3.12
Note:	<p>Support generic dewarp Generic support model: W1-BA100, W2-BAZ40, W5-CDWK0, NH073, NH063 Parameter setting will fail when multi-stream is allowed and resolution is higher than 1080p. PT function are not test on software. The maximum resolution is depends on camera. Camera (Z series) firmware must be z120141215NSZ or above then can use generic model. Camera (W series) firmware must be z120130417NSA or above then can use generic model. Camera (X series) firmware must be z120141027NSA or above then can use generic model.</p>										
NA063	z120120523 NSA	H.264 MJPEG	1	Camera	2596x1944	Y/N	1/1	-	Motion	None	v2.9
NA083	z120131016 NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v2.20
NH061- CCD	d20100310 NS	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
NH221- CCD	d20100310 NS	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NH720-20N1	pm20120222NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.0
NH720-20N8	Refer to NH820-20N8(z120131126NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.0
NH820-20N1	pm20120222NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.0
NH820-20N8	z120131126NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.0
NV053	pm20120222NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0
NV063	pm20120222NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0
NV103	pm20120222NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0
NV223	z120130417NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.15
V1-A	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v1.19



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
V1-B	d20100630 NS	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v1.19
V2-A	d20101215 NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.19
V2-B	d20100826 NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.19
V6-A	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.19
V6-B	d20100630 NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.19



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
GLC-1401	1.42	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v1.0
GLC-1601	1.43	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	Motion	None	v1.0
GLC-1602H	1.43	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	Motion	None	v1.0
GLC-1610H	None	H.264 MJPEG	1	Camera	720x480	Y/N	1/0	-	Motion	Supported by design	v1.7
GLC-1701/IR	1.45	MPEG4 MJPEG	1	Camera	720x480	N/N	1/0	-	Motion	Supported by design	v1.7
GXB-1710M-IR	Refer to GXC-1710M(1.0.5 Bets)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.2
GXB-1720M-IR	Refer to GXC-1720M(1.05)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
GXC-1605M	Refer to GC-1606M-IR(2.03)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v2.8
GXC-1606M-IR	2.03	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v2.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:
Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
GXC-1710M	2.11	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.13
GXC-1720M	1.05	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.8
GXD-1610M-IR	Refer to GC-1606M-IR(2.03)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v2.8
GXD-1710M-IR	Refer to GXC-1710M(2.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.2
GXD-1720M-IR	Refer to GXC-1720M(1.05)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
PXB-1080Z03	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
PXB-2080MIR	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
PXB-2080Z03	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
PXB-2180Z03	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
PXC-2080CS	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
PXC-2080Z03	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
PXD-1010F02	vr20121016 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.10
PXD-1020F02	Refer to PXD-1020F02(vr 20121016NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.10
PXD-2030PTZ1080	vr20140416 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v3.8
PXD-2080MIR	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
PXD-2080Z03	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
PXD-2080Z03IR	4.23-49-ds	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
EV8180A	1.1.4	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
EV8180Q-XD	1.1.4	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.11
EV8580A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8581A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8582U-BL	1.1.6 (build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.18
EV8780A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8781A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8782A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8782Q-BD	Refer to EV8180Q-XD(1.1.4)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
N50A-ML	Refer to N71U-ML(1.1.6 build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
N50U-ML	Refer to N71U-ML(1.1.6 build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
N51U-ML	Refer to N71U-ML(1.1.6 build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
N71U-ML	1.1.6 (build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.18



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	1.2.5B11	H.264 MJPEG MPEG4	1	Fisheye Camera	720x480	Y/N	1/1	-	Motion	None	v4.1
Note:	<p>Support generic dewarp</p> <p>1. Not support CBR mode.(Camera Firmware issue)</p> <p>2. It will lose parameters of stream2 and stream3 if you disable stream2 and stream3 on camera web. (Camera performance limitation)</p>										
EAN2150	CCD-cameraFw-100811P	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.5
EAN2218	ev 20111116N SA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.5
EAN2350	ev20111116 NSA	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.5
EAN3120	v1.0.10	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
EAN3200	1.0.9	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
EAN3220	v1.0.10	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
EAN3300	v1.0.10	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.5
EAN800A	1.2.5	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	None	v1.1
EAN800AW	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.1
EAN850A	1.2.5	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	None	v1.1
EAN900	1.2.5	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.1
EDN1220	1.0.8	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.18
EDN1320	1.0.8	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v2.18
EDN2210	ev20121002 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
EDN2245	EDN2245	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
EDN2260	1.3.0.d	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.4
EDN3160	1.0.18	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.6
EDN3240	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.14
EDN3260	1.0.18	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.6
EDN3340	Refer to EHN3340(1.2.4)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.6
EDN800	1.2.5	H.264 MPEG4 MJPEG	1	Camera	704x576	N/N	1/1	-	Motion	None	v1.1
EDN850H	1.2.5	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	None	v1.1
EHN3160	1.0.18	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
EHN3200	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.12
EHN3260	1.2.5B2	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.8
EHN3340	1.2.4	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.5
EHN3361	Refer to EZN3340(1.2.5B2)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.6
EMN2220	0.8.7-B10	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.13
EMN2320	1.0.1	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v2.14
EPN2218	ev20111116 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.5
EPN3100	v1.0.4	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.1
EPN3600	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EPN4122	1.0.4 B7	H.264 MJPEG	1	Camera	1280x960	Y/N	2/2	Pan Tilt	Motion	None	v2.6
EPN4220	1.0.16	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.5
EPN4220P	Refer to EPN4220(1.0.16)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
EPN4230	Refer to EPN4220(1.0.16)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
EQN2200	1.0.27	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.14
EQN2201	1.0.27	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.14
ETN2110	v3.2.1.4	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	None	v2.14
ETN2260	1.0.1_F1	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	Pan Tilt	Motion	None	v3.6
EVS200A	v1.1.34	H.264 MJPEG MPEG4	2	Video Server	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
EVS200AW	v1.2.8	H.264 MJPEG MPEG4	2	Video Server	720x5576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.1
EVS410	1.0.21	H.264 MJPEG	1	Camera	704x480	Y/N	4/1	-	Motion	None	v2.16
EZN3160	v1.0.10	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
EZN3240	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.12
EZN3260	1.2.4	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.3
EZN3340	1.2.5B2	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.6
EZN3361	Refer to EZN3340(1. 2.5B2)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
EZN850	v1.2.5	H.264 MJPEG MPEG4	1	Camera	704x576	N/N	1/1	Zoom	Motion	None	v1.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ACM-B3000	1.02.09	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	2/1	Pan Tilt	Motion	None	v2.13
ACM-PT500	2.03.16	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Pan Tilt	Motion	None	v3.7
ACM-R2001	1.02.09	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.11
ACM-R3002	Refer to ACM- V3103(2.03. 23A)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
ACM-R3006	1.02.05T	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	None	v2.13
ACM-V3001	1.02.09	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.12
ACM-V3002	Refer to ACM- V3103(2.03. 23A)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
ACM-V3103	2.03.23A	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	None	v3.13
AT-HK4A26LP R-LZS	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/N	1/1	Zoom	Motion	Supported by design	v.5.15



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AT-HK4A26LP R-Z	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/N	1/1	Zoom	Motion	Supported by design	v.5.15
AT-HK4A26LP R-ZHS	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/N	1/1	Zoom	Motion	Supported by design	v.5.15
AT-HKTCG225	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/N	1/1	Zoom	Motion	Supported by design	v.5.15
C3000	v3.2.2.3	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.14
C3000-W	v3.2.2.3	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.14
CDB-2KM552	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.3
CDB-2KM552S	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
CDB-3VM835	Refer to TCP-HDVB835(V J2.0.02)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CDB-4KM552	Refer to TCP-KM465(VK2.0.11.0_F)	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.11
CDB-4KU852	Refer to TCP-4KU808(VH2.0.0.12)	MJPEG H.264	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.12
CDB-4VM551	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
CDB-5KM551	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDB-5VM551G	VH2.0.14.2_F	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v5.2
CDB-720F	None	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.6
CDB-720F/IR	V1.0.20_F	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.6
CDB-720V	VB1.0.26_F	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.6
CDB-720VIR	VB1.0.26_F	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CDB-720VIR-H	VE2.0.14.2_F	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v3.3
CDB-HD280	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDB-HFD720	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v4.1
CDB-HFD728	Refer to CDB-720VIR-H(VE2.0.14.2_F)	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v3.5
CDB-HFD828	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDB-HFD828W	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDB-KFD228	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
CDB-KFD236	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CDB-MD602	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
CDB-MD605	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
CDB-MV1080F	VB1.0.32_F	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.14
CDB-MV1080F-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDB-MV720F	VB1.0.28_F	MPEG4 MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.11
CDB-MV720F-H	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
CDB-T5	A1D-500-V6.07.24-NB	MJPEG H.264	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	None	v3.11
CDV-10KV313	Refer to TCP-10KB313(A1D-500-V6.11.30-NB)	H.264 MJPEG	1	Camera	3648x2736	Y/N	1/1	-	Motion	Supported by design	v5.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CDV-2KM502	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.3
CDV-2KM502S	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
CDV-2M360	VB1.0.32_F	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.15
CDV-3F828	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDV-3V930	None	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CDV-3V930U	None	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
CDV-3VM301	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.5
CDV-3VM501	Refer to TCP-MH802(1.0.46)	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v3.5



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CDV-3VM800	VC1.0.06_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.14
CDV-3VM800-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDV-3VM800-H1	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDV-3VM800H	Refer to TCP-KM265(VKD 2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.7
CDV-3VM800Z3	Refer to TCP-HDVB800Z3 (VC2.0.22.4)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.11
CDV-3VM800Z4 2	VE2.0.23.10_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v4.16
CDV-3VM835	Refer to TCP-HDVB835 (VJ2.0.02)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	V4.6
CDV-3VWD960	V1.0.16_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CDV-3VWD960 H	None	MJPEG H.264	1	Camera	720x576	Y/N	1/	-	Motion	Supported by design	v1.5
CDV-4F936	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
CDV-4KM502	Refer to TCP-KM465(VK2.0.11.0_F)	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.11
CDV-4KM502Z4 2	VK2.0.28.6_F	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.4
CDV-4KM502Z4 2X	VK2.0.28.6_F	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	Supported by design	v18.4
CDV-4KU801	Refer to TCP-4KU808(VH2.0.0.12)	MJPEG H.264	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.12
CDV-4VM501	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
CDV-4VM501Z4 2	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CDV-5KM501	Refer to CDV-5KM501Z35 (VK2.0.23.0_F)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDV-5KM501Z35	VK2.0.23.0	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v5.0
CDV-5VM501	Refer to TCP-VM559 (VC2.0.26.6_F)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.3
CDV-5VM501G	Refer to CDB-5VM551G(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2592x1944	1/1	1/1	-	Motion	Supported by design	v5.2
CDV-5VM501Z3	VC2.0.26.4	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v3.12
CDV-5VM501Z42	Refer toTCP-VM559Z42 (VC2.0.26.6)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v4.4
CDV-8KP108	VKU1.2.4.59	H.265 H.264 MJPEG	1	Camera	2880x2160	Y/N	1/1	-	Motion	Supported by design	v19.1
CDV-DT5	A1D-500-V6.08.25-NB	MJPEG H.264	None	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v3.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CDV-DT910IR	A1D-500-V6.10.24-NB	MJPEG H.264	1	Fisheye Camera	3648x2736	Y/N	-	-	Motion	None	v4.13
CDV-DT95IR	Refer to CDV-DT5(V6.08.25-NB)	MJPEG H.264	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.3
CDV-MD602	VG2.0.20_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.3
CDV-MD605	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
CDV-MFB2000D	2.03.16	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
CDV-MV1080F-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
CDV-P360	V1.0.40_F	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v2.11
CDV-P360-5	VC2.0.26.4	MJPEG H.264	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	None	v4.1
CDV-VM2008T	01_C021	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v4.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
EDH-02H	V1.0.20_F	MJPEG H.264	1	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.10
EP-201	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
EP-221	None	MJPEG MPEG4	1	Camera	720x480	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v1.0
EP-221DN	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
EP-601	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
EP-601HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.5
EP-908	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
EP-908HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.5
EP-936	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
EP-936HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.5
EP-HTQ935	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.5
EP-Q2018H-IP	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.5
EP-Q2018HW-IP	V1.0.8_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5
EP-Q2026H-IP	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.5
EP-Q2026HW-IP	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.5
EP-Q2036H-IP	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.5
EP-Q2036HW-IP	V1.0.46_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.7
MD-D1200	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
MD-D1322	V1.0.23.09_F	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.6
MD-D1612	V1.0.16_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.5
MD-D3622Q-H	VD1.0.12_04_F	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.0
SP-HK2020C-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK2020CM-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK2028Q-AIP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK2033Q-AIP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SP-HK2033Q-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK204MP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK2050R-LA	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK2107IR-IP	Refer to SP-HK8020IR-(IPVK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
SP-HK3033Q-AIP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.20150921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
SP-HK3033Q-IP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.20150921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16
SP-HK3036Q-IP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.20150921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SP-HK3036R-AIP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.20150921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16
SP-HK3036R-IP	NVSS-V8.1.1.20150921	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	None	v4.16
SP-HK3303R-IP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.20150921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
SP-HK5220R-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK5233R-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK6230SR-AIP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK6233R-AIP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SP-HK6240SR-AIP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK6333R-AIP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.20150921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
SP-HK6340R-AIP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.20150921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
SP-HK8020IR-IP	VK1.0.24.0_F	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	None	v5.10
SP-HK8030IR-IP	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
SP-HK8120H-IP	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
SP-HK8120Q-IP	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
SP-HP2013C-IP	onvif_v2.4.2_20150327	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SP-HP2020C-IP	onvif_v2.4.0_20141027	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.1
SP-HP2020CM-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2020Q-IP	Refer to SP-HP2330Q-IP(onvif_v2.3.1_20130922)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
SP-HP2030CM-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2030Q-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2030SR-IP	onvif_v2.5.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	None	v4.12
SP-HP2040SR-IP	Refer to SP-HP2030SR-IP(onvif_v2.5.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.12
SP-HP2313C-IP	Refer to SP-HP2313C-IP(onvif_v2.4.2_20150327)	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SP-HP2320C-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2330C-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2330Q-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2336Q-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2530AR-IP	NVSS_V8.0.5.20150609	MJPEG H.264	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	None	v4.15
SP-HP2620CP-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP4833-IP	A1D-500-V6.09.44-NB	H.264 MJPEG	1	Camera	2688x1520	Y/N	4/2	Pan Tilt Zoom	Motion	None	v4.7
SP-PTIR736A-IP	Refer to EP-Q2036HW-IP(V1.0.46_F)	H.264 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SP-PTIR736B-IP	Refer to EP-Q2036HW-IP(V1.0.46_F)	H.264 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.4
SP-PTIR737-IP	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5
SP-PTIR737-LA-IP	None	H.264 MJPEG	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.10
TCMA-99	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.5
TCMP-99	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.5
TCP-10KB313	A1D-500-V6.11.30-NB	H.264 MJPEG	1	Camera	3648x2736	Y/N	1/1	-	Motion	None	v5.4
TCP-1200AV	V1.0.26_F	MJPEG H.264	1	Camera	640x480	Y/N	-	-	Motion	None	v1.12
TCP-1300AM	V1.0.26_F	MJPEG H.264	1	Camera	1280x1024	Y/N	-	-	Motion	None	v1.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCP-2200AM-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-2700AM	V1.0.30_F	MJPEG H.264	1	Camera	1600x1200	Y/N	-	-	-	None	v3.3
TCP-2700AM-W	Refer to CDB-720VIR-H(VE2.0.14.4)	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v3.5
TCP-2800AM	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-336AM	VB1.0.40_F	H.264 MJPEG MPEG4	1	Camera	2032x1536	Y/N	1/1	-	Motion	None	v2.20
TCP-4KU808	VH2.0.0.12_F	MJPEG H.264	1	Camera	3840x2160	Y/N	1/1	-	Motion	None	v4.12
TCP-670DNU	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
TCP-680DNU	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCP-690	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
TCP-690DN	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
TCP-690U	V3.2.60_F	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	None	v1.0
TCP-B365K	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-BF108	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
TCP-BF1080	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-BF128	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v4.1
TCP-BF208	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCP-BF428	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
TCP-BF728IR	Refer to CDB-720VIR-H(VE2.0.14.2_F)	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v3.5
TCP-BF828IR	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-HDVB110	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Cmaera	1280x800	N/N	1/1	-	Motion	Supported by design	v4.1
TCP-HDVB180	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-HDVB720-H	VE2.0.20.8_F(Same as VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	None	v4.1
TCP-HDVB720P	V1.0.20_F	H.264 MPEGA MJPEG	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.6
TCP-HDVB800-H	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCP-HDVB800-H1	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-HDVB800H	Refer to TCP-KM265(VKD 2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.7
TCP-HDVB800Z3	VC2.0.22.4_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v3.8
TCP-HDVB800Z42	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-HDVB801	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	None	v2.6
TCP-HDVB835	VJ2.0.02_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.12
TCP-HFB1080D	2.03.10	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.19
TCP-HFB720	VB1.0.28_F	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v2.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCP-HFB720-H	Refer to TCP-HDVB720-H (VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
TCP-HP1080	VC1.0.06_F	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.14
TCP-HP1080-H	Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-HP1080H	Refer to TCP-KM265(VKD 2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.7
TCP-HP1080WI	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	None	v2.6
TCP-HP930	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
TCP-HP930U	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
TCP-HVB3100D	Refer to ACM-V3103(2.03. 23A)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
TCP-HVB3105D	Refer to ACM-V3103(2.03. 23A)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-IPWD690	None	MJPEG MPEG4	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.5
TCP-IPWD700DN	V1.0.16_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5
TCP-IR590-WD30	V1.0.20_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	None	Motion	None	v1.10
TCP-IR590-WD50	Refer to TCP-IR590-WD30(V1.0.20_F)	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.10
TCP-IRH4080-70	VKD2.1.28_F	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/Y	1/1	-	Motion	None	v19.6
TCP-IRH5030C	V1.0.20_F	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.10
TCP-IRH5040C	Refer to TCP-MH802(1.0.46)	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v3.5
TCP-IRH5080-50	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCP-IRH5080-70	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-IRH5080W-50	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-IRH5080W-70	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-IRV540	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	-	Motion	Supported by design	v1.5
TCP-IRV560	None	MJPEG MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.5
TCP-KB436	FW VK2.0.28.6_F	H.265 H.264 MJPEG	1	Camera	2592x1519	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
TCP-KM265	VKD2.1.24.2_F	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v18.3
TCP-KM265S	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCP-KM465	VK2.0.11.0_F	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	None	v4.11
TCP-KM470Z10	VK2.0.26.0_F	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v5.6
TCP-KM559	Refer to CDV-5KM501Z35 (VK2.0.23.0_F)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-KM559Z35	Refer to CDV-5KM501Z35 (VK2.0.23.0_F)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-KZ262S	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
TCP-KZ462	Refer to TCP-KM465(VK2.0.11.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.11
TCP-M360K	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-M912DN	V1.2.28_F	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCP-MB602	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
TCP-MB605	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
TCP-MB685	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
TCP-MH802	None	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v3.5
TCP-MH859	Refer to TCP-VM559 (VC2.0.26.6_F)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.3
TCP-MH859G	Refer to CDB-5VM551G(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v5.2
TCP-MZ602	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
TCP-MZ605	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
TCP-VM2008T	01_C021	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v4.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-VM201	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.5
TCP-VM2210	3.1.0.0	MJPEG MPEG4 H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	None	v4.12
TCP-VM2818	Refer to TCP-VM2210(3.1.0.0)	MJPEG MPEG4 H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v4.13
TCP-VM2833	Refer to TCP-VM2210(3.1.0.0)	MJPEG MPEG4 H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v4.13
TCP-VM359	VC1.0.16_F	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.14
TCP-VM469	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
TCP-VM469Z42	VH2.0.14.2_F.B6	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	Zoom	Motion	None	v5.1
TCP-VM501	Refer to TCP-MH802(1.0.46)	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v3.5
TCP-VM559	VC2.0.26.6_F	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v4.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCP-VM559G	Refer to CDV-5VM501Z3(VE2.0.26.4)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.12
TCP-VM559Z3	Refer to CDB-5VM551G(V H2.0.14.2_F)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v5.2
TCP-VM559Z42	VC2.0.26.6	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v4.4
WB-8211SD	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/4	-	Motion	Supported by design	v1.0
WB-8211SDU	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/4	-	Motion	Supported by design	v1.0
WB-8411	None	MPEG4 MJPEG	4	Camera	720x480	Y/N	4/1	-	Motion	Supported by design	v1.0
WB-8412	V2.2.26_F	MPEG4 MJPEG	4	Video Server	688x448	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.0
WB-H811	V1.0.44_F	MJPEG H.264	1	Video Sever	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.9
WB-H814	V1.0.82_F	MJPEG H.264	4	Video Sever	720x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v3.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
WB-HB01	VH2.0.18.0_F	MJPEG H.264	1	Video Server	960x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v5.7
WB-HB04	V1.0.0.8.F	MJPEG H.264	4	Video Sever	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v5.8
WB-HB08	V1.0.0.10_F	H.264 MJPEG	1	Video Server	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v18.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FC-309	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-313	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-324	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-324S	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-334	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-334S	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-348-NTSC	BU 1.2	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	None	v3.10
FC-363	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	1/1	Zoom	Motion	Supported by design	v3.10
FC-618-R-NTSC	BU 1.2	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	None	v3.10



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FC-632S	Refer to FC-618-NTSC (BU 1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-645S	Refer to FC-618-NTSC (BU 1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-669S	Refer to FC-618-NTSC (BU 1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-690S	Refer to FC-618-NTSC (BU 1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ACD-3VM501	Refer to ACDV-3VM501(V1.0.26)	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v2.6
ACDV-3VM501	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v2.6
AEP-Q2018H-IP	None	H.264 MJPEG	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
AEP-Q2026HW-IP	None	H.264 MJPEG	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
AEP-Q2036HW-IP	1.14.0.1	H.264 MJPEG	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.14
ASP-PTIR737-IP	None	H.264 MJPEG	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
ASP-PTIR737-LA-IP	None	H.264 MJPEG	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
ATCP-IRH5030C	None	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.14
ATCP-IRH5040C	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ATCP-MH802	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802DN	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802DN/WI	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802WI	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14
ATCP-VM501	None	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.14
AWB-H811	None	H.264 MJPEG	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.17
AWB-H814	None	H.264 MJPEG	1	Camera	720x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.17
B0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v1.14
B0202	V3.2.0.0	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
B1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v1.14
C1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.14
C1100-W	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.14
C2002	Refer to C2200(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
C2002-W	Refer to C2200(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
C2100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.14
C2200	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
C2200-W	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
D0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.14



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v1.14
D2000-FD3	Refer to M40202-DB03(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
D2000-VD3	Refer to M4202-DB02(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
D2000-VP2	Refer to M7202-DB03(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
D2100	1.14.0.1	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.14
FBS-1300BL	Refer to FBS-1300BX(Ag WT8130104 N20_14052 82B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300BX	AgWT8130104N20_1405282B	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
FBS-1300ID	Refer to FBS-1300BX(Ag WT8130104 N20_14052 82B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FBS-1300IDR	Refer to FBS-1300BX(Ag WT8130104 N20_14052 82B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300MID	Refer to FBS-1300BX(Ag WT8130104 N20_14052 82B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300MVD	Refer to FBS-1300BX(Ag WT8130104 N20_14052 82B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300VD	Refer to FBS-1300BX(Ag WT8130104 N20_14052 82B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300VDR	Refer to FBS-1300BX(Ag WT8130104 N20_14052 82B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBU-200LWD	Refer to FVD-200(v3.3)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15
FBU-201LWD	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBU-300LWD	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FBU-301LWD	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBX-200	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
FBX-200CL	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBX-200LWD	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBX-300LWD	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBX-300WD	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
FDM-200	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
FDM-200LWD	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FDM-300LWD	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FDM-300WD	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
FVD-200	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
FVD-200LWD	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FVD-300LWD	AgWT8300036N06 V32 1401214F	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.3
FVD-300WD	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
GE-100-VS	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.17
IPB-1080BL	Refer to IPD-1080CD(VC 1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPB-1080BM	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
IPB-1080E	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12
IPB-1080EL	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.13
IPB-1080F	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
IPB-1080F28	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
IPB-1080WDR	Forenix_root fs_VG1.0.20_TG_20150129_101057	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1
IPB-2265U-M	IPC_G6103-B0011P11D1809	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v19.3
IPB-2265UF-E	IPC_G6103-B0009P30D1803	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v19.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPB-4065BM	VK1.0.13.3_TG	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	None	v4.10
IPB-4065DN	Refer to IPB-4065BM(VK1.0.11.4)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.9
IPB-8000BM	VH1.0.0.11_TG	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	-	Motion	None	v4.11
IPD-1080CD	VC1.0.22.6_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.6
IPD-1080E	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12
IPD-1080KF	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
IPD-1080MF	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
IPD-1080WDR	Forenix_rootfs_VG1.0.20_TG_20150129_101057	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPD-4065CD	Refer to IPB-4065BM(VK 1.0.11.4)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.9
IPD-8000CD	Refer to IPB-8000BM(For enix_8139_VH1.0.0.11_TG)	MJPEG H.264	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.11
IPM-1080F	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
IPM-1080RF	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
IPT-1080F	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
IPV-1080CD	Refer to IPD-1080CD(VC 1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
IPV-1080E	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12
IPV-1080F	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPV-1080WDR	Refer to IPD-1080WDR(Forenix_roofs_VG1.0.20_TG_20150129_101057)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1
IPV-2365UF-E	IPC_G6103-B0009P30D1803	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v19.3
IPV-4065CD	Refer to IPB-4065BM(VK1.0.11.4)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.9
IPV-8000CD	Refer to IPB-8000BM(Forenix_8139_VH1.0.0.11_TG)	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.11
IPX-1080DN	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
IPX-1080E	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12
IPX-1080WDR	Refer to IPD-1080WDR(Forenix_roofs_VG1.0.20_TG_20150129_101057)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1
IPX-4065DN	Refer to IPB-4065BM(VK1.0.11.4)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPX-8000DN	Refer to IPB-8000BM(For enix_8139_VH1.0.0.11_TG)	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.11
IPZB-1000R	3.0.0.4	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.8
ISPD-2018	Refer to ISPD-2020(Foreni x_VC1.0.3 01204_TG_20150310_1 12618)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
ISPD-2020	VC1.0.3012 04_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
ISPD-2065-20X	VK1.0.15.1_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.13
ISPDII-1312WD	AgWT81313 12N20_140 4185F	H.264	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
ISPDII-3018WD	AgWT83030 18N20_140 5085E	H.264	1	Camera	2048x1536	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
ISPDIII-3010	0.1.4960M	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
M0202-BH01	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
M0202-BH02	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
M0202-BH03	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
M4202-DB02	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
M4202-DB03	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
M7202-DB03	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
NPB-1080BLX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
NPB-1080BMX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NPB-1080BMX-M	VE1.0.24.2_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v4.16
NPB-1080F28X	Refer to NPD-1080MFX(VMB1.0.28_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.12
NPB-2065BL	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
NPB-2065BL-M	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
NPB-2065BM	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
NPB-2065BM-M	VQ1.0.23.0_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v5.8
NPB-2065F	Refer to NPB-2065BL-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.8
NPB-2065F28	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NPB-4065BL-M	VK1.0.25.2_TG	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v5.3
NPB-4065BM	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.3
NPB-4065BM-M	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.7
NPB-720	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7
NPB-720A	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7
NPB-720BM	VB1.0.26_TG	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Test by link	v2.6
NPB-720U	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7
NPB-8065BM-M	VKU1.2.4.30	MJPEG H.264 H.265	1	Camera	3840x2160	Y/N	1/1	Zoom	Motion	None	v18.2
NPB-4215	0821T1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.13



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NPD-1080CDX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
NPD-1080MFX	VMB1.0.28_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v18.11
NPD-2065CD	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
NPD-2065CD-M	VKD1.1.1.18_TG	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v18.8
NPD-2065KF	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
NPD-2065MF	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
NPD-4065CD	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.3
NPD-4065CD-M	VK1.0.27.0_TG	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NPD-4320	0821T1	H.265 H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.12
NPD-720K	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7
NPD-720R	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7
NPF-4520	0821T1	H.265 H.264 MJPEG	1	Fisheye Camera	2560x1920	Y/N	1/1	-	Motion	None	v5.12
NPV-1080CDX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
NPV-1080CDX-M	VE1.0.24.4_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v5.2
NPV-2065CD	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
NPV-2065CD-M	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NPV-4065CD	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.3
NPV-4065CD-M	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.7
NPX-1080DNX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
NPX-2065DN	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
NPX-4065DN	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.3
NSPD-2065-10X	VK1.0.28.5_1718	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	Pan Tilt Zoom	Motion	None	v18.7
NSPD-2065-20X	VK1.0.22.0_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	None	v4.16
NSPD-2065-30X	Refer to NSPD-2065-20X(VK1.0.22.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NSPD-4065-10X	Refer to NSPD-2065-20X(VK1.0.22.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
NSPD-8220-OH	0821T1	H264,H265,MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan/Tilt/ Zoom	Motion	None	v5.13
NVS-AH01	VH1.0.0.16	MJPEG H.264	1	Video Server	960x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v5.2
NVS-AH04	V1.0.0.8_TG	H.264 MJPEG	4	Video Server	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v5.11
NVS-AH08	V1.0.0.18	H.264 MJPEG	8	Video Server	1920x1080	Y/N	2/1	-	Motion	Supported by design	v19.1
NWC-495	Refer to NWD-495(56500410)	MJPEG H.264	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
T2000-FB1	Refer to M0202-BH01(v3.2.0.0)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
T2000-FB2	Refer to M0202-BH02(v3.2.0.0)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
T2000-VB3	Refer to M0202-BH03(v3.2.0.0)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VQ2100	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
VQ2200	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.15
VQ2210C	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15
VQ2300	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
VQ2310	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TVC-M1245E-2M-P	V4.0.g	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v3.1
TVC-MP2B-S	e20120223B NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
A3101LE	2.14.09.16	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v3.13
A3102LE	4.11.23.51	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v3.11
A3253LE	4.8.26.24	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.13
A3263LE	A3263LE	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.9
A4102	4.11.23.24F	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v3.11
B3202LE	v1.8.0801.1 001.101.0.6 6.1.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v3.13
C1201L	V1.0.40	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.10
C3203LE	2.3.3073.74	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.10
GNS	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	4/4	-	Motion	Supported by design	v3.8



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
GCI-C0735P	None	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v1.13
GCI-C0745P	720110412 NS	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	4/1	Pan Tilt Zoom	Motion	None	v1.13
GCI-G1536F	gr20140530 NSA	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	None	v3.6
GCI-H0503B	720110422 NS	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.13
GCI-H0522V	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.13
GCI-H0602B	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.13
GCI-H2505B	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
GCI-K0322V	720110413 NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.13
GCI-K0503B	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.13



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
GCI-K0512W	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v1.13
GCI-K0523T	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.13
GCI-K0589T(H)	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
GCI-K0779P	gr20130621 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.16
GCI-K1523VS	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
GCI-K1526V	gr20120522 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.4
GCI-K1526VS	Refer to GCI- K2505B(gr2 0130417NS X)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.16
GCI-K1585V	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
GCI-K1586	gr20130621 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
GCI-K1586V	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
GCI-K1812W	gr20120711 NSA	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
GCI-K2505B	gr20130417 NSX	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	AS65_ALL001_V1.00.07	H.264 MPEG MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v3.8
Note:	1.Camera reboot (60 seconds) after parameter configuration. 2.Not support 16 KHz sampling rate audio in. 3.No support Camera search. 4.Camera can not connect when 2nd resorution set to 854*480.										
GDN-D1300IR	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264	1	Camera	1280x1024	Y/M	1/1	-	Motion	Supported by design	v2.5
GDN-D2300	Refer to GDN-H2300IR(V0.02.04)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
GDN-D2300V	Refer to GDN-H2300IR(V0.02.04)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
GDN-D3200IR	Refer to GDN-D3200V(AS65_ALL001_V0.02.00)	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.13



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
GDN-D3200V	AS65_ALL001_V0.02.00	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
GDN-DV1300IR	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264	1	Camera	1280x1024	Y/M	1/1	-	Motion	Supported by design	v2.5
GDN-F2300	Refer to GDN-H2300IR(V0.02.04)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
GDN-H2300IR	V0.02.04	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.2
GDN-MD2000V	V5.2.0build 141120	H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v5.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	v5.5.8 build 190531 V5.5.0 build 171030 V5.0.9 build 141009	H.264 H.265 MJPEG MPEG4	1	Camera / Fisheye Camera	2560x1920	Y/N	2/2	Pan Tilt Zoom	Motion	None	v19.6
Note:	<p>1. V5.5.0 build 171030 is the version of firmware of IPCam. 2. V5.0.9 build 141009 is the version of firmware of fisheye.</p> <p>IPCam model: 1. DO alarm is abnormal. (NUUO server limitation)</p> <p>Fisheye model: 1. Support generic dewarp</p> <p>2. When audio codec is changed in webpage, audio in IP Camera 2, 3, 4, 5 can't use correct codec. (Camera Firmware issue)</p> <p>3. If stream mode is " Mode 2: Fisheye / 4 PTZ", the total number of connections is limited. ex: If someone preview "Fisheye view", you are not permitted to preview " 4 PTZ view". (Camera performance limitation)</p>										
Generic Server	V3.1.2 build 141219	H.264 MJPEG MPEG4	16	Video Server	2560x1920	Y/N	2/2	Pan Tilt	Motion	None	v4.0
DS-2CD2012-I	v5.0.2 build130805	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.18
DS-2CD2012F-I	V5.3.0 build 150616	H.264	1	Camera	1280x960	N/N	-	-	Motion	None	v4.4
DS-2CD2032-I	V5.3.0 build 150513	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Test by link	v4.6



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DS-2CD2112-I	Refer to DS-2CD2012-I(v5.0.2build130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2142F WD-I	Refer to DS-2CD2142FW D-IWS(V5.4.1 build 160525)	H.264	1	Camera	2688x1520	Y/N	1/1	-	Motion	Test by link	v5.2
DS-2CD2142F WD-IWS	V5.3.8 build 151224	H.264	1	Camera	2688x1520	Y/N	1/1	-	Motion	Test by link	v4.13
DS-2CD2212-I3	Refer to DS-2CD2012-I(v5.0.2build130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2212-I5	Refer to DS-2CD2012-I(v5.0.2build130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2312-I	Refer to DS-2CD2012-I(v5.0.2build130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2342W D-I	Refer to DS-2CD2142FW D-IWS(V5.4.1 build 160525)	H.264	1	Camera	2688x1520	Y/N	1/1	-	Motion	Test by link	v5.2
DS-2CD2432F-IW	V5.3.0 build 150513	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.14



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD2612F-I	Refer to DS-2CD2012-I(v5.0.2build130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2612F-IS	v5.0.2 build130805	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v2.19
DS-2CD2620F-I	Refer to DS-2CD2620F-IZS(V5.4.3 build 160705)	H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Supported by design	v5.3
DS-2CD2620F-IS	Refer to DS-2CD2620F-IZS(V5.4.3 build 160705)	H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Supported by design	v5.3
DS-2CD2620F-IZ	Refer to DS-2CD2620F-IZS(V5.4.3 build 160705)	H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Supported by design	v5.3
DS-2CD2620F-IZS	V5.4.3 build 160705	H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Test by link	v5.3
DS-2CD2632F-IS	Refer to DS-2CD2732F-IS(v5.0.2 build130805)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.19
DS-2CD2642FWD-IZS	V5.3.3	H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	None	v4.14



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DS-2CD2712F-I	Refer to DS-2CD2012-I(v5.0.2build130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2712F-IS	Refer to DS-2CD2612F-IS(v5.0.2 build130805)	H.264 MJPEG	1	Camera	1290x960	Y/N	1/1	-	Motion	Supported by design	v2.19
DS-2CD2732F-IS	V5.0.2 130805	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.19
DS-2CD2942F-I	Refer to DS-2CD2942F-IWS(V5.4.0 build 160603)	H.264	1	Camera	2560x1440	Y/N	1/1	-	Motion	Supported by design	v4.16
DS-2CD2942F-IWS	V5.4.0 build 160603	H.264	1	Camera	2560x1440	Y/N	1/1	-	Motion	Test by link	v4.16
DS-2CD4065F-P	V5.3.4 build 150812	H.264	1	Camera	3072x2048	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v4.6
DS-2CD40C5F-AP	V5.3.0 build 150513	H.264	1	Camera	4000x3000	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.14
DS-2CD4124F-IZ	Refer to DS-2CD4224F-IZH(V5.3.5 Build 151218)	H.264 MPEG\$	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.11



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DS-2CD4125F WD-IZ	Refer to DS-2CD4A25FW D-IZHS(v5.3.5 build 151218)	H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.12
DS-2CD4132F WD-IZ	Refer to DS-2CD4332FW D-PTZ(V5.3.5 build 151218)	H.264	1	Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.13
DS-2CD4224F-IZH	V5.3.5 build 151218	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.11
DS-2CD4332F WD	V5.3.0 build 150513	H.264 MPEG4	1	Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v4.8
DS-2CD4332F WD-PTZ	V5.3.5 build 151218	H.264	1	Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v4.13
DS-2CD4565F-IZH	V5.3.4 build 150812	H.264	1	Camera	3072x2048	Y/N	1/1	Zoom	Motion	None	v4.14
DS-2CD4625F WD-IZS	V5.3.4	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v4.11
DS-2CD4A25F WD-IZ	V5.3.0 build 150617	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.10



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD4A25F WD-IZHS	V5.3.5 build 151218	H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Test by link	v4.11
DS-2CD6026F HWD-A	V5.1.0 build 131202	H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v4.5
DS-2CD6332F WD-I	V5.4.14 build 160427	H.264	1	Camera	1536x1536	Y/N	-	-	Motion	Test by link	v4.16
DS-2CD6332F WD-IS	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
DS-2CD6332F WD-IV	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
DS-2CD6332F WD-IVS	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-I	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-IS	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD6362F-IV	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-IVS	V5.0.9 build 141009	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	None	v4.2
DS-2CD702NF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD702PF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD712NF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD712PF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD7133-E	V3.0 110117	H.264	1	Camera	640x480	N/N	-	-	Motion	None	v1.9
DS-2CD7153-E	v5.0.8 build 130930	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	-	-	Motion	Test by link	v2.19



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD7253F-EIZ	V5.0.2 Build 130709	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	-	Zoom	Motion	None	v2.20
DS-2CD732F-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD733F-E	V2.0 100716	H.264	1	Camera	640x480	Y/N	2/2	Pan Tilt	Motion	None	v1.2
DS-2CD752MF-E	None	H.264	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	None	v1.2
DS-2CD752MF-FB	V2.0 110426	H.264	1	Camera	1600x1200	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD754F-E	Refer to 2CD754FWD-EI (V3.2 120105)	H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Supported by design	v2.0
DS-2CD754F-EI	Refer to 2CD754FWD-EI (V3.2 120105)	H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Supported by design	v2.0
DS-2CD754FWD-EI	V3.2 120105	H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Test by link	v2.0
DS-2CD762MF-FB	Refer to DS-2CD852MF-E(20100320)	H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v2.18



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD792NFE	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD792PFE	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD793PFWDE	V2.0 100628	H.264	1	Camera	704x576	Y/N	2/2	Pan Tilt	Motion	None	v2.4
DS-2CD802NIR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802NIR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802NIR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802NF	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD802NFE	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD802NFW	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD802P-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802P-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802P-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802PF	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD802PF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD802PF-W	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812N-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812N-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812N-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DS-2CD812NF	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812NF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812NF-W	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812P-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812P-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812P-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812PF	v2.0 build 090522	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.18
DS-2CD812PF-E	Refer to DS-2CD812PF (FW v2.0 build 090522)	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DS-2CD812PF-W	Refer to DS-2CD812PF (FW v2.0 build 090522)	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD8253F-EI	v4.0.3 build121123	H.264 MPEG4	1	Camera	1600x1200	N/N	-	-	Motion	None	v2.8
DS-2CD8254F-EIS	V3.2 120105	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD8264F WD-EIS	v4.0.3 build121123	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v2.8
DS-2CD832F	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD832F-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD852MF-E	None	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.2
DS-2CD853F-E	v3.2 120105	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v2.2



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DS-2CD854F-E	V3.2 120105	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD862MF-E	None	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.2
DS-2CD863PF-E	V2.0 100628	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v3.2
DS-2CD864FWD-E	v4.0.3 build121123	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v2.8
DS-2CD883F-E	V3.2 120105	H.264 MJPEG MPEG4	1	Camera	2560x1920	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD892N-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892N-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892N-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892P-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DS-2CD892P-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892P-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892PF	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892PF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892PF-W	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CS2132F	Refer to DS-2CD2032-I(V5.3.0 build 150513)	H.264	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v4.6
DS-2DE5220I-AE	V5.3.9 build 150910	H.264	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Test by link	v5.4
DS-2DE7174-AE	Refer to DS-2DE7184-A(V5.3.9 build 150910)	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v4.10



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DE7176-A	Refer to DS-2DE7176-D(V5.3.9 build 150910)	H.264	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.14
DS-2DE7176-D	V5.3.9 build 150910	H.264	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	Test by link	v4.14
DS-2DE7184-A	V5.3.9 build 150910	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v4.10
DS-2DE7230I W-AE	V5.4.8 build 170210	H.264 H.265	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v5.10
DS-2DF1-572	V4.1.2 build 121205	H.264	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DS-2DF6236V-AEL	V5.3.2 build 150519	H.264	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	None	v4.14
DS-2DF8223I-AEL	V5.2.8 build 150124	H.264 MPEG4	1	Camera	1920x1080	Y/N	7/2	Pan Tilt	Motion	None	v4.5
DS-2PT3326IZ-DE3	V5.4.12 build 180530	H.265 H.264	4	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v18.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DS-6101HFI-IP	V2.0 101112	H.264	1	Camera	704c576	N/N	1/1	-	Motion	None	v2.12
DS-6601HFHI	v1.0.2 build 121107	H.264	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.7
DS-6716HWI	V1.2.5 build 150522	H.264 MJPEG MPEG4	16	Vedio Sever	960x480	Y/N	16/4	Pan Tilt Zoom	Motion	None	v4.11
DS-8116HQHISH	V3.1.2 build 141219	H.264	16	Video Server	960x576	Y/N	16/4	Pan Tilt Zoom	Motion	None	v4.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
ACUIX	1.5.6	MPEG4	1	Camera	704x576	N/N	-	Pan Tilt Zoom	-	None	v1.6
H3D1F	40.0.6	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.18
H3D2F	40.0.6	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Zoom	Motion	None	v2.18
HCD554IP	5.4.5	MPEG4	1	Camera	704x576	Y/N	0/1	-	-	None	v1.6
HCD5MIH	13.1.2	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.5
HD3MDIH	11.0.3	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.5
HD3MDIP	7.0.7	MPEG4	1	Camera	704x576	Y/N	0/1	-	-	None	v1.6
HD4MDIH	12.0.3	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.5
HDZ20HD	Refer to HDZ20HDX(H20120808 NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
HDZ20HDE	Refer to HDZ20HDX(H20120808 NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDE X	Refer to HDZ20HDX(H20120808 NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDX	H20120808 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.10
HNVE1	6.3.4	MPEG4	1	Camera	704x576	Y/N	0/0	-	-	None	v1.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
HLC-15EM	Refer to HLC-7AED(VE1.0.24)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.5
HLC-7AED	VE1.0.24	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.5
HLV-1MED	Refer to HLC-7AED(VE1.0.24)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.5
HLV-1WED	Refer to HLC-7AED(VE1.0.24)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.5

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NBL3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0
NBL5103	01_C006	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Support by design	v4.3
NBL5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Support by design	v4.0
NBL7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Support by design	v4.2
NBL7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	2/2	Pan Tilt Zoom	Motion	Support by design	v4.5
NDM3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Support by design	v4.0
NDM3112	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Support by design	v4.5
NDM5103	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Support by design	v4.3
NDM5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Support by design	v4.0

IPCam

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NDM7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Support by design	v4.2
NDM7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	2/2	Pan Tilt Zoom	Motion	Support by design	v4.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	v1.9.0601.1 001.3.0.36. 0.0	H.264 MJPEG	1	Camera	2592x1944	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.19
Note:	1. Focus function is not test on NUJO product. 2. The maximum resolution is depends on camera. 3. Some framerate and bitrate cannot setup due to Onvif restriction. (ONVIF linitation)										
NCOA22F	Refer to NCOA52F (v1.8.1001. 85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NCOA32FD	Refer to NCOA52F (v1.8.1001. 85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NCOA52F	v1.8.1001.8 5.0.8317	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
NDOA22F- W	Refer to NCOA52F (v1.8.1001. 85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NDOA32FD-W	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIAA202F	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIDA212F-W	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIDA312F D-W	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIDA512F-W	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIPA2H22-C	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIPA2H22-W	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIRA222F	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NIRA232F	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIRA332F D	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NITA212F	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NITA312F D	Refer to NCOA52F (v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
EXCA100IP2	v1.8.1001.3.5.25	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.8
EXCA215IP2	Refer to EXCA100IP2 (v1.8.1001.3.5.25)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
EXCA234IP2	Refer to EXCA100IP2 (v1.8.1001.3.5.25)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
EXCA234IP2WDR	Refer to EXCA100IP2 (v1.8.1001.3.5.25)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
EXCA336IP2	Refer to EXCA100IP2 (v1.8.1001.3.5.25)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VN-H137	4.02.378	H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.7
VN-H157	Refer to VN-H57(4.00.575)	H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v2.7
VN-H237	Refer to VN-H137(4.02.378)	H.264	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.7
VN-H257	Refer to VN-H57(4.00.575)	H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v2.7
VN-H37	Refer to VN-H137(4.02.378)	H.264	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.7
VN-H57	4.00.575	H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.7
VN-H657	2.01.827 SPL2841	H.264 MJPEG	1	Camera	1920x1080	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.13
VN-T16	j.2.2.2232	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.13
VN-T216	Refer to VN-T16(j.2.2.2232)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VN-V685	3.04	MPEG4	1	Camera	640x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.7
VN-V686	Refer to VN-V685(3.04)	MPEG4	1	Camera	640x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
JS-B0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.6
JS-B0100-W	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.6
JS-B0131	None	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.6
JS-B1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.6
JS-B1100-R30	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.6
JS-B1204-R25	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.6
JS-C1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6
JS-C2100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6
JS-D0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
JS-D1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6
JS-D1130	None	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v2.6
JS-D1204	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.6
JS- ISD0200X18	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
JS- OSD0200X20	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
JS-WGP- 100-CB	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6
JV- OSD0200X20	V6.04.01- CGBO24200 -140808	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPC2211-FN-PIR	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2211-FN-SIR	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2233-FN-PIR40	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2233-FN-SIR40	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2251-HNB-SIR80-Z6048(VER .A)	7.1.6.808 Mar 9 2018 07:56:05	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v18.6
IPC2253-HNB-PIR30	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2453-FNB-PIR40	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
LDW2010	260.0.0.120 8100	H.264 MJPEG	1	Camera	2040x1536	Y/N	1/1	-	Motion	None	v2.8
LNB3100	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LNB5100	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LND3100	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LND5100	1796.0.0.12 08060	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
LND7210	Refer to LNV7210R(2 219.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.7
LND7210R	Refer to LNV7210R(2 219.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.7
LND7300	1801.0.013 03220	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.15
LNP2800	Refer to LNP3700T	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
LNP2800I	Refer to LNP3700T	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
LNP2810T	1890.0.0.13 02150	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v2.15
LNP3020	1891.0.0.14 11270	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v4.3
LNP3700	Refer to LNP3700T	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
LNP3700T	1286.0.0.12 05140	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.5
LNU5100R	1954.0.0.13 03120	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.15
LNU7210R	Refer to LNV7210R(2 219.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.7
LNV5100	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LNV5100R	1972.0.0.13 03110	H.264 JPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.15



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LNV5110	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LNV7210	Refer to LNV7210R(219.0.0.1405190)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.7
LNV7210R	2219.0.0.1405190	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v3.4
LNV7300	Refer to LND7300(1913.0.01304220)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.15
LSW2010	Refer to LDW2010(260.0.0.1208100)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LSW900	Refer to LVW701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LSW901	Refer to LVW701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LVS201	385.0.0.1208200	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	None	v2.8
LVS301	Refer to LVS311(129.1.0.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
LVS311	129.1.0.111 0260	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v2.8
LWV700	Refer to LVW701(4.1 .1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LWV701	4.1.1.11102 60	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.8
LWV900	Refer to LVW701(4.1 .1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LWV901	Refer to LVW701(4.1 .1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LW130W	4097.0.0.12 03131	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.5
LW332	1026.0.0.11 10260	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.4
LW335	Refer to LW332	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LW342	Refer to LW342	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
LW345	767.0.0.120 7113	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v2.5
LW352	1030.0.0.11 11160	H.264 MJPEG	1	Camera	2040x1536	Y/N	1/1	-	Motion	None	v2.8
LW355	Refer to LW352(103 0.0.0.11111 60)	H.264 MJPEG	1	Camera	2040x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
LW6324	Refer to LW332	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LW6354	Refer to LW332	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LW6424	Refer to LW345	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.5
LW6454	Refer to LW345	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.5
LW9226	774.0.0.121 115	H.264 MJPEG	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.8
LW92261	Refer to LW9226(77 4.0.0.12112 89)	H.264 MJPEG	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
LW9228	Refer to LW9226(774.0.0.1211289)	H.264 MJPEG	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW9228I	Refer to LW9226(774.0.0.1211289)	H.264 MJPEG	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW9422	1632.0.0.1205030	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPD112ES X	0.0.60	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v1.9
IPD2322	1.4.31p	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.7
IPD552EX	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	-	Motion	None	v1.9
IPG1022	1.0.426	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.18
IPR320	1.0.426	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v1.18
IPR458	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	-	Motion	None	v1.9
IPS125	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v1.9
LD2222	1.4.31p	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-0010	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
FCS-0020	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
FCS-0030	Refer to WCS-0030(V1.0.0.35)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.1
FCS-0031	1.0.0.35	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.3
FCS-0040	Refer to WCS-0040(1.0.02)	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	-	-	-	Supported by design	v1.8
FCS-1030 V2.0	None	H.263	1	Camera	720x576	Y/N	0/0	-	Motion	Supported by design	v1.0
FCS-1040	0102a	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
FCS-1060	0202a	MPEG4	1	Camera	720x576	Y/N	0/0	Pan Tilt	Motion	None	v1.0
FCS-1070	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-1081	None	MPEG4 MJPEG	1	Camera	640x480	N/N	0/0	-	Motion	Supported by design	v1.0
FCS-1081A	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	0/0	-	Motion	Supported by design	v1.0
FCS-1091	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/2	-	-	Supported by design	v1.0
FCS-1101	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	0/0	-	Motion	Supported by design	v1.0
FCS-1121	v1.0.0.6	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.1
FCS-1132	Refer to FCS-5052(v1.0.0.2)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.11
FCS-1141	L20100312NS	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
FCS-1151	0100a	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.1
FCS-3000	0101a	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FCS-3021	None	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
FCS-3031	v1.0.01	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	-	None	v1.1
FCS-3052	Refer to FCS-5052(v1.0.0.2)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.11
FCS-3061	1.0.0.34	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.1
FCS-3062	1.0.0.6	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.2
FCS-3071	L20100315NS	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v1.1
FCS-3071-V2	le20120905NSA	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.6
FCS-3081	L20101222NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.8
FCS-3081-V3	le20120806NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FCS-3091	2.0.0629	MJPEG MPEG4	1	Camera	1600x1200	Y/N	4/1	-	-	None	v1.19
FCS-3101	1.0.1.3-08-07	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.17
FCS-4010	None	MJPEG MPEG4	1	Camera	720x576	Y/N	4/1	-	-	None	v1.0
FCS-4041	le20130117 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.10
FCS-4042	Le20140113 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.2
FCS-4101	1.0.1.3-08-07	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt	Motion	None	v2.17
FCS-4x00	None	MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
FCS-5011	0100c	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.0
FCS-5030	0100a2	MJPEG MPEG4	1	Camera	720x576	Y/n	1/1	-	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-5041	v1.0.0.46	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v1.8
FCS-5042	2.0.0.1	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/0	Zoom	Motion	None	v3.2
FCS-5051	L20101222Ns	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.8
FCS-5051-V2	2.3.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
FCS-5052	v1.0.0.2	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.11
FCS-5061	le20130117NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v2.17
FCS-5062	v1.0.0.2	H.264 MPEG4 MJPEG	1	Camera	2952x1944	Y/N	1/1	-	Motion	None	v2.11
FCS-6010	v1.0.0.9	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.18
FCS-7011	None	MJPEG MPEG4	1	Camera	640x480	Y/n	1/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FCS_1131-V2	le20120806 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
SDK8	Refer to ACTI_Generi c (CFA-V6.07.23-L1)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.9
WCS-0010	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
WCS-0020	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
WCS-0030	V1.0.0.35	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.1
WCS-0040	1.0.02	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.8
WCS-0050	v1.0.0.36	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.18
WCS-1090	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/2	-	-	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
WCS-2030 V3.0	None	H.263	1	Camera	720x576	Y/N	0/0	-	Motion	Supported by design	v1.0
WCS-2040	0101b	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
WCS-2060	None	H.263	1	Camera	720x576	Y/N	0/0	-	Motion	Supported by design	v1.0
WCS-2070	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
WCS-6020	1.1.4.1	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v2.12
WCS-6050	1.0.4.2	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt	Motion	None	v2.12



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
MS-C2872-FIPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2872-FPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2872-RFIPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2872-RFPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2962-RFIPB	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v18.11
MS-C2972-FIPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2972-FPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2972-RFIPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
MS-C2972-RFPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2973-PB	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v18.11
MS-C2975-PB	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v18.11
MS-C2983-PB	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v18.11



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO302DN	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO310DN W	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO322DN W	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/IR	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/IR/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO351DN W/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO351DN W/IR/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO352DN W	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO352DN W/IR	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO370W	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
HD-PRO370W OUT	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
HD-PRO392DN W/V	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v3.8
HD-PRO392DN W/V/IR	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
HD-PRO410DN W/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO410DN W/H-POE	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO518DN	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.8



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
HD-PRO610DN W	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO692DN W/V/IR	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO710DN W	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO750DN W	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO750DN W/IR	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO810DN W/H	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO810DN W/H/M	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO890	None	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO890/O UT	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
HD-PRO890DN	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NCD-2003PR	51110.2.12 62.100	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.20
NMX-2003P	51110.2.12 62.100	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v2.20



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NCB855PRO	Refer to NCR875PRO (AP_01-00-62-18_MS03)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.9
NCC800	AP_01-00-60-25B_MS03	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.9
NCR858	Refer to NCR878(AP_01-00-62-18_MS05)	H.264 MJPEG MPEG4	1	Camera	2592x1944	Y/N	2/1	-	Motion	Supported by design	v2.20
NCR870	AP_01-00-62-18_MS00-01N	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.1
NCR875PRO	AP_01-00-60-25A_MS03	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.7
NCR878	AP_01-00-62-18_MS05	H.264 MJPEG MPEG4	1	Camera	2592x1944	Y/N	2/1	-	Motion	None	v2.20
NDF820	Refer to NCR870(AP_01-00-62-18_MS00-01N)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
NDF821	Refer to NDR891(AP_01-00-60-25A_MS02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
NDF821PRO	Refer to NCR875PRO (AP_01-00-60-25A_MS03)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
NDF831	Refer to NDR891(AP_01-00-60-25A_MS02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
NDF831PRO	Refer to NCR875PRO (AP_01-00-60-25A_MS03)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
NDR891	AP_01-00-60-25A_MS02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.7
NDR891PRO	Refer to NCR875PRO (AP_01-00-60-25A_MS03)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
NIC950HPRO	A1D-310-V4.12.09-NB	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	0/0	Pan Tilt Zoom	Motion	None	v2.9
NIC990	M.0.2.9	H.264	1	Camera	1920x1080	Y/N	6/1	Pan Tilt Zoom	Motion	None	v2.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For All Model:

- 1. For display mode, plesae set on the Mobotix web setting page first.**
- 2. No Support Audio from Camera when video format is MJPEG.**
- 3. Using ExtIO, plesae set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v2.19
C25	Refer to i25 (4.3.2.77)	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.6
D12D-IT	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
D12D-Sec	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Supported by design	v1.0
D14D-Sec	MX-V4.1.0.2	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Test by link	v2.2
D15D-Sec	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v3.3
D15D-Sec-Dnight	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v2.19
D15D-Sec-Night-Pano	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
D22M-Basic	None	MJPEG MxPEG	1	Camera	640x480	Y/N	0/0	-	Motion	Supported by design	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For All Model:

- 1. For display mode, plesae set on the Mobotix web setting page first.**
- 2. No Support Audio from Camera when video format is MJPEG.**
- 3. Using ExtIO, plesae set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D22M-IT	MX-V3.4.0.9	MJPEG MxPEG	1	Camera	640x480	Y/N	2/2	-	Motion	None	v1.0
D22M-Sec	None	MJPEG	1	Camera	2048x1536	Y/N	0/0	-	Motion	Supported by design	v1.0
D24M-Basic	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.1
D24M-IT	None	MJPEG MxPEG	1	Camera	640x480	Y/N	2/2	-	Motion	Supported by design	v1.1
D24M-Sec	MX-V4.0.1.15	MJPEG MxPEG	1	Camera	1280x960	Y/N	2/2	-	Motion	None	v1.1
D25	Refer to i25 (4.3.2.77)	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.7
M10D	M10-V2.2.2.17	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v3.13
M12D-IT	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
M12D-Sec	MX-V3.4.0.9	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For All Model:

- 1. For display mode, plesae set on the Mobotix web setting page first.**
- 2. No Support Audio from Camera when video format is MJPEG.**
- 3. Using ExtIO, plesae set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
M12D-Web	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Supported by design	v1.0
M15D-Sec	4.3.4.5	MJPEG MxPEG	1	Camera	3072x2048	Y/N	2/2	-	Motion	None	v4.11
M15D-Sec-Dnight	Refer to M15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	3072x2048	Y/N	2/2	-	Motion	Supported by design	v2.19
M15D-Sec-Pano	4.3.4.5	MJPEG MxPEG	1	Camera	3072x2048	Y/N	2/2	-	Motion	None	v4.11
M15M-Sec	Refer to M15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	3072x2048	Y/N	2/2	-	Motion	Supported by design	v2.19
M22M-IT	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
M22M-Sec	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Supported by design	v1.0
M24M-Sec	MX-V4.0.4.28	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Test by link	v2.3
M25M	Refer to i25(4.3.2.77)	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For All Model:

- 1. For display mode, please set on the Mobotix web setting page first.**
- 2. No Support Audio from Camera when video format is MJPEG.**
- 3. Using ExtIO, please set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P25	Refer to i25 (4.3.2.77)	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.7
Q22M-Basic	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
Q22M-Sec	MX-V3.4.5.10	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v1.0
Q24M-Basic	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
Q24M-Sec	MX-V4.0.1.7	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v1.2
Q25	4.3.2.77	MJPEG MxPEG	1	Camera	2592x1944	Y/N	1/0	-	Motion	Supported by design	v4.7
Q25M-Secure	MX-V4.1.10.35 (2014-02-21)	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.7
S14D-Sec	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
S14D-Sec-Night	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For All Model:

- 1. For display mode, plesae set on the Mobotix web setting page first.**
- 2. No Support Audio from Camera when video format is MJPEG.**
- 3. Using ExtIO, plesae set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
S14M-Sec	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
S15D-Sec	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v3.3
S15M-Sec	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
S15M-Sec-Night	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
T24M-Sec	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	7/3	-	Motion	Supported by design	v1.17
T25M-Secure	MX-V4.1.10.35 (2014-02-21)	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.7
i25	4.3.2.77	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	None	v4.4



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
INC-2000BX	Refer to INC-2036DM(v2.0.0801.100 2.139.0.132 .0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
INC-2036BF	Refer to INC-2036DM(v2.0.0801.100 2.139.0.132 .0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
INC-2036DF	Refer to INC-2036DM(v2.0.0801.100 2.139.0.132 .0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
INC-2036DM	v2.0.0801.1002.139.0.132.0.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v5.8
INC-2622BV	Refer to INC-2036DM(v2.0.0801.100 2.139.0.132 .0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
INC-2812BV	Refer to INC-2036DM(v2.0.0801.100 2.139.0.132 .0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
INC-2812DV	Refer to INC-2036DM(v2.0.0801.100 2.139.0.132 .0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
HMNC100	00910	H.264	1	Camera	1280x720	N/N	-	-	-	None	v3.8
HMNC500	00910	H.264	1	Camera	1280x720	Y/N	-	-	-	None	v3.9

NetworkCamera

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
AT-HK4A26LP R-ZS	V5.4.5	H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v5.12

OEM

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N24320	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	Y/N	1/1	-	Motion	Supported by design	v4.7
N24520	01_C013	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.6
N36210	02_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.0
N36220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v4.12
N36520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
N74320	01_C014	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.8
N74520	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.9
N76220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v4.8
N76520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10

OEM

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
N78520	01_C010	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Brand Name	Device Name	Tested Firmwar e	Video Forma t	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DeviceP ack Version
AXIS	P3301	5.11	H.264	1	Camera	704x576	Y/N	1/1	-	Motion	None	v1.2
Basler	BIP2-1600-25c-dn	3.14.1	H.264 MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v3.9
Note:	<ol style="list-style-type: none"> 1. The I/O number is 0 in onvif/onvif. (Camera Firmware issue) 2. Only one stream profile in onvif/onvif (Camera Firmware issue) 3. Not suport MPEG4 in onvif/onvif (Camera Firmware issue) 4. Not support motion. (Camera Firmware issue) 5. Not support audio but software shows enable/disabe audio option. (Camera Firmware issue) 6. The list of camera Resolution isn't synchronized with the one on camera's web. (Camera Firmware issue) 7. Cannot connect video when FPS >= 2. (Camera Firmware issue) 8. The list of camera Framerate isn't synchronized with the one on camera's web. 9. Not support http but software shows http option at protocol setting. (NUUO software limitation) 10. Cannot connect video streaming if RTSP port is changed (Camera Firmware issue) 											
Bosch	NWC-0455	19500410	H.264 MJPEG	1	Camera	704x576	N/N	-	-	-	None	v1.5
Note:	<p>ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software. To confirm the compatibility, it is recommended to execute testing prior to any further usage. The above product has been verified by NUUO.</p>											



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Brand Name	Device Name	Tested Firmwar e	Video Forma t	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DeviceP ack Version
Canon	VB-H41	Ver. 1.0.0 (Build Number 2453:50)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	-	None	v3.6
Note:	<p>1. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 2. Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation) 3. Snaiphost does not support. (NUUO server limitation)</p>											
Dlink	DCS-C43W-20F/B02	V4.02.R1 1.000005 23.12010	H.264	1	Camera	1280x720	N/N	-	-	Moiton	None	v3.5
Note:	<p>1. Some resolution of 2nd stream cannot to be set. (Camera Firmware issue) 2. 3rd stream cannot use. (Camera Firmware issue) 3. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 4. Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation) 5. Camera can't support connection via HTTP.</p>											
Histream	HH9803C-L16	v2.3.1.4.0.22	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:
Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2

For Edge IVS event:
Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Brand Name	Device Name	Tested Firmwar e	Video Forma t	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DeviceP ack Version
Note:	<p>1. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 2. MPEG-4 cannot use. (Camera Firmware issue) 3.The value of MJPEG quality isn't synchronized with camera's web. (Camera Firmware issue)</p>											
Jestor	JV-OSD0200-X20	V6.03.05-CGBO24200-1228	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	-	None	v3.8
LILIN	IPS518	1.2.02	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.13
Note:	<p>1. The range of bitrate and frame rate may be different from what camera web shows. (Camera Firmware issue) 2. Image setting, digital input, talk and motion detection do not function. (Camera Firmware issue) 3. Zoom and focus do not function normally. (Camera Firmware issue) 4. Video settings may not be synchronized to camera web. (Camera Firmware issue) 5. Audio is not available under TCP and UDP. (Camera performance limitation) 6. Autodetection and camera search do not function. (Generic model) 7. The camera supports 4 streams, while only 3 streams can be displayed. (NUUO server limitation) 8. Some frame rates and bit rates cannot be set. (ONVIF limitation) 9. Due to Onvif restriction, dependency between frame rate and bitrate is not shown. (ONVIF limitation) 10. Not support function flip and mirror. (ONVIF limitation)</p>											
ONVIF	ONVIF	V1.01 V1.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.14



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Note:	<p>1. Due to Onvif restriction, some frame rates and bit rates cannot be set. (ONVIF limitation) 2. Dependency between frame rate and bit rate cannot be shown. (ONVIF limitation) 3. The bit rate mode cannot be switched among constant bit rate (CBR), variable bit rate (VBR) and average bit rate (AVR). (ONVIF limitation) 4. The pin index of DI and DO may be different from camera spec since the indexing rule is unknown. (ONVIF limitation) 5. The maximum numbers of DI and DO are 4. (NUUO software limitation) 6. Talk function is not supported if the camera does not support backchannel. (ONVIF limitation) 7. May not support http but software shows the http option at protocol setting. (NUUO software limitation)</p>											
Qihan	QH-NV431	v2.3.8.1	H.264	1	Camera	1920x1080	Y/N	1/0	-	-	None	v3.4
Note:	<p>1. Due to Onvif restriction, some bit rates cannot be set. 2. 2nd or 3rd stream cannot be connected when 1st stream under high bitrate.</p>											
Stanley	1310-F	NSD-1.0.9.58	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	-	None	v3.4
TVT	TD9422M	3.4.0.beta6	H.264	1	Camera	1920x1080	Y/N	-	-	-	None	v3.5



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Note:	1. Camera only support H.264, but it responds that it can support H.264 and Mjpeg. (Camera Firmware issue) 2. Camera can't respond vaild status of motion detection. (Camera Firmware issue) 3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue) 4. Camera can't support audio with a-law. (ONVIF limitation) 5. Camera can't support snapshot. (Camera Firmware issue) 6. Camera can't support connction via HTTP.											
Tyco	ADVEIPS D37AH	V1.04_ST D-1	H.264	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.4
Note:	1.Due to Onvif restriction, some frame rate and bit rates cannot be set. 2.Camera web MJPEG has no quality options.											
Wapa	BL-C7HA108 OIL-T18	V6.03.05-CGBO242 00-1210	H.264 MJPEg	1	Camera	1920x1080	N/N	-	-	-	None	v3.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.O2**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
------------	-------------	-----------------	--------------	----------	-------------	----------------	--------------	--------	-----	--------------	---------	--------------------

Note:

1. Due to Onvif restriction, some bit rates cannot be set. (ONVIF limitation)
2. Framerate setting has no effect on streaming. (Camera Firmware issue)



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IP36MDOM 3MPX	1.0.0.5 20160727	H.264	1	Camera	2048x1536	Y/N	-	-	Motion	None	v5.3

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v1.80	H.265 H.264	1	Camera	2048x1536	Y/N	3/1	Pan Tilt Zoom	Motion	None	v18.5
Note:	1. Tested by WV-S6131 (FW: 1.80)										
BB-HCE481	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM100	1.3	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.2
BB-HCM110	1.3	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.2
BB-HCM311	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM331	1.3	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
BB-HCM371	1.3	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0
BB-HCM381	1.3	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
BB-HCM403	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM511	1.3	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM515	3.11R01	MJPEG MPEG4	1	Camera	1280x1024	Y/N	2/1	-	Motion	None	v1.0
BB-HCM527	None	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM531	3.11R01	MJPEG MPEG4	1	Camera	1280x1024	Y/N	2/1	-	Motion	None	v1.0
BB-HCM547	3.60R00	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	Test by link	v1.3
BB-HCM580	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.2

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-HCM581	1.3	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	-	Motion	None	v1.0
BB-HCM701	4.30R00	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.3
BB-HCM705	4.11R01	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/0	-	Motion	None	v1.1
BB-HCM715	v4.03R00	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.1
BB-HCM735	1.05-03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.1
BB-HCS301	1.3	MPEG4 MJPEG	1	Camera	640x480	YN	2/1	-	Motion	None	v1.0
BB-SC364	4.32	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v5.6
BB-SC382	Refer to BB-SC384B(V4.63)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
BB-SC384B	V4.63	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v5.4

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-ST162	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.17
BB-SW172	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.17
BB-SW374	Refer to BB-SC364(4.32)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
BL-C1	None	MJPEG	1	Camera	640x480	N/N	0/0	-	Motion	Supported by design	v1.0
BL-C10	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
BL-C101	3.52R00	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.0
BL-C111	3.10R01	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
BL-C121	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
BL-C131	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BL-C140	3.51	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.2
BL-C160	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
BL-C20	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
BL-C210	4.31R00	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.7
BL-C230	None	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.7
BL-C30	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.7
BL-VP101	1.67	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Test by link	v2.16
BL-VP104	1.81	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v2.16
BL-VP104W	Refer to BL_VP104(1.81)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.17

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
BL-VT164	1.66	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.16
BL-VT164W	Refer to BL-VT164(1.66)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.17
DG-GXE100	2.02	H.264	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	None	v4.0
DG-GXE500	1.6	H.264	4	Video Server	720x480	Y/N	3/2	Pan Tilt Zoom	Motion	Test by link	v4.0
DG-NF282	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NF302	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
DG-NP240	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
DG-NP244	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
DG-NP304	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DG-NS202	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NS202A	2.6	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NS950	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NS954	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NW960	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NW964	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-SC385	Refert to WV-SC385(1.61)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.18
DG-SF132	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
DG-SF334	1.03 1.05	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v2.8

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DG-SP102	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
DG-SW155	Refer to WV-SW155/M	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v2.8
K-EF134L	V2.42	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v4.1
K-EW114L	2.420.PS00.0.T, build:2014-09-19	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Test by link	v4.1
KX-HCM110	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
KX-HCM280A	None	MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
WJ-GXE500	1.03	H.264 MJPEG MPEG4	4	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.7
WJ-NT304	1.04	MJPEG	4	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
WJ-NT314	None	MJPEG	4	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WT-ST162	1.81	H.264 MJPEG	1	Camera	800x600	Y/N	3/1	Pan Tilt Zoom	Motion	Test by link	v2.17
WV-NF284	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
WV-NF302	1.4	MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.0
WV-NM100	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.14
WV-NP1000	None	MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.0
WV-NP1004	1.21	MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.0
WV-NP240	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
WV-NP244	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
WV-NP304	1.5	MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-NP472	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
WV-NP502	1.03 1.05	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	-	-	Motion	None	v1.7
WV-NS202	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
WV-NS202A	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
WV-NS324	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
WV-NS950	1.5	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
WV-NS954	1.06	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.0
WV-NW484	1.6	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.7
WV-NW502S	1	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
WV-NW960	1.5	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
WV-NW964	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
WV-S2110RJ	v1.80	H.265 H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	-	None	v18.4
WV-S2111L	v1.80	H.265 H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	None	v18.4
WV-S6110	v1.35	H.265 H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v18.3
WV-S6130	v1.80	H.265 H.264	1	Camera	2048x1536	Y/N	3/1	Pan Tilt Zoom	Motion	None	v18.5
WV-S6131	v1.80	H.265 H.264	1	Camera	2048x1536	Y/N	3/1	Pan Tilt Zoom	Motion	None	v18.5
WV-SC384	1.46	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motiouon	Supported by design	v2.0
WV-SC385	2.1	H.264	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Test by link	v4.2

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SC386	1.44	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1
WV-SC588	2.43	H.264	1	Camera	1920x1080	Y/N	3/1	Pan Tilt Zoom	Motion	None	v5.9
WV-SC588A	Refer to WV-SC588(2.43)	H.264	1	Camera	1920x1080	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.9
WV-SF132	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
WV-SF135	Refer to WV-SW155/M	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.17
WV-SF332	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v1.7
WV-SF335	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.7
WV-SF336	1.03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.7
WV-SF342	Refer to WV-SF332	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.17

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
WV-SF346	Refer to WV-SF336	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v1.11
WV-SF438	1.04	H.264 MJPEG	1	Camera	2048X1536	Y/N	3/1	-	Motion	None	v2.17
WV-SF539	None	H.264	1	Camera	1920x1080	Y/N	3/1	-	Motion	None	v4.0
WV-SFN310	V1.71	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	None	v3.13
WV-SFN310J	Refer to WV-SFN310(V1.71)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	Supported by design	v3.13
WV-SFN311	Refer to WV-SFN310(V1.71)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	Supported by design	v3.13
WV-SFV481	1.12	H.264	1	Fisheye Camera	2992x2992	Y/N	3/1	-	Motiion	None	v4.2
WV-SFV611L	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
WV-SFV631L	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SFV631LT	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
WV-SFV781L	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
WV-SP102	1.81	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Test by link	v2.17
WV-SP105	1.61	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.10
WV-SP302	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.7
WV-SP305	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.7
WV-SP306	1.03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.7
WV-SP508	1.05	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.1
WV-SP509	1.07	H.264 MJPEG	1	Camera	2048x1536	Y/N	3/1	-	Motion	None	v2.1

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SPN311	1.71	H.264	1	Camera	1280x720	Y/N	3/1	-	Motion / Record	None	v4.0
WV-SPN531	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
WV-SPN631	2.41	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	None	v4.14
WV-SPW611L	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
WV-SPW631L	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
WV-ST162	None	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	Test by link	v2.17
WV-ST165	1.44	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1
WV-SW152	Refer to WV-Sw155/M	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.19
WV-SW155	2.02	H.264	1	Camera	1280x720	N/N	3/1	-	Motion / Record	Supported by design	v4.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SW155/M	1.03	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.17
WV-SW158	1.55	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v3.11
WV-SW172	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.17
WV-SW174W	1.81	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v3.1
WV-SW175	Refer to ST165	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.1
WV-SW314	Refer to SW316/L	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v2.1
WV-SW316	1.46	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v2.1
WV-SW352	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.13
WV-SW355	1.01	H.264 MJPEG MPEG4	1	Camera	800x600	Y/N	1/1	-	Motion	Test by link	v1.13

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
WV-SW395	Refer to SC358(1.01)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v2.7
WV-SW396	1.44	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v2.0
WV-SW458	V1.60	H.264	1	Fisheye Camera	1920x1080	Y/N	3/1	-	Motion	None	v4.0
WV-SW558	Refer to SP509	H.264 MJPEG	1	Camera	2048x1536	N/N	3/1	-	Motion	Supported by design	v2.1
WV-SW559	Refer to SP509	H.264 MJPEG	1	Camera	2048x1536	Y/N	3/1	-	Motion	Supported by design	v2.1
WV-SW598	2.07	H.264	1	Camera	1920x1080	Y/N	3/2	-	Motion	Test by link	v4.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D5118	1.6.13.9310 -A1.4657	H.264 MJPEG	1	Camera	1280x960	N/N	1/1	Pan Tilt Zoom	Motion	None	v1.13
D5220	1.8.3.8- 20121119.9 320- A1.8614	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v2.20
IBPS110- ER	03.29.59	H.264 MJPEG	1	Camera	800x600	Y/N	1/1	Zoom	Motion	Test by link	v4.15
IL10	1.8.2.4.831 0-03.9119	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v2.20
IM10	1.8.2.18- 20121109- 1.8272- 01.8503	H.265 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v2.20
IMPS110-1	03.29.59	H.264 MJPEG	1	Camera	800x600	Y/N	1/1	Zoom	Motion	Test by link	v4.15

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
PBY-H626A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H7926A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H7926AM	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H7982	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H7982M	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H79882	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H7A26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H7A82	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H7A855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
PBY-H7B82	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H7B82M	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-H7B882	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HB26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HB855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HC26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HC855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HD26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HD855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
PBY-HH26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HH855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HK26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HK855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HL26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HL26AM	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HL82	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HL882	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HMi855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
PBY-HNi855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HP82	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HQ26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HQ855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HS26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HS855	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-HV26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-Hi26A	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-Hi26AM	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
PBY-Hi82	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-Hi82M	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
PBY-Hi882	Refer to YUC-H7A26A(VH 1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10

Probe

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
PIC-H2010	v1.0.4_2012 1029	H.264	1	Camera	1920x1088	Y/N	1/1	-	Motion	None	v2.9
PID-H1300	v1.0.1_2012 1005	H.264	1	Camera	1080x720	Y/N	1/1	-	Motion	None	v2.9
PIN-H1310	v1.0.0_2012 0627	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.4
PMI-H2000	v1.0.2_2012 0906	H.264	1	Camera	1920x1088	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
DAI-310IPEH04	3.4.2	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Test by link	v4.10
DAI-310IPEHVF	Refer to DAI-310IPEH04(3.4.2)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
DI-310IPEHVF	Refer to DAI-310IPEH04(3.4.2)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
I3-310IPEH04	Refer to DAI-310IPEH04(3.4.2)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
I4-310IPEHVF	Refer to DAI-310IPEH04(3.4.2)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
QSS2224S R5-DPF40-B	Refer to QSS3634ER 3-DPZ28 (FW: IPC_G6102-B5018P10D 1711)	H.265 H.264 MJPEG	1	Camera	2592x1520	N/N	-	-	Motion / Record	Supported by design	v18.5
QSS2324E BR-DPZ28	IPC_Q1201-B5022P10D 1711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.7
QSS314SR-DVPF28	IPC_G6102-B5018P21D 1711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	-	Motion	None	v18.6
QSS3234S R3-DVZ28	IPC_Q1201-B5022P10D 1711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.7
QSS3614S R3-DPF28M	Refer to QSS314SR-DVPF28 (FW: IPC_G6102-B5018P21D 1711)	H.265 H.264 MJPEG	1	Camera	2560x1440	Y/N	-	-	Motion	Supported by design	v18.6
QSS3634E R3-DPZ28	IPC_G6102-B5018P10D 1711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	Zoom	Motion	None	v18.4



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmwar e	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	v1.8.060 1.1001.1 10.0.36.1 .0	2592x194 4	1	Fisheye Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.8

Note:	<p style="text-align: center;">Support generic dewarp</p> <ol style="list-style-type: none"> 1. Audio in with Raw PCM codec are not supported.(Camera Firmware issue) 2. Home function are not supported. (Camera Firmware issue) 3. The streaming has broken under MJPEG format.(Camera Firmware issue) 4. Due to Onvif restriction, some frame rate and bit rates cannot be set.(Camera performance limitation)
-------	---



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-100PBIA	2.400.BW00 .0.T, build : 2015-10-22	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v4.10
SNC-200PDIA	2.210.BW00 .8.R	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.10
SNC-211FDIA	Refer to SNC-200PDIA(V2 .210.BW00.8.R.20151124)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.12
SNC-211RSIA	2.210.BW01 .0.R.A.2017.3N.NR, build : 2015-04-09	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.1
SNC-231RZNA	2.400.BW06 .0.R.T1.484, build : 2016-01-13	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	None	v4.11
SNC-311FBIF	V2.420.BW0 0.0.T.20150 213	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.0
SNC-311FEIF	V2.420.BW0 0.0.T.20150 213	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.0
SNC-311RBIA	V2.420.BW0 0.0.T.20150 213	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	None	v4.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-311RDIA	V2.420.BW0 0.0.T.20150 213	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	-	Motion	None	v4.0
SNC-311RINA	V2.420.BW0 0.0.T.20150 213	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	-	Motion	None	v4.0
SNC-3302	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.20
SNC-3303	v1.0.3.454	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	None	v3.3
SNC-3305	1.0.2.386	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v2.19
SNC-331DLNN	V2.400.BW0 0.0.R	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.4
SNC-3322	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.20
SNC-3342	v1.0.0.11	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v2.4
SNC-3901MDN	3.5	H.264 MJPEG MPEG4	1	camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-3903M	v0.9.6.6	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	None	v1.11
SNC-4302	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.20
SNC-431FBIF	2.400.BW00 .0.R, build: 2016-03-24	H.264 MJPEG	1	Camera	2688x1296	N/N	-	-	Motion	Test by link	v4.15
SNC-431FEIF	Refer to SNC- 431FBIF(2.4 00.BW00.0. R, build: 2016-03- 24)	H.264 MJPEG	1	Camera	2688x1296	N/N	-	-	Motion	Supported by design	v4.16
SNC-431RBIA	Refer to SNC- 100PBIA(2. 400.BW00.0 .T, build : 2015-10- 22)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v4.12
SNC-431RDIA	Refer to SNC- 100PBIA(2. 400.BW00.0 .T, build : 2015-10- 22)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v4.12
SNC-431RLNN	Refer to SNC- 331DLNN(V 2.400.BW00 .0.R, build : 2015-7-27)	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.12
SNC-4323IR	Refer to SNC- 6323IRH(1. 0.3.454)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.3



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-441FBIFe	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
SNC-441FDIF	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
SNC-441FEIF	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
SNC-441FINF	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
SNC-441RBIAe	2.622.00BW000.0.R, Build Date: 2018-05-04	H.265 H.264 MJPEG	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Test by link	v18.9
SNC-441RDIAe	2.622.00BW000.0.R, Build Date: 2018-05-04	H.265 H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Test by link	v18.7
SNC-441RLNN	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-5211MIR	3.1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.3
SNC-521IR/W	1.5	MJPEG MPEG4	1	Camera	720x576	Y/n	1/1	-	Motion	None	v1.0
SNC-5312IR	Refer to SNC-6312IRH(v1.0.2.386)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.19
SNC-5315IR	Refer to SNC-6315IRH(v1.0.2.386)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v2.19
SNC-5321MIR	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.11
SNC-5323IRH	Refer to SNC-6323IRH(1.0.3.454)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.3
SNC-565IR/W	1.5	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Zoom	Motion	None	v1.1
SNC-6163ID	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.11
SNC-620/W	v1.0.1.5	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Test by link	v1.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-6201M	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.3
SNC-6202	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.20
SNC-6212IR	Refer to SNC-6312IRH(v1.0.2.386)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v2.19
SNC-6221MIR	5.2.2	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.13
SNC-6223MIR	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.10
SNC-6301M	5.2.2	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.13
SNC-6302	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.20
SNC-6303	Refer to SNC-3303(1.0.3.454)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.3
SNC-6303M	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.11



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-6312IRH	1.0.2.386	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.19
SNC-6315IRH	1.0.2.386	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v2.19
SNC-6323IRH	v1.0.3.454	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v3.3
SNC-6332	v1.0.0.10	H.264 MJPEG	1	Camera	1600x1200	Y/N	4/1	-	-	None	2.1
SNC-670ID/W	1.0.1.5	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.1
SNC-831DBIA	2.400.BW00 .8.R, build : 2016-08-15	H.264 MJPEG	1	Camera	4000x3000	Y/N	2/1	Zoom	Motion	Supported by design	v18.2
SNC-8322I/HO	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.20
SNC-841DBIAe	Refer to SNC-441RBIAe(2 .460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-841DDIAe	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
SNC-90DN/W	1.5	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.1
SNC-P3601M	5.2.2	H.264 MJPEG MPEG4	1	Cmaera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.4
SNC-P3603M	None	H.264 MJPEG MPEG4	1	Cmaera	1280x1024	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.11
SVS-1100	1.1.8	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.13
SVS-3001	None	H.264 MJPEG	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.19



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
PNV-9080R	1.00_160620	H.264 H.265	1	Camera	4000x3000	Y/N	1/1	-	Motion	None	v5.9
QND-6070R	1.00_160804	H.264 H.265	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.9
QNO-7080R	1.00_160819	H.264 H.265	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v5.9
QNV-7080R	1.00_160819	H.264 H.265	1	Camera	2592x1520	Y/N	1/1	-	Motion	Test by link	v5.9
SNB-1000	1.07_110407	H.264 MPEG4 MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	None	v1.18
SNB-1001	1.00_111226	H.264 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	Test by link	v2.2
SNB-2000	None	H.264 MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	-	-	Supported by design	v1.2
SNB-3000	None	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.2
SNB-3002	Refer to SND-3082/F(2.10_130416)	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNB-5000	3_24_14070 1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v4.14
SNB-5000A	Refer to SND- 5080/F(3.10 .130416)	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.16
SNB-5001	1.00_12052 1	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8
SNB-5003	1.12_13103 1	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.0
SNB-5004	1.12_13103 1	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.0
SNB-6003	Refer to SND- 6083(FW 1.00_13041 2)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.16
SNB-6004	SNV-6084R- V3.01_1408 04	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.10
SNB-7000	Refer to SND-7080	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v1.13
SNB-7001	Refer to SND- 7011(1.00_ 120601)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v2.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNB-7002	1.06_13040 2	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.16
SNB-7004	3.00_14091 5	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v5.0
SNC-B2315	2.01	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	Motion	None	v1.0
SNC-B2331	v1.00_0908 10	H.264 MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	-	Motion	None	v1.0
SNC-B2335	v1.10_1001 29	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	Motion	None	v1.0
SNC-B5368	v1.00_0910 01	H.264 MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	-	Motion	None	v1.0
SNC-B5395	2.1	MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	Motion	None	v1.0
SNC-B5399	v1.10_0911 20	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	Motion	None	v1.0
SNC-C6225	1.01	MPEG4 MJPEG	1	Camera	720x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-C7225	1.01	MPEG4 MJPEG	1	Camera	720x576	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
SNC-C7478	v1.01_090625	MPEG4 MJPEG	1	Camera	720x576	Y/N	8/4	Pan Tilt Zoom	Motion	None	v1.0
SNC-M300	v2.11_090729	MPEG4 MJPEG	1	Camera	2048x1536	N/N	2/2	-	Motion	None	v1.0
SND-1010	1.07_110407	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.18
SND-1011	1.00_111226	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Test by link	v2.2
SND-1080	1.00_111226	H.264 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	Test by link	v2.2
SND-3080	None	H.264 MJPEG	1	Camera	720x576	N/N	2/2	-	-	Supported by design	v1.2
SND-3082	Refer to SND-3082/F(2.10_130416)	H.264 MJPEG	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.18
SND-3082/F	2.10_130416	H.264 MJPEG	1	Camera	704x480	Y/N	1/1	-	Motion	None	2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SND-5010	1.00_12062 6	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.10
SND-5011	1.00_12052 1	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8
SND-5061	1.00_12052 1	H.264 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	None	v2.8
SND-5080	3.10_13041 6	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/n	1/1	-	Motion	None	v2.16
SND-5083	Refer to SNB- 5003(1.12_ 131031)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
SND-5084	Refer to SNB- 5004(1.12_ 13103)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
SND-6011R	1.11_13101 1	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Test by link	v3.2
SND-6083	1.00_13031 6	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
SND-6084	SNV-6084R- V3.01_1408 04	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Test by link	v3.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SND-6084R	Refer to SNB-6004(1.00_130316)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
SND-7011	1.00_120601	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	None	v2.7
SND-7061	Refer to SND-7011(1.00_120601)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v2.7
SND-7080	1.00_110319	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v1.18
SND-7082	1.00_120824	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.7
SND-7082/F	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.16
SND-7084	Refer to SND-7084R(0.51_140116)	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.6
SND-7084R	0.51_140116	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.6
SND-L6013R	Refer to SNO-L6083R(1.00_150403)	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNF-7010V	1.00_130806	H.264 MJPEG	1	Fisheye Camera	2048x1536	Y/N	-	-	Motion	None	v2.18
SNF-8010	1.00_140719	H.264	1	Fisheye Camera	2560x2048	Y/N	1/1	-	Motion	Test by link	v4.7
SNO-1080R	1.00_120125	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Test by link	v2.2
SNO-5080R	3.10_130416	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v2.16
SNO-6011R	Refer to SND-6011R(1.11_131011)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v3.5
SNO-6084	Refer to SND-6083(1.00_130412)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.1
SNO-6084R	Refer to SNB-6004(1.00_130316)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
SNO-7080R	2.00_121004	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	Test by link	v3.2
SNO-7082R	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNO-7084R	3.00_14091 5	H.264	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	Test by link	v4.11
SNO-8081R	1.00_15102 0	H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Test by link	v5.9
SNO-L6013R	1.00_15040 3	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.8
SNO-L6083R	1.00_15040 3	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.7
SNP-3120V	1.22_11060 3	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.18
SNP-3301	1.21_11030 1	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.13
SNP-3302/H	Refer to SNP- 3371/H/TH	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.1
SNP-3370	1.21_11031 0	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.18
SNP-3430H	1.07_11032 4	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	8/4	Pan Tilt Zoom	Motion	None	v1.18



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNP-5200/H	1.00_110309	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.18
SNP-5300	1.10_130523	H.264 MJPEG	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v2.17
SNP-6200	V1.00_120302	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.6
SNP-6200H	Refer to SNP-6200P(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200HP	Refer to SNP-6200P(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200P	Refer to SNP-6200P(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200RH	3.02_140722	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.11
SNP-6230RH	1.03_160719	H.264	1	Camera	1920x1080	Y/N	4/3	Pan Tilt Zoom	Motion	Test by link	v5.9
SNP-6320H	1.01_141007	H.264	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNP-7080	1.00_110319	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v1.18
SNP3371/H/TH	1.01_111104	H.264 MJPEG	1	Video Server	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v2.0
SNV-1080	Refer to SNO-1080R(1.00_120125)	H.264 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	Supported by design	v2.2
SNV-1080R	Refer to SNO-1080R(1.00_120125)	H.264 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	Supported by design	v2.2
SNV-3080	None	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.2
SNV-3082	Refer to SND-3082/F(2.10_130416)	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.16
SNV-3120	1.20_101221	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	Zoom	Motion	None	V1.11
SNV-5010	2.00_110608	H.264 MPEG4 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.18
SNV-5080	Refer to SND-5080/F(3.10_130416)	H.264 MPEG4 MJPEG	1	Camera	H.264 MPEG4 MJPEG	Y/N	1/1	-	Motion	Supported by design	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNV-5080R	3.10_130416	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.16
SNV-5084	Refer to SNB- 5004(1.12_13103)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
SNV-6012M	1.00_130704	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Test by link	v3.1
SNV-6084	Refer to SND- 7084R(0.51_140116)	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.16
SNV-6084R	Refer to SNB- 6004(1.00_130316)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
SNV-7080	1.00_110319	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v1.12
SNV-7082	Refer to SNB- 7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.16
SNV-7084	Refer to SND-7084R (0.51_140116)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNV-7084R	Refer to SND-7084R (0.51_140116)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.6
SNV-L6083R	1.00_150403	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.8
SNZ-5200	1.02_110603	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.18
SPE-100	v1.19_110317_3	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.19
SPE-400	1.40_120201	H.264 MPEG4 MJPEG	4	Video Server	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v2.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FBN-D101N	None	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.8
FBN-D101P	None	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.8
PSN-1012N	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
PSN-1012P	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
PSSN-1012N	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
PSSN-1012P	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
RIN-0012N	None	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
RIN-0012P	None	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-21XX	BgWT81300 35N03 V23 1208152A	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.6
SNC-22XX	BgWT82027 15N03 V23 1208153A	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.6
SNC-23XX	BgWT83000 36N03 V23 1208154A	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.6

SONY.

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:
Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	1.7.0	H.264 MJPEG	1	Fisheye Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.17
Note:	<p>Support generic dewarp For G6 model only. In certain scenarios i.e. under high frame rate and resolution with multiple stream condition, camera might have limitation by bandwidth specification. For further information, please visit Sony A&E Portal: https://www.security.sony.biz/ssp/ae/homeDisplay.do</p>										
SNC CH210/S	1.78.00	H.264 MPEG4 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.11
SNC-CH110	1.22.00	H.264 MPEG4 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v1.8
SNC-CH120	1.8	H.264 MPEG4 MJPEG	1	Camera	1280x1024	N/N	1/0	-	Motion	Test by link	v2.18
SNC-CH140	1.07.00	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/2	-	Motion	None	v1.3
SNC-CH160	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	Zoom	Motion	None	v3.7

SONY.

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-CH180	1.10.03	H.264 MPEG4 MJPEG	1	Camera	1280x720	Y/N	1/2	-	Motion	None	v1.3
SNC-CH210/B	1.78.00	H.264 MPEG4 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.11
SNC-CH220	1.21.02	H.264 MPEG4 MJPEG	1	Camera	1920x1440	N/N	1/1	-	Motion	None	v1.8
SNC-CH240	1.10.01	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/N	1/2	-	Motion	None	v1.3
SNC-CH260	1.78.00	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/N	1/1	Zoom	Motion	None	v2.11
SNC-CH280	1.26.01	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/N	1/2	Zoom	Motion	None	v1.9
SNC-CM120	1.00	MPEG4 MJPEG	1	Camera	1280x960	Y/N	1/2	-	Motion	None	v1.0
SNC-CS10	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
SNC-CS11	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0

SONY.

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-CS20	None	MPEG4 MJPEG	1	Camera	768x576	Y/N	1/2	-	Motion	Supported by design	v1.0
SNC-CS3	None	MJPEG	1	Camera	736x480	N/N	1/2	-	-	Supported by design	v1.0
SNC-CS50	2.21	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/2	-	Motion	None	v1.0
SNC-CX600W	1.7.0	H.264 MJPEG	1	Camera	1280x1024	Y/N	-	-	Motion	None	v2.17
SNC-DF50	1.11	H.264 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	None	v1.0
SNC-DF70	1.17	H.264 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	None	v1.0
SNC-DF80	1.11	H.264 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	None	v1.0
SNC-DF85	None	H.264 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	Supported by design	v1.0
SNC-DH110	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.7

SONY.

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-DH110T	Refer to SNC-DH110	H.264 MPEG4 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH120	1.78.00	H.264 MPEG4 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.11
SNC-DH140	1.07.00	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/2	-	Motion	None	v1.3
SNC-DH160	1.11.00	H.264 MPEG4 MJPEG	1	Camera	1280x1024	N/N	1/0	-	Motion	None	v1.7
SNC-DH180	1.10.02	H.264 MPEG4 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v1.2
SNC-DH210	None	H.264 MPEG4 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.10
SNC-DH210T	1.27.00	H.264 MPEG4 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.9
SNC-DH220	1.82.01	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.7
SNC-DH220T	1.82.01	H.264 MPEG4 MJPEG	2	Camera	1920x1440	Y/N	1/1	Zoom	Motion	Supported by design	v1.10

SONY.

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-DH240	1.10.02	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/n	1/2	-	Motion	None	v1.3
SNC-DH260	1.30.00	H.264 MPEG4 MJPEG	1	Camera	1920x1440	N/N	1/1	Zoom	Motion	None	v1.9
SNC-DH280	1.26.01	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/N	1/2	Zoom	Motion	Test by link	v1.9
SNC-DM110	1.01	MPEG4 MJPEG	1	Camera	1280x960	Y/N	1/2	-	Motion	None	v1.0
SNC-DS10	1.01	MPEG4 MJPEG	1	Camera	768x576	Y/N	1/2	-	Motion	None	v1.0
SNC-DS60	1.00	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	None	v1.0
SNC-EB600	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v3.0
SNC-EB600B	1.9.2	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v3.0
SNC-EB602R	Refer to SNC-EB632R(2.2.1)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v3.9

SONY.

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-EB630	1.9.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.20
SNC-EB630B	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EB632R	2.2.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.9
SNC-EM600	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM601	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM602R	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM630	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM631	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM632R	1.9.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.1

SONY.

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-EP520	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.14
SNC-EP550	Refer to SNC-ER550	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.18
SNC-EP580	1.42.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.18
SNC-ER520	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.14
SNC-ER521	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.14
SNC-ER550	1.51.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.19
SNC-ER580	Refer to SNC-EP580(1.42.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v2.0
SNC-ER585	1.78.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/n	2/1	Pan Tilt Zoom	Motion	Test by link	v2.15
SNC-HM662	1.2.0	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.12

SONY.

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-P1	1.28	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
SNC-P5	1.11	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0
SNC-RH124	1.84.00	H.264 MJPEG	1	Camera	1280x720	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.7
SNC-RH164	1.10.01	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.3
SNC-RS44N	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
SNC-RS44P	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
SNC-RS46N	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
SNC-RS46P	1.10.02	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.3
SNC-RS84N	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3

SONY.

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-RS84P	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
SNC-RS86N	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
SNC-RS86P	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
SNC-RX530	3.00	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
SNC-RX550	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SNC-RX570	3.01	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
SNC-RZ25	1.29	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
SNC-RZ30	3.14	MJPEG	1	Camera	736x480	N/N	3/2	Pan Tilt Zoom	-	None	v1.0
SNC-RZ50	2.21	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0

SONY.

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:
Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-VB600	1.2.0	H.264 MJPEG	1	Camera	1280x1024	N/N	2/2	-	Motion	Test by link	v2.8
SNC-VB600B	1.7.0	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	None	v2.17
SNC-VB630	2.2.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v3.10
SNC-VB635	1.11.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v3.1
SNC-VM600	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v3.0
SNC-VM600B	Refer to SNC-VB600B(1.7.0)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v2.17
SNC-VM601	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v3.0
SNC-VM601B	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v3.3
SNC-VM602R	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v3.0

SONY.

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-VM630	Referto SNC-VM632R(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v3.0
SNC-VM631	Referto SNC-VM632R(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v3.0
SNC-VM632R	1.9.2	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v3.0
SNC-WR600	1.11.0	H.264 MJPEG	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.2
SNC-WR602	Referto SNC-WR600(1.11.0)	H.264 MJPEG	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.2
SNC-WR630	1.11.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.1
SNC-WR632	Refer to SNC-WR630(1.11.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.1
SNC-XM631	2.2.1	H.264 MJPEG	1	Camera	1920x1080	N/N	2/2	-	Motion	None	v3.9
SNC-XM632	1.12.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.2

SONY.

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNC-XM636	Refer to SNC-XM632(1.12.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.2
SNC-XM637	Refer to SNC-XM632(1.12.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.2
SNC-Z20	1.06	MJPEG	1	Camera	736x480	N/N	1/2	Pan Tilt Zoom	-	None	None
SNC-ZB550	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.11
SNT-EP104	None	H.264 MJPEG MPEG4	4	Video Server	720x480	N/N	-	-	Motion	Supported by design	v1.5
SNT-EP154	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	N/N	-	-	Motion	None	v1.3
SNT-EX101	None	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.5
SNT-EX101E	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.3
SNT-EX104	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.2

SONY.

**-: not available on camera
Y: Support Function
N: Not Support Function**

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SNT-EX154	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.3
SNT-V704	2.15	MPEG4 MJPEG	4	Video Server	640x480	Y/N	1/4	Pan Tilt Zoom	-	None	v2.1



-: not available on camera
 Y: Support Function
 N: Not Support Function
 For multi stream support:
 Yes: multi stream fix to 500kbps/100kbps
 Yes*: multi stream setting support

Remarks:
Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:
Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Nitida 12000	01.10:01.08 :01.13:01.1 1:01.05:00. 04	H.264	1	Camera	1920x1080	N/N	-	-	-	None	v4.1
SR-C-F21100	2.420.0005. O.R, build : 2014-12-05	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v4.3
SR-C-F22100-V	2.420.0005. O.R, build : 2014-12-05	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.3
SR-C-F23120-V	2.420.0005. O.R, build : 2014-12-05	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v4.3
SR-C-F24110-FV	2.420.0005. O.R, build : 2014-12-05	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v4.3
SR-C-F25100-V	2.210.0004. O.T.A.3013. 3N.NR, build: 2015- 05-27	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.3
SR-C-F26110	2.420.0005. O.R, build : 2014-12-05	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Zoom	Motion	None	v4.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	Device Pack Version
Generic	v1.9.0601.1001.3.0.36.0.0 v3.4.0804.1003.3.0.83.0.0	H.265 H.264 MJPEG	1	Camera	2592x1944	Y/N	2/2	Pan Tilt Zoom	Motion	None	v5.12
Note:	<p align="center">Support generic dewarp</p> <p align="center">Test by IPC54-40EDN in DP v3.13.(FW : v1.9.0601.1001.3.0.36.0.0) (I/O ch : 1/1)</p> <ol style="list-style-type: none"> The ranges of bitrate and framerate may be different from camera web. (Camera Firmware issue) Motion detection is not supported on MJPEG. (Camera performance limitation) Bitrate of actual streaming may be different from the setting. (Camera Firmware issue) Frame rate of actual streaming may be different from the setting. (Camera Firmware issue) <p align="center">Test by IPR57/41ACDN/Z/1 in DP v5.12.(FW : v3.4.0804.1003.3.0.83.0.0) (I/O ch : 1/1)</p> <ol style="list-style-type: none"> The talk function do not work. The camera search function do not work. 										
IPR54/14ALDN(II)/23	v2.0.0601.1002.3.0.56.0.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.12
IPR56/20APDN/13	v2.0.0701.1002.3.0.114.1.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.12
IPS54/70DN/Z18	Refer to IPS54/70DN/ZR18(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.6
IPS54/70DN/ZR18	v1.6_build044014_148	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	None	v2.17



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPS54/70D R/Z18	Refer to IPS54/70DN /ZR18(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.6
IPS54/70D R/ZR18	Refer to IPS54/70DN /ZR18(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.6
IPS54/71D N/Z18	Refer to IPS54/70DN /ZR18(v1.6_build044014_026)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.10
IPS54/80D R	Refer to IPS54/70DN /ZR18(v1.6_build044014_026)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.10
SN-IPC54/11D N	Refer to SN-IPC54/11FD N(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPC54/11E DN	Refer to SN-IPC54/11FD N(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPC54/11F DN	v1.6_build044014_027	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.7
SN-IPC54/12D N	v2.0.0601.1002.3.0.56.0.0_20151027	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.14



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SN-IPC54/12E DN	Refer to SN-IPD54/12VDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPC54/12F DN	Refer to SN-IPD54/12VDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPC54/14E DN	Refer to SN-IPD54/12VDN(v1.6_build044014_106)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPC54/31E DN	Refert to SN-IPV54/31UDN(v1.6_build044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPC54/40E DN	v1.6_build044014_148	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.17
SN-IPC54/50DN	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.16
SN-IPC55/20E DN	v1.8.1001.1001.3.0.46.0.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	None	None	v3.10
SN-IPD54/11 DN	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.16



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SN-IPD54/11 VDN	Refer to SN-IPC54/11FD N	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPD54/11 VDR	Refer to SN-IPC54/11FD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPD54/12 DN	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v1.16
SN-IPD54/12 VDN	v1.9.0601.1001.3.0.22.0.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.10
SN-IPD54/12 VDR	Refer to SN-IPD54/12VD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPD54/14 VDN	Refer to SN-IPD54/12VD N(v1.6_buil d044014_106)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPD54/14 VDR	Refer to SN-IPV54/31UD N(v1.6_buil d044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/n	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPD54/31 VDN	Refer to SN-IPV54/31UD N(v1.6_buil d044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SN-IPD54/31 VDR	Refer to SN-IPV54/31UD N(v1.6_buil d044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPD54/40 VDN	Refert to SN-IPC54/40ED N(v1.6_buil d044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11
SN-IPR54/11A KDN	Refer to IPD54/12VD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPR54/11A LDN	Refer to SN-IPC54/11FD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPR54/11A NDN	Refer to SN-IPC54/11FD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPR54/11 DN	Refer to SN-IPC54/11FD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPR54/12A KDN	Refer to SN-IPD54/12VD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPR54/12A LDN	Refer to SN-IPD54/12VD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SN-IPR54/12A NDN	Refer to SN-IPD54/12VDN(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPR54/12 DN	Refer to SN-IPD54/12VDN(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPR54/14A KDN	Refer to SN-IPD54/12VDN(v1.6_buil d044014_106)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPR54/14A PDN	Refer to SN-IPD54/12VDN(v1.6_buil d044014_106)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPR54/31A KDN	Refer to SN-IPV54/31UDN(v1.6_buil d044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPR54/31A PDN	Refer to SN-IPV54/31UDN(v1.6_buil d044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPR54/31U DN	v1.7.1001.3 .0.13	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.2
SN-IPR54/40A KDN	Refert to SN-IPC54/40EDN(v1.6_buil d044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SN-IPR54/40A PDN	Refert to SN-IPC54/40EDN(v1.6_builed044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11
SN-IPR54/50 DN	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.16
SN-IPS54/60D N/Z18	None	H.264 MJPEG	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.16
SN-IPS54/60D N/Z18/WI	v1.6_build044013_040	H.264 MJPEG	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	Motion	None	v2.4
SN-IPS54/60D N/Z36	None	H.264 MJPEG	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.16
SN-IPS56/30C DR/ZS12	v2.0.0702.1002.3.0.119.0.0	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	-	Motion	None	v4.15
SN-IPV54/11 DN	Refer to SN-IPC54/11FDN(v1.6_builed044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/11 DR	Refer to SN-IPC54/11FDN(v1.6_builed044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SN-IPV54/11U DN	Refer to SN-IPC54/11FD N	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/11U DR	Refer to SN-IPC54/11FD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/11Z DR	Refer to SN-IPC54/11FD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/12 DN	Refer to SN-IPD54/12VD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/12 DR	Refer to SN-IPD54/12VD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/12U DN	Refer to SN-IPD54/12VD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/12U DR	Refer to SN-IPD54/12VD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/12Z DR	Refer to SN-IPD54/12VD N(v1.6_buil d044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SN-IPV54/14U DR	Refer to SN-IPD54/12VD N(v1.6_buil d044014_10 6)	H.264 MJPEG	1	Camera	2048x1536	Y/N	Y/N	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPV54/14Z DR	Refer to SN-IPD54/12VD N(v1.6_buil d044014_10 6)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPV54/31U DN	v1.6_build0 44014_148	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.16
SN-IPV54/31U DR	Refer to SN-IPV54/31UD N(v1.6_buil d044014_13 7)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPV54/31Z DR	Refer to SN-IPV54/31UD N(v1.6_buil d044014_13 7)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPV54/40U DN	Refer to SN-IPV54/31UD N(v1.6_buil d044014_13 7)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
SN-IPV54/40U DR	Refert to SN-IPC54/40ED N(v1.6_buil d044014_13 7)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11
SN-IPV54/50 DN	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SN-IPV54/50 DR	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.0
SN-VSR54/04	build044014_136_1	H.264 MJPEG	4	Video Server	704x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.19
VSR54/01	v1.6_build044014_026	H.264 MJPEG	1	Camera	704x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TV-IP262P	1.0.3	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	None	v3.6
TV-IP262PI	Refer to TV-IP262P(1.0.3)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v3.6
TV-IP310PI	V5.0.1 140303	H.264	1	Camera	2048x1536	N/N	-	-	Motion	None	v3.6
TV-IP311PI	Refer to TV-IP310PI(V5.0.1 140303)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v3.6
TV-IP572P	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572PI	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572W	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572WI	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP672P	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TV-IP672PI	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP672W	1.1.2	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	None	v3.6
TV-IP672WI	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCAM-3xx	Enc: V1.104A-035	H.264 MJPEG	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	Motion	None	v1.9
TCAM-530	Enc: V1.104A-035	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.9
TCAM-531	Enc: V1.104A-035	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.9
TCAM-531BIR	None	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v1.9
TCAM-540	Enc: V1.103C-006	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.9
TCAM-551	None	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v1.9
TCAM-570	V1.111R04-T100	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.19
TCS-200	Enc: V1.104A-035	H.264	1	Video Server	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.9
TCS-2000	V1.111R04-T100	MJPEG H.264	1	Video Server	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.19



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TCS-300	Enc: V1.103C-005	MJPEG H.264	1	Video Server	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.9
TN-B200CE	Refer to TN-B202CEIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by deign	v3.0
TN-B202CEIR	V3.311R01	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.0
TN-D1202CE	Refer to TN-B202CEIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by deign	v3.0
TN-P1220CS	Refer to TN-P1222CGPLX(V3.311R01)	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by deign	v3.0
TN-P1222CGPLX	V3.311R01	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v3.0
TN-P1230CS	Refer to TN-P1222CGPLX(V3.311R01)	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by deign	v3.0
TN-P3220CS	Refer to TN-P1222CGPLX(V3.311R01)	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by deign	v3.0
TN-P3220CSIR	V3.311R01	H.264	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.0



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
TN-P3220CTIR	Refer to TN-P3220CSIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPE1100	None	H.264 MJPEG MPEG4	1	Camera	752x582	Y/N	1/1	-	Motion	Supported by design	v1.17
IPE3100	None	H.264 MJPEG MPEG4	1	Camera	768x576	Y/N	1/1	-	Motion	Supported by design	v1.17
IPE3500	None	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.17
IPE3500M	1.6.7	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.14
IPE4100	1.6.6	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.17
IPE5500	None	H.264 MJPEG MPEG4	1	Camera	752x582	Y/N	1/1	-	Motion	Supported by design	v1.17
IPE6500	None	H.264 MJPEG MPEG4	1	Camera	752x582	Y/N	1/1	-	Motion	Supported by design	v1.17
IPE7500	None	H.264 MJPEG MPEG4	1	Camera	752x582	Y/N	1/1	-	Motion	Supported by design	v1.17
IPN100HD	1.4.0.11	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPN1202HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPN2102HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPN302HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPN3102HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPN3202HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPN3502HD	1.4.0.11	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.13
IPN3502HD-IR	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPN6602HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPN6702HD-6311Z	1.12.0.19	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v18.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPN6802HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPX3302HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPX3702HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
IPX4202HD	1.4.1.8	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.13
IPX4602HD	Refer to IPN4602HD(1.4.1.8)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.13
NVC1000	1.6.7	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.17
NVC4000	1.6.7	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.17



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IPC2122LR 3-PF40-C	IPC_G6105-B0005P30D 1711	H.265 H.264 MJPEG	1	Camera	1920*1080	N/N	-	-	Motion	None	v18.11
IPC2124SR 3-DPF36	IPC_G6102-B5019P20D 1803	H.265 H.264 MJPEG	1	Camera	2592x1520	N/N	-	-	Motion	None	v18.11
IPC2324EB R-DPZ28	IPC_Q1201-B5023P20D 1803	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.11
IPC314SR-DVPF36	IPC_G6102-B5019P20D 1803	H.265 H.264 MJPEG	1	Camera	2592*1520	Y/N	-	-	Motion	None	v18.11
IPC6222ER -X20-B	IPC_HCMN2 103-B0022P01D 1806	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v18.12
IPC6852SR -X38UG	IPC_HCMN2 103-B0023P11D 1809	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v19.6
IPC814SR-DVSPF16	IPC_G6102-B5020D180 6	H.265 H.264 MJPEG	1	Fisheye Camera	2560*1440	N/N	-	-	Motion	Test by link	v18.12

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Ctyri Dva Osm	1023-1007-1016-1003	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.15
Ctyri Nula Nula	1031-1007-1022-1003	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
Ctyri Pet Devet	1023-1007-1016-1003	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.15
Ctyri Pet Sedm	Refer to Ctyri Pet Sedm(1023-1007-1016-1003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v2.18
Devet Tri Jedna	1052-1028-1038-1008	H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.8
Pet Ctyri Dva	Refer to Pet Pet Dva(1022-1014-1014-1010)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v2.16
Pet Dva Jedna	1022-1014-1014-1010	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
Pet Nula Nula	Refer to Pet Dva Jenda(1022-1014-1014-1010)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.16

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Pet Pet Dva	1022-1014-1014-1010	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.16
Pet Sedm Jedna	1049-1024-1028-1014-A1	H.264 JPEG	1	Camera	1920x1080	N/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
Pet Sest Jedna	1025-1017-1017-1011	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v2.18
Pet Sest Pet	1026-1017-1020-1007	H.264 JPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v3.5
Tri Dva Osm	1062-1028-1041-1008	H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v3.5
Tri Jedna Jedna	1054-1028-1036-1008	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v2.18
Tri Jenda Sedm	Refer to Tri Dva Osm(1054-1028-1036-1008)	H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.16
Tri Pet Devet	Refer to Tri Pet Sedm(1050-1027-1034-1008)	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.15

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Tri Pet Sedm	1050-1027-1034-1008	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.15
Tri Sest Pet	Refer to Tri Jedna Jedna(1051-1027-1035-1008)	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v2.18



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
M2TiA	2014.09.10_v.1.1.5.19	H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v.3.8
MTi	1.1.5.10 20140109	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v3.1
NVS202	2014.10.14_v.1.1.5.20	H.264 MJPEG	1	Camera	960x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.9
VD102i	Refer to M2TiA(2014 .01.09_v.1. 1.5.10)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
VD10M2	Refer to M2TiA(1.1.5 .19)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v.3.8
VDA101SM 2Ti	Refer to VN7XSM2Ti- IR (1.1.5.19)	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v.3.8
VISION M3Ti	1.1.5.13 20140227	H.264	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	None	v3.2
VISION M3i	1.1.2.46	H.264 MJPEG	1	Camera	1920X1080	Y/N	1/1	-	Motion	None	v2.17



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VISION Mi	1.1.2.46	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.17
VISION NVS102	1.1.0.16 20120316	H.264 MJPEG	1	Video Server	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.1
VISION i	1.1.0.16 20120316	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	None	v2.1
VN10M2	Refer to M2TiA(1.1.5.19)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v.3.8
VN200i	Refer to M2TiA(2014.01.09_v.1.1.5.10)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
VN6XSM2T i-IR	Refer to VN7XSM2Ti-IR (1.1.5.19)	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v.3.8
VN7XSM2T i-IR	2014.09.10_v.1.1.5.19	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v.3.8
VPD101PM 2Ti	Refer to VN7XSM2Ti-IR (1.1.5.19)	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v.3.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VPD202BM 2Ti-IR	1.1.5.20 20141113	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VK2-1080BIR35 V16e	Refer to VK2-1080VRDIR35V16e(v1.1.8)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080BIR37 e	Refer to VK2-1080VRDIR35V16e(v1.1.8)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080BIR3V 9F	2.0.3-T4_release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.8
VK2-1080VFD3 V9F	2.2.4-T3_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v3.4
VK2-1080VFDI R37e	Refer to VK2-1080VRDIR35V16e(v1.1.8)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080VRD	2.2.64	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/0	-	Motion	None	v1.18
VK2-1080VRD3 V9	2.2.4-T3_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/0	Zoom	Motion	None	v3.4
VK2-1080VRDI R35V16e	1.1.8-T8_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
VK2-1080VRDI R37e	Refer to VK2-1080VRDIR35V16e(v1.1.8)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080VRDI R3V9F	1.7.0-T4_release	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	Zoom	Motion	None	v3.1
VK2-1080XVRD PTZ	1.2.1-X1_release	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	None	v3.8
VK2-2MPVRD	2.2.64	H.264 MJPEG	1	Camera	1600x1200	Y/N	2/0	-	Motion	None	v1.18
VK2-540VRD	2.1.8-release	H.264 MJPEG	1	Camera	704x576	Y/N	1/0	-	Motion	None	v1.18
VK2-600PTZ	2.1.8-release	H.264 MJPEG	1	Camera	704x576	Y/N	1/0	Pan Tilt Zoom	Motion	None	v1.18
VK2-VGAVFD	1.7.4-T2_release	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.18



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	0101b	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	8/8	Pan Tilt Zoom	Motion	None	v4.3
AB5353H	Refer to IP8335H(0100h)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	3/1	-	Motion	Supported by design	v2.16
AF5127	Refer to FE8172(0100f)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.16
AF5127V	Refer to FE8172(0100f)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v2.16
BB5116	Refer to IP8161(0101b)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.4
BB5315	Refer to IP8332(0101a)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
BD5115	Refer to FD8134(0100e)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
CC8130	0100d	MJPEG H.264	1	Camera	1280x800	Y/N	-	-	Motion	Test by link	v2.10
CC8370-HV	0100y	MJPEG H.264	1	Camera	2048x1536	Y/N	-	-	Motion	None	v5.2



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CC8371-HV	CC8371-VVTK-0109a	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion Record	None	v19.4
FD61x1	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
FD61x2	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
FD7130	0100e	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
FD7131	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
FD7132	None	MPEG4 MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	None	v1.0
FD7141	0100f	MPEG4 MJPEG	1	Camera	720x480	N/N	1/1	-	Motion	None	v1.0
FD7160	0100g	MPEG4 MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
FD8131	Refer to FD8133(0100e)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8131V	0300d	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Test by link	v2.15
FD8133	0100e	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.7
FD8134	0100e	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	None	v1.7
FD8135H	0202c	MJPEG H.264	1	Camera	1280x800	Y/N	3/1	-	Motion	None	v2.20
FD8136	0100e	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Test by link	v2.12
FD8137H	0101a	MJPEG H.264	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v3.0
FD8137HV	Refer to FD8137H(0101a)	MJPEG H.264	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v3.0
FD8138-H	Refer to IB8338-H(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v4.3
FD8151V	0100c	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	-	Motion	Test by link	v2.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FD8154	0100d	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	-	Motion	None	v3.5
FD8155H	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
FD8161	0100e	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.1
FD8162	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.18
FD8163	0101b	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v2.14
FD8164	0100d	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Test by link	v2.20
FD8165H	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
FD8166	0100g	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Test by link	v2.15
FD8166A	0200e	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v5.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8167	0103a	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.3
FD8167A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
FD8168	0100e	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v3.6
FD8169	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.11
FD8169A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v5.11
FD816B-HF2	0101b	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.1
FD816BA-HF2	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Reocord	None	v5.12
FD816BA-HF3	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD816BA-HT	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8171	0100e	H.264 MJPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v3.3
FD8179-H	0100e	H.264 MJPEG	1	Camera	2688x1520	Y/N	-	-	Motion	Test by link	v18.2
FD8181	Refer to FD8381- EV(0101c)	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.3
FD8182-F2	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD8182-T	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD8335H	0101a	H.264 MJPEG MPEG4	1	Camera	1200x800	Y/N	3/1	-	Motion	Test by link	v2.3
FD8338- HV	Refer to IB8338- H(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v4.3
FD8355EH	0100e	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v3.3
FD8355EH V	Refer to IP816A- HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FD8361	0202b	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.12
FD8361L	None	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.18
FD8362	FD8362E(0101c)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.12
FD8362E	0102a	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v2.2
FD8362L	FD8361(0202b)	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.12
FD8363	0102a	H.264 MJPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
FD8365EH V	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
FD8367	Refer to Generic(0101b)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1
FD8367-TV	Refer to Generic(0101b)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FD8367-V	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
FD8369-V	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
FD8369A-V	0200e	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v5.5
FD836BA-HT	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD836BA-HTV	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD836BA-HVF2	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD8371EV	0100i	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.1
FD8372	0100f	H.264 MJPEG MPEG4	1	Camera	2560x1920	Y/N	3/1	-	Motion	Test by link	v2.3
FD8379-HV	Refer to FD8179-H (FW: 0100e)	H.264 MJPEG	1	Camera	2688x1520	Y/N	-	-	Motion Record	Supported by design	v18.2



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8381-EV	0101c	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.3
FD8382-ETV	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD8382-EVF2	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD8382-TV	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD8382-VF2	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
FD9167-H	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
FD9167-HT	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
FD9171-HT	Refer to FD9371- HTV(0101f)	MJPEG H.264 H.265	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v5.5
FD9181-HT	0104l	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	v18.11



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD9367-EHTV	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
FD9367-HTV	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
FD9367-HV	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
FD9371-EHTV	Refer to FD9371-HTV(0101f)	MJPEG H.264 H.265	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v5.5
FD9371-HTV	0100z	MJPEG H.264 H.265	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.2
FD9381-EHTV	0104l	H.265 H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Zoom	Motion	None	v18.9
FD9381-HTV	0104l	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	V18.11
FE8171	0100d	H.264 MJPEG MPEG4	1	Fisheye Camera	1536x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.13
FE8171V	0100d	H.264 MJPEG MPEG4	1	Fisheye Camera	1536x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.13



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
FE8172	0100f	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	Test by link	v2.5
FE8172V	Refer to FE8172 (0100f)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	Test by link	v2.5
FE8173	0100c	MJPEG H.264 H.265	1	Fisheye Camera	1536x1536	Y/N	1/1	-	Motion	Test by link	v2.15
FE8174	0100e	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.1
FE8174V	Refer to FE8174(0100e)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.1
FE8180	0100f	H.264 MJPEG	1	Fisheye Camera	1920x1920	N/N	-	-	Motion	None	v4.9
FE8181	v0200b	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	Zoom	Motion	None	v4.0
FE8391-V	0100f	H.264 MJPEG	1	Fisheye Camera	2944x2944	Y/N	1/1	-	Motion	None	v4.9
FE9382-EHV	0101a	H264 H265 MJPEG	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	None	v5.14



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IB8338-H	0100e	H.264 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v4.3
IB8367-RT	0100f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v4.5
IB8367A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
IB8369	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.11
IB8369A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
IB836BA-HF3	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
IB836BA-HT	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
IB8381	Refer to FD8381-EV(0101c)	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.3
IB8382-EF3	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IB8382-ET	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-F3	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-RF3	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-RT	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-T	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
IB9365-HT	0106b	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion Record	Supported by design	v19.1
IB9367-EHT	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
IB9367-H	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
IB9367-HT	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion		v18.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IB9371-EHT	Refer to FD9371-HTV(0101f)	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.5
IB9371-HT	Refer to FD9371-HTV(0101f)	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.5
IB9381-EHT	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	V18.11
IB9381-HT	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	V18.11
IP21x1	None	MJPEG	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
IP21x2	None	MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP51x2	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP51x4	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP6114	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP6124	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP61X7	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP61x2	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP61x4	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7130	0100c	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
IP7131	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7132	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7133	0100b	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
IP7134	0100b	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IP7135	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP7137	None	MPEG4	1	Camera	720x576	Y/N	-	-	None	Supported by design	v1.0
IP7138	0101h	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7139	None	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7142	None	MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7151	None	MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7152	None	MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7153	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
IP7154	0100b	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:
Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IP7160	0101b	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.0
IP7161	None	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.0
IP71x7	None	MPEG4	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7251	0100f	MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
IP7330	None	MPEG4 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Supported by design	v1.0
IP7361	None	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.0
IP8130	0100e	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.17
IP8130W	Refer to IP8130(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.17
IP8131	Refer to IP8131W(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.17



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IP8131W	0100e	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.17
IP8132	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v1.7
IP8133W	0100c	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.16
IP8151	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.7
IP8152	0100e	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	Pan Tilt Zoom	Motion	None	v2.14
IP8155HP	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
IP8161	0101b	H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.1
IP8162	0100f	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.18
IP8165HP	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IP8166	0200e	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v5.11
IP816A-HP	0100f	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	None	v4.3
IP8172	0100a0	H.264 MJPEG MPEG4	1	Camera	2560x1920	Y/N	1/1	-	Motion	Test by link	v2.8
IP8173H	0100i	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/0	Pan Tilt Zoom	Motion	Test by link	v2.19
IP8330	0100e	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.7
IP8331	0100c	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.18
IP8332	0101a	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.7
IP8335H	0100h	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	3/1	-	Motion	None	v2.0
IP8336W	0102b	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.19



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8337H	0100b	H.264 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	Test by link	v2.19
IP8352	0100g	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y	1/1	Pan Tilt Zoom	Motion	Test by link	v1.14
IP8355EH	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
IP8361	0100c	MJPEG H.264 MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Test by link	v1.0
IP8362	0100d	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1/	-	Motion	Supported by design	v1.0
IP8364	0101a	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	None	v1.0
IP8365EH	Refer to IP816A-HP(0100f)	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8371E	0100g	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.18
IP8372	0100e	MJPEG H.264 MPEG4	1	Camera	2560x1920	Y/N	2/1	-	Motion	Test by link	v2.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
IP9171-HP	Refer to FD9371-HTV(0101f)	MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.5
IP9181-H	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	V18.11
IZ7151	None	MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	Zoom	Motion	Supported by design	v1.0
IZ9361-EH	0107a	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	Pan Tilt Zoom	Motion Record	None	v19.1
MA8391-ETV	0100f1	H.264 MJPEG	4	Camera	2048x1536	Y/N	1/1	-	Motion	None	v18.8
MD7530	0100d	MPEG4 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.18
MD7560	0100c	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/0	-	Motion	None	v1.10
MD7560X	Refer to MD7560(0100c)	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/0	-	Motion	None	v1.18
MD8531H	0100h	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v3.4



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
MD8562	0100v	H.264 MJPEG MPEG4	1	Cameta	1920x1080	Y/N	1/0	-	Motion	None	v1.18
MS8391-EV	0100e	H.264 MJPEG	1	Camera	7552x1416	Y/N	1/1	-	Motion	Test by link	v4.10
PD8136	None	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	None	v1.0
PT7000	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
PT7135	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
PT7137	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
PT8133	0100g	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Test by link	v2.2
PZ7132	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.7
PZ81X1W	0100b1	H.264 MJPEG MPEG4	1	Camera	740x576	Y/N	1/1	Pan Tilt Zoom	Moition	Test by link	v1.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SD7151	0301b	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.18
SD81X1	0100g	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/1	Pan Tilt Zoom	Motion	None	v2.1
SD8362E	0104a	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	3/2	Pan Tilt Zoom	Motion	Test by link	v2.1
SD8363E	0202b	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v3.4
SD8364E	0200d	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v3.6
SD83X1	0100e	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	3/2	Pan Tilt Zoom	Motion	None	v1.16
SD83X3	0102d	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	3/2	Pan Tilt Zoom	Motion	Test by link	v2.1
SD83x4	Refer to SD83x6(0200c)	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.20
SD83x6	0200c	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.20



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
SD9361-EHL	0102e	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v.5.15
SD9364-EHL	0100h_15	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v4.12
SF8172	0100d	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	None	v2.16
SF8172V	Refer to SF8172(010 0d)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	Supported by design	v2.16
SF8174	0100c	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	Test by link	v3.4
TB9331-E	0109a	H.265 H.264 MJPEG	1	Camera	960x640	Y/N	1/1	-	Motion Record	None	v19.4
VS8100	0100g	H.264 MJPEG	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	Motion	None	v3.1
VS8102	0200c	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.10
VS8801	0202a3	H.264 MJPEG MPEG4	8	Video Server	720x576	Y/N	8/8	Pan Tilt Zoom	Motion	None	v3.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
MPIX-21DF	2.420.WT00 .0.T, build : 2014-06-19	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.13
MPIX-30-VDV-IRM	2.420.WT00 .0.T	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	Zoom	Motion	None	v3.11
MPIX-50BIMR	2.210.WT00 .0.R	H.264 MJPEG	1	Camera	2560x1920	Y/N	2/1	Zoom	Motion	None	v3.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
WK-SD6000HD	v1.4.1.8	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v3.2



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
YUC-H626A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-H7926A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-H7926AM	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-H7982	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-H7982M	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-H79882	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-H7A26A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-H7A82	VH1.0.0.3_Y	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	None	v4.8
YUC-H7A855	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
YUC-H7B82	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-H7B82M	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-H7B882	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HB26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HB855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HC26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HC855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HD26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HD855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
YUC-HH26A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HH855	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HK26A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HK855	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HL26A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HL26AM	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HL82	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HL882	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HMi855	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
YUC-HNi855	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HP82	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HQ26A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HQ855	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HS26A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HS855	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-HV26A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-Hi26A	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
YUC-Hi26AM	Refer to YUC-H7A26A(VE 1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-Hi82	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-Hi82M	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-Hi882	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
Generic	Test by P6210 (M2.1.5.20)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.11
B5010	None	MJPEG H.264 MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.10
B5110	M2.1.6.02C 045	MJPEG H.264 MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
B5111	M2.1.6.02C 045	MJPEG H.264 MPEG4	1	Camera	1280x800	N/N	-	-	Motion	None	v4.9
B5210	M2.1.6.05	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.10
B6110	MG.0.6.01_C1	MJPEG H.264 MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
B6210	02_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0
B6220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v4.12
B6320	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
B6330	Refer to B8520(01_C028)	MJPEG H.264 MPEG4	1	Camera	2560x1920	Y/N	2/1	-	Motion	Supported by design	v5.0
B6520	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Test by link	v4.10
B6530	Refer to B8520(01_C028)	MJPEG H.264 MPEG4	1	Camera	2560x1920	Y/N	2/1	-	Motion	Supported by design	v5.0
B7210	M2.1.6.04	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	-	Motion	Test by link	v3.12
B7320	M3.1.5.17	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v2.18
B7510	M3.1.5.19	H.264 MJPEG	1	Camera	2560x1920	Y/N	2/2	-	Motion	None	v3.1
B8210	M2.1.5.20	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.11
B8220	01_C030	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v5.6
B8520	01_C010	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	2/2	-	Motion	None	v4.5



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
CB3210	01_C001	H.265 H.264 MJPEG	1	Camera	None	N/N	-	-	Motion	Supported by design	v18.11
CB3211	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v18.11
CB5220	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v18.11
CB6330	01_C043	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Zoom	Motion	Supported by design	v18.11
CD3210	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	-	v18.11
CD3211	01_C001S5	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v18.11
CD5220	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v18.11
CD6330	01_C043	H.265 H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	None	v18.11
D3100	M2.1.6.02.0 830	MJPEG H.264 MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D3200	M2.1.6.02C 066	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.10
D4210	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.10
D4211	03_C011	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.4
D4220	01_C043	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v18.2
D4320	01_C014	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.8
D4520	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.9
D510E	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
D5110	Refer to D5111(MG.1 .6.03P7_app 7)	MJPEG H.264 MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt	Motion	Supported by design	v2.0
D5111	MG.1.6.03P 7_app7	MJPEG H.264 MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt	Motion	Test by link	v2.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D5112	Refer to D5113(M2.1.6.01)	MJPEG H.264 MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.10
D5113	M2.1.6.01	MJPEG H.264 MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.6
D520E	LM.1.6.16.03	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
D5210	M2.1.6.04	MJPEG H.264 MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v3.6
D610A	LM.1.6.16	MPEG4 M-JPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
D6111	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
D611E	LM.1.6.16	MPEG4 M-JPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
D6210	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0
D6220	Refer to B6220 (03_C002)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v4.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D6320	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	None	v4.2
D6330	Refer to B8520(01_C028)	MJPEG H.264 MPEG4	1	Camera	2560x1920	Y/N	2/1	-	Motion	Supported by design	v5.0
D6520	Refer to B6520 (01_C020)	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
D6530	Refer to B8520(01_C028)	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	2/1	-	Motion	Supported by design	v5.0
D7110	MG.1.6.03P7_app7	MJPEG H.264 MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt	Motion	Test by link	v2.0
D7111	M2.0.3.3.6	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.5
D7210	Refer to D3200(M2.1.6.02C066)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.12
D7320	M3.1.5.21	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.14
D7510	M3.04.15.C01	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v2.15



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
D8210	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.11
D8220	Refer to B8220(01_C020)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Supported by design	v4.2
D8520	Refer to B8520 (01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	2/2	-	Motion	Supported by design	v4.6
F1100	Refer to F1105(BP.1.6.01_C1)	MJPEG	1	Camera	1280x720	Y/n	-	-	Motion	Supported by design	v2.6
F1105	BP.1.6.01_C1	MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v2.6
F210A	LM.1.6.15	MPEG4 M-JPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
F3100	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	Camera	1280x1024	Y/N	-	-	Motion	None	v1.0
F3101	Refer to F3106(MG.1.6.03P7_exhibit2)	MJPEG H.264 MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.0
F3102	Refer to F3110(M2.1.6.02C045)	MJPEG H.264 MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.11



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
F3105	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	Camera	1280x1024	Y/N	-	-	Motion	None	v1.0
F3106	MG.1.6.03P7_exhibit2	MJPEG H.264 MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Test by link	v2.0
F3107	M2.1.6.05	MJPEG H.264 MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v4.3
F3110	M2.1.6.02C045	MJPEG H.264 MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.10
F3115	Refer to F3110(M2.1.6.02C045)	MJPEG H.264 MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.11
F312A	LM.1.6.16.03	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
F3201	Refer to F3206(M2.P2P_0314)	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Supported by design	v2.0
F3206	M2.1.6.01C2	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Test by link	v2.0
F3210	M2.1.6.03C019	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v2.14



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
F3215	M2.1.6.05C 016	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.8
F4215	Refer to D4211 (03_C011)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.4
F5100	MG.0.6.01_ C1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
F5105	MG.0.6.01_ C1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
F510E	LM.1.6.16.0 3	MPEG4 M-JPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
F510W	LM.1.6.16.0 3	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
F5110	MG.0.6.01_ C1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
F5115	MG.0.6.01_ C1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
F511E	LM.1.6.16.0 3	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
F511W	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
F520E	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
F521E	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
F531E	Refer to F210A(LM.1. 6.18P9_test port2)	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v2.0
F610A	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
F611E	LM.1.6.16.0 07	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
F7110	MG.1.6.02C 9	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.0
F7115	Refer to F7110(MG.1 .6.02C9)	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	2/2	Pan Tilt	Motion	Supported by design	v2.0
F7210	M2.1.6.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePac k Version
F721A	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
F7220	Refer to B8520 (01_C028)	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v5.0
F731E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
F7320	Refer to B8520 (01_C028)	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v5.0
F7520	Refer to B8520 (01_C028)	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v5.0
M510E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
M510W	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
M511E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
M511W	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P4320	01_C020	MJPEG H.264 H.265	1	Camera	2048x1520	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.7
P4420	Fisheye_Tes t_T1	H.264 H.265	1	Fisheye Camera	2048x1520	Y/N	1/1	-	Motion	None	v4.2
P4520	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.6
P5110	MG.0.6.01_ C1	H.264 H.265 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
P5111	Refer to P5116(M2.0 .16.02)	H.264 H.265 MJPEG	1	Camera	1280x800	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.15
P5115	MG.0.6.01_ C1	H.264 H.265 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
P5116	M2.1.6.02	H.264 H.265 MJPEG	1	Camera	1280x800	Y/N	1/1	Pan Tilt	Motion	None	v2.15
P5210	M2.1.6.05	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v4.12
P6210	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v3.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio - in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P6211	Refer to P6210 (M2.1.5.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.9
P8220	0120NewPhyWith1118BallBin	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v5.5
V1100	M2.1.6.03	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.20
V111T	LM.1.6.16.03	MPEG4 MJPEG	1	Camera	6470x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0