



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N1011	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1012	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1031	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1032	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3011	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3012	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3031	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3032	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3071	Refer to N3072(V1.1 3.0_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v2.4



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N3072	V1.13.0_ST D-1	H.264	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	Motion	None	v4.1
N5012	V1.01_STD-1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.16
N5013	V1.04_STD-1	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.5
N5071	V1.02[BETA]_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.1
N6011	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6012	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6013	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6014	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6015	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N6016	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6031	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6032	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6033	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6034	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6035	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6036	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6037	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6038	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N6072	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4
N6073	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4
N6074	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4
N6075	V1.05_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v2.4
N6076	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4
N6077	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4
N6082	Refer to N9085(V1.0 5.0)	H.264	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v4.1
N8011	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N8012	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N8031	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N8032	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N8072	V1.03_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	-	-	Motion	None	v2.1
N8072-C	V1.04.0_ST D-1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	-	-	Motion	None	v4.1
N9012	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9018	V1.01_STD-1	H.264 MJPEG	1	Fisheye Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.5
N9032	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9033	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9034	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N9071	V1.06_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.4
N9073	Refer to N3072(V1.1 3.0)	H.264	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
N9074	Refer to N3072(V1.1 3.0)	H.264	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
N9082	Refer to N9085(V1.0 5.0)	H.264	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v4.1
N9085	V1.05.0	H.264	1	Camera	1600x1200	N/N	-	-	Motion	None	v4.1
S4071	V1.04_STD-1	H.264 MJPEG	1	Video Server	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.9



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.1
Generic Server	H1.03.01	H.264 MJPEG	16	Video Server	2592x1944	Y/Y	16/16	Pan Tilt Zoom	Motion	None	v4.5
ACD2000Q	V3.04.08	MJPEG MPEG4	4	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v2.15
ACD2100	A1D-220-V3.08.08-AC	MJPEG MPEG4	1	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.0
ACD2200	A4D-R2N-V2.05.02-AC	MJPEG MPEG4	4	Video Server	720x480	Y/Y	8/8	Pan Tilt Zoom	Motion	None	v1.0
ACD2300	None	MJPEG MPEG4	8	Video Server	720x480	Y/Y	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACD2400	AGD-R2N-V2.05.02-AC	MJPEG MPEG4	16	Video Server	720x480	Y/Y	32/32	Pan Tilt Zoom	Motion	None	v1.0
ACM1011	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0
ACM1231	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM1232	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0
ACM1311	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM1431	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM1432	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM1511	A1D-220- V3.11.13-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0
ACM3001	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM3011	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM3211	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACM3311	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM3401	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0
ACM3411	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0
ACM3511	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0
ACM3601	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.2
ACM3603	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.2
ACM3701	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.2
ACM3703	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.2
ACM4000	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM4001	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.2



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM4100	A1D-220-V3.09.14-AC	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	None	v1.0
ACM4200	A1D-220-V3.11.13-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0
ACM4201	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0
ACM5001	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	1/1	Motion	Supported by design	v1.0
ACM5601	A1D-220-V3.08.08-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	1/1	Motion	None	v1.0
ACM5611	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	1/1	Motion	Supported by design	v1.0
ACM5711	A1D-220-V3.08.08-AC	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	1/1	Motion	None	v1.0
ACM5811	A1D-220-V3.12.13-AC	MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	-	Motion	None	v1.7
ACM7411	A1D-220-V3.09.14-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	1/1	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM7511	A1D-220-V3.12.13-AC	MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	-	Motion	None	v1.7
ACM8201	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
ACM8211	A1D-220-V3.09.14-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
ACM8511	A1D-220-V3.11.13-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
AMU9401	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Test by link	v1.1
AMU9711	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Test by link	v1.1
B27	Refer to B47(V6.08.30)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Supported by design	v3.12
B47	V6.08.30	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	None	v3.12
B53	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
B61	V6.08.30	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	Zoom	Motion	None	v3.12
B67	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/2	Zoom	Motion	None	v3.5
B81	Refer to B61(V6.08.30)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	Zoom	Motion	Supported by design	v3.12
B94	V6.06.16	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.5
B95	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.11
B97	V6.07.23	H.264 MJPEG	1	Camera	3648x2736	N/N	-	-	Motion	None	v3.7
CAM5130	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.2
CAM5140	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.2
CAM5150	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CAM5200	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM5221	A1D-M2N-V2.08.11-AC	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.0
CAM5500	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM6100	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.2
CAM6200	A1D-2.07.14-AC	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
CAM6220	A1D-2.07.14-AC	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
CAM6500	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
CAM6510	A1D-M2N-V2.08.11-AC	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
CAM6600	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CAM6620	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
CAM7100	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM7120	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM7200	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM7220	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM7300	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
CAM7320	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
D11	V6.02.03	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D12	Refer to D52(V6.02.0 3)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D21	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.14
D22	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
D31	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.14
D32	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D41	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D42	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D51	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D52	V6.02.03	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.12
D54	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D55	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D61	V6.03.17	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.14
D62	Refer to E84(V6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
D64	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D65	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D71	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D72	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D72A	Refer to Generic(A1D-500-V6.05.23-AC)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.1
D81	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D82	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D82A	Refer to Generic(A1D-500-V6.05.23-AC)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.1
E11	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E12	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E13	V6.02.03	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	None	v2.13
E21	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E22	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
E23	Refer to E84(V6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
E24	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
E25	Refer to D61(V6.03.17)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.14
E26	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E31	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E32	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E33	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
E34	V6.02.03	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.13
E41	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E42	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E43	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
E44	Refer to E84(V6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
E45	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E46	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E46A	v6.08.30	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.7
E51	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E52	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E53	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E54	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
E55	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
E56	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E61	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E62	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E63	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
E64	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E65	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E66	Refer to D61(V6.03.17)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.14
E67	Refer to E84(V6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
E71	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
E72	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E73	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
E74	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E81	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E82	A1D-500-V6.07.24-AC	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v3.11
E83	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
E84	V6.02.03	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.13
E85	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E86	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
E86A	Refer to E46A(v6.08.30)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v4.7
E87	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
E91	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
E92	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
E925	A1D-500-V6.09.07-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v4.5
E95	V6.06.16	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.4
E96	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	N/N	-	-	Motion	None	v3.1
E97	V6.07.23	H.264 MJPEG	1	Camera	3648x2736	N/N	-	-	Motion	None	v3.7
I51	Refer to I71(A1D-500-V6.06.16-AC)	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.2



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
I71	A1D-500-V6.07.24-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.10
I92	v6.08.30	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.13
I94	V6.06.16	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.5
I96	v6.08.30	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v4.7
KCM3211	A1D-311-V5.04.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Zoom	Motion	None	v1.0
KCM3311	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	N/N	-	Zoom	Motion	None	v2.2
KCM3911	V5.10.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/Y	2/2	-	Motion	None	v2.15
KCM5111	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	Zoom	Motion	None	v1.19
KCM5211	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v2.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
KCM5211E	Refer to KCM5211(A1D-311-V5.05.07-AC)	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.19
KCM5311	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.14
KCM5311E	Refer to KCM5311(A1D-311-V5.01.07-AC)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.19
KCM5511	V5.12.12	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Zoom	Motion	None	v3.10
KCM5611	V5.12.12	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v4.1
KCM7111	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	-	Motion	None	v1.13
KCM7211	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Zoom	Motion	None	v1.14
KCM7311	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Zoom	Motion	None	v2.2
KCM7911	V5.10.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/Y	2/2	-	Motion	None	v2.15



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
KCM8111	V5.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v2.14
KCM8211	Refer to KCM8111(V5 .10.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.14
SED2100	None	MPEG4	1	Video Server	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2120	A1D-M2N- V2.08.11-AC	MPEG4	1	Video Server	720x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
SED2140	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2310	None	MPEG4	1	Video Server	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2320	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2400	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2420	A1D-220- V3.08.08-AC	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SED2600	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2610	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SEM1110	None	MPEG4	1	Camera	720x480	Y/N	-	-	Motion	Supported by design	v1.0
TCD2100	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	1/1	Pan Tilt Zoom	Motion	None	v1.7
TCD2500	A1D-310-V4.09.17-AC	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.14
TCM1111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM1231	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.2
TCM1232	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM1511	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCM3001	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.7
TCM3011	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.7
TCM3111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM3401	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.7
TCM3411	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.7
TCM3511	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.2
TCM4001	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.11
TCM4101	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM4201	A1D-310-V4.08.05-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCM4301	A1D-310-V4.05.13-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0
TCM4511	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM5001	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.7
TCM5111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM5312	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM5601	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.2
TCM5611	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM6630	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.4
TCM7011	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCM7411	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM7811	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	None	v1.8
TMU9811	A1D-310-V4.07.10-NB	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Test by link	v1.1
TMU9911	A1D-310-V4.07.10-NB	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Test by link	v1.1
V21	H1.03.01	H.264 MJPEG	1	Camera	960x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.5
V23	H1.03.01	H.264 MJPEG	4	Video Server	960x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v4.5
V24	H1.03.28	H.264 MJPEG	4	Video Server	960x576	Y/Y	4/4	Pan Tilt Zoom	Motion / Record	None	v5.10
V32	H2.02.31	H.264 MJPEG	16	Video Server	960x576	Y/Y	16/16	Pan Tilt Zoom	Motion	None	v4.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ADKID134 RT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKID204 VRT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKID207 RT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKID207 VRT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKIL134RT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKIL207RT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AD-AGB8025-SD4F	Refer to AMU8030(eh20160719NSZ)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
AD-TGB3020-AW4FZ	Refer to TSD3012(V1.2.1.50B16101314)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
AMH3025	eh20160719NSP	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v5.4
AMU8030	eh20160719NSZ	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v5.4
TSD3012	V1.2.1.50B16101314	H.264 MJPEG	1	Camera	2048X1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.3
TXB3020	Refer to TSD3012(V1.2.1.50B16101314)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
ZH2030R-AW	2.1.0.3.1.19_0.55.2	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/0	Pan Tilt Zoom	Motion	Test by link	v5.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ADC-V520	0100h	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	None	v3.1
ADC-V620PT	0102b	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	-	Pan Tilt Zoom	Motion	None	v3.1
ADC-VS420	VS8401- ALARM- 0100d	H.264 MPEG4 MJPEG	4	Video Server	720x576	N/N	4/4	Pan Tilt Zoom	Motion	None	v3.1



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ADCi600-D131	AD00-00-15-11	H.264 MJPEG	1	Camera	1280x720	Y/N	2/1	Zoom	Motion	None	v2.11



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AM2816T	V6.M.2.1277 9	H.264 MPEG4 MJPEG	1	Fisheye Camera	1536x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.2
AM2030D	Refer to AM2590D(6. D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7
AM2110D	6.B.2.7248	H.264 MJPEG	1	Camera	1600x1200	Y/Y	-	-	-	None	v1.17
AM2120D	V6.M.2.1277 9	H.264 MPEG4 MJPEG	1	Camera	1536x1536	Y/Y	1/1	Pan Tilt Zoom	-	None	v3.2
AM2221D	Refer to AM2231D(6. C.2.7107)	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7
AM2231D	6.C.2.7107	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	-	None	v1.17
AM2530D	Refer to AM2590D(6. D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7
AM2570D	Refer to AM2590D(6. D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7
AM2590D	6.D.2.7181	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	None	v1.17



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AM2630D	Refer to AM2590D(6. D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7
AM2730D	Refer to AM2590D(6. D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	None	H.264 MJPEG	4	Fisheye Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v3.0
Note:	<p>Support generic dewarp Generic test model: AV5245 and AV12186 1. Fps would not meet setting due to camera performance. 2. Audio function possible doesn't work after connect/disconnect, and need to reboot camera to recover.</p>										
AV10005	65147	H.264 MJPEG	1	Camera	3648x2752	N/N	-	-	Motion	None	v1.3
AV10115	65225	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	None	v3.2
AV10225	Refer to AV10115(65225)	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	Supported by design	v3.2
AV10255	Refer to AV10115(65225)	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	Supported by design	v3.2
AV10255P MTIR	65228	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	Zoom	Motion	None	v3.5



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV10256P MTIR	Refer to AV10255PM TIR(65228)	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	Zoom	Motion	Supported by design	v3.5
AV1115	65225	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.1
AV1125	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV1145	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV12186	65184	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	None	v2.14
AV12186D N	Refer to AV12186(65184)	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.7
AV12366D N	65188	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	None	v3.5
AV1255	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV1300	64328	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV1305	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV1310	None	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.2
AV1315	65191	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.9
AV1325	65192	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.10
AV1355	65130	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.0
AV1455	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV2000	64328	MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV20175DN	65188	H.264 MJPEG	4	Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6
AV20185	65174	H.264 MJPEG	4	Camera	2592x1944	N/N	1/1	-	Motion	None	v1.15



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV20365	65170	H.264 MJPEG	4	Camera	2592x1944	N/N	1/1	-	Motin	None	v2.8
AV20375RS	65212	H264 MJPEG	4	Camera	2560x1920	N/N	1/1	Pan Tilt Zoom	Motion	None	V19.10
AV20585PM	65212	H264 MJPEG	4	Camera	2560x1600	N/N	1/1	Focus	Motion	None	v20.3
AV2100	64328	MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV2110	None	MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v1.2
AV2115	65225	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v3.1
AV2116	Refer to AV2115(65218)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.0
AV2125	65199	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.14
AV2146	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV2155	65225	H.264 MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV2225	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2226	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2245	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2246	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2255	65218	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v2.16
AV2256	Refer to AV2255(65219)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Supported by design	v2.20
AV2455	65220	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.18
AV2456	Refer to AV2455(65220)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.20



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV2805	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2815	65191	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.9
AV2825	65192	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.10
AV3100	64328	MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.0
AV3100M	64327	MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v4.1
AV3105	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV3110	None	MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.2
AV3115	65225	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v3.1
AV3116	65219	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.15



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV3125	65218	H.264 MJPEG	1	Camera	2048x1536	N/N	0/1	-	Motion	None	v2.17
AV3130	61906	MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.0
AV3135	65153	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v1.17
AV3145	Refer to AV3146(65219)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.0
AV3146	65219	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
AV3155	65113	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.0
AV3225	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV3226	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV3245	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV3246	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV3255	65218	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.9
AV3256	65219	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
AV3455	Refer to AV3105(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.2
AV3456	65220	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.19
AV40185	65186	H.264 MJPEG	4	Camera	3648x2752	N/N	1/1	-	Motion	None	v2.17
AV5100	61906	MJPEG	1	Camera	2592x1944	N/N	-	-	Motion	None	v1.0
AV5105	64331	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	-	Motion	None	v1.0
AV5110	None	MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v1.2



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV5115	65225	H.264 MJPEG	1	Camera	2560Xx1600	N/N	1/1	-	Motion	None	v3.3
AV5125	65199	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v1.14
AV5155	65113	H.264 MJPEG	1	Camera	2592x1944	N/N	-	-	Motion	None	v1.0
AV5245	65221	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	Pan Tilt Zoom	Motion	None	v3.0
AV5245DN	65229	H.264 MJPEG	4	Fisheye Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6
AV5255	65218	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	None	v2.16
AV5455	65220	H.264 MJPEG	1	Camera	2560x1920	N/N	1/1	-	Motion	Test by link	v2.19
AV8180	65010	MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV8185	65026	H.264 MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

FPS would not meet setting due to camera performance.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV8185DN	65183	H.264 MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v2.16
AV8360	65010	MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV8365	65026	H.264 MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV8365DN	65183	H.264 MJPEG	4	Camera	1600x1200	N/N	1/1	-	Motion	None	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FB2027-1	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FB2027-2	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FB2027-3	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FB2028	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FB2028-T1	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FB2028-T2	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FB2028TM	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FB3027	2.5.1057.60	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	None	v2.20
FB3028-RT1	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FB3028-RT2	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
FB3028-RTM	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
FD2020	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FD3020	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
FD3020-M	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
FV2006	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FV2028	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
FV3000-R	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
FV3028	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FV3028-RT	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
FV3028-RTM	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
FX2000	2.5.1057.60	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	None	v2.20
SF2121H-BHR-30	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
SF2121H-BHR-50	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
SF2121H-R	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v9.10.1 190531	H.264 MJPEG	4	Camera	2592x1944	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v19.6
Note:	Only guarantee stream works fine.										
Generic Server	v9.10.1 190531	H264 MJPEG	1	Video Server	2592x1944	Y/Y	4/4	Zoom Pan Tilt	Motion Record	None	v20.6
205	4.05	MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
206	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
206M	None	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.0
206W	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
207	4.4	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
207MW	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
207W	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
209FD	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
209FD-R	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
209MFD	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
209MFD-R	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
210	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
2100	2.31	MJPEG	1	Camera	640x480	N/N	-	-	-	Test by link	v4.7
210A	4.4	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
211	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
211A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
211M	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
211W	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
212 PTZ-V	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
214	4.49	MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.18
215 PTZ-E	None	MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
216FD	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
216FD-V	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
216MFD	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
216MFD-V	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
221	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.0
223M	None	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	2/1	-	Motion	Supported by design	v1.0
225FD	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.0
231D	None	MJPEG MPEG4	1	Camera	704x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
232D	None	MJPEG MPEG4	1	Camera	704x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
233D	None	MJPEG MPEG4	1	Camera	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
2400	None	MJPEG	4	Video Server	704x576	N/N	4/1	-	Motion	Supported by design	v1.0
240Q	None	MJPEG	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
240Q Blade	None	MJPEG	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241Q	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241Q Blade	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241QA	4.3	MJPEG MPEG4	4	Video Server	704x576	Y/N	4/4	-	Motion	None	v1.9
241S	None	MJPEG MPEG4	1	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241S Blade	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241SA	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	4/4	-	Motion	Supported by design	v1.9
242S	None	MJPEG MPEG4	1	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
243Q	None	MJPEG MPEG4	1	Video Server	704x576	N/N	1/1	-	Motion	Supported by design	v1.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
243Q Blade	None	MJPEG MPEG4	1	Video Server	704x576	N/N	1/1	-	Motion	Supported by design	v1.9
243SA	None	MJPEG MPEG4	1	Video Server	704x576	Y/Y	4/4	-	Motion	Supported by design	v1.9
2460	None	MJPEG	4	Video Server	704x576	N/N	4/1	-	Motion	Supported by design	v1.9
247S	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	1/1	-	Motion	Supported by design	v1.9
F41	5.85.3	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	-	Motion	Test by link	v4.9
F44	5.85.3	H.264 MJPEG	4	Video Server	1920x1080	Y/Y	4/4	-	Motion	Test by link	v4.9
FA54	9.30.1	H264 MJPEG	4	Video Server	1920x1080	Y/Y	4/0	None	Motion	Test by link	v19.10
M1004-W	5.40.5.1	H.264 MJPEG	1	Camera	1280x800	N/N	1/1	-	Motion	None	v3.4
M1011	5	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	None



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M1011-W	5	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	None
M1013	5.40.5.1	H.264 MJPEG	1	Camera	800x500	N/N	-	-	Motion	None	v2.9
M1014	5.40.5	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v2.6
M1025	5.40.5	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.7
M1031-W	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/0	-	Motion	Supported by design	v1.0
M1034-W	5.40beta1	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v2.6
M1054	5.15.1	H.264 MJPEG	1	Camera	1024x600	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.3
M1103	5.08	H.264 MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Test by link	v1.3
M1104	5.40.9.2	H.264 MJPEG	1	Camera	1280x800	N/N	-	Zoom	Motion	None	v1.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M1113	5.08	H.264 MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Test by link	v1.3
M1114	5.08	H.264 MJPEG	1	Camera	1280x800	N/N	-	Zoom	Motion	None	v1.2
M1125	5.75.3.3	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Test by link	v4.15
M1143-L	5.40beta19	H.264 MJPEG	1	Camera	800x600	N/N	1/1	-	Motion	None	v2.6
M1144-L	5.40.10.4	H.264 MJPEG	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.6
M1354	5.60.1	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v3.12
M2014	Refer to P1204(5.40.12)	H.264 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.19
M2025-LE	8.40.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v18.12
M3004	5.50.5.1	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v3.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M3005	5.40.5.3	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.7
M3006	5.40.13	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.9
M3007	5.55.1.1	H.264 MJPEG	1	Fisheye Camera	2592x1944	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
M3011	5.01	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
M3014	None	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v1.0
M3024-L	5.40.5	H.264 MJPEG	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.20
M3025	5.50.5.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.12
M3026	Refer to M3024-L(5.40.5)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.0
M3027	Refer to M3007(5.55.1.1)	H.264 MJPEG	1	Fisheye Camera	2592x1944	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v3.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M3037	5.75.1	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Test by link	v4.9
M3044-V	v6.15.1	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v4.15
M3045-V	v6.15.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.15
M3047-P	7.15.2.2	H.264 MJPEG	1	Fisheye Camera	2048x2048	N/N	-	-	Motion	Test by link	v18.5
M3057	9.30.1.2	H264 MJPEG	1	Fisheye / Thermal Camera	2048x2048	Y/Y	1/1	None	Motion	Test by link	v19.10
M3105-LVE	8.40.1	H.264 MJPEG	1	Camera	1920x1080	N/N	0/0	-	Motion	Test by link	v18.12
M3113-R	None	H.264 MJPEG	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.0
M3113-VE	None	H.264 MJPEG	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.0
M3114-R/VE	5.12.1	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v1.15



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M3203	None	H.264 MJPEG	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.2
M3204	None	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v1.2
M5013	5.25.2	H.264 MJPEG	1	Camera	800x600	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v1.13
M5014	5.30.3.4	H.264 MJPEG	1	Camera	1280x720	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v5.0
M5525-E	8.20.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v18.7
M7001	5.01	H.264 MJPEG	1	Video Server	720x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.2
M7010	5.40.6.1	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.17
M7014	5.40.7.1	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.6
M7016	5.51.2.5	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	Test by link	v5.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P1204	5.40.12	H.264 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.9
P1214	5.40.12	H.264 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.17
P1214-E	5.40.12	H.264 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	Test by link	v4.7
P1311	5.01	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
P1343	None	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
P1343-E	None	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1344	5.06	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
P1344-E	None	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1346	5.22	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v1.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P1346-E	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1347	5.11	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Test by link	v1.10
P1353-E	Refer to P1354(5.40.14)	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v3.1
P1354	5.40.14	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Pan Tilt	Motion	None	v2.9
P1355-E	Refer to P1354(5.40.14)	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v3.1
P1357	5.40.19.1	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt	Motion	Test by link	v3.1
P1364	6.30.1	H.264 MJPEG	1	Camera	1280x960	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v5.2
P1365	v5.75.3.3	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.14
P1365 Mk II	8.30.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v18.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P1367	8.20.1.1	H.264 MJPEG	1	Camera	3072x1728	Y/Y	1/1	Zoom	Motion	Test by link	v18.7
P1405-LE	5.80.1.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.14
P1425-E	Refer to P1425-LE(5.80.1)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Supported by design	v4.6
P1425-LE	5.80.1	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Test by link	v4.4
P1427-LE	5.80.1	H264 MJPEG	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	Test by link	v4.6
P1428-E	5.55.5.1	H264 MJPEG	1	Camera	3840x2160	N/N	1/1	Zoom	Motion	Test by link	v3.11
P1435-LE	8.20.1	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Test by link	v18.6
P3214-V	5.55.3.2	H.264 MJPEG	1	Camera	1280x960	N/N	4/4	Zoom	Motion	Test by link	v3.13
P3215-V	5.55.3.2	H.264 MJPEG	1	Camera	1280x960	N/N	-	Zoom	Motion	Test by link	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P3224	Refer to P3224-LV(5.75.3.1)	H.264 MJPEG	1	Camera	1280x960	N/N	-	Zoom	Motion	Supported by design	v4.9
P3224-LV	5.75.3.1	H.264 MJPEG	1	Camera	1280x960	N/N	-	Zoom	Motion	Test by link	v4.9
P3225	Refer to P3225-LVE(5.75.3.1)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.8
P3225-LV Mk II	8.20.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v18.8
P3225-LVE	5.75.3.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v4.8
P3301	5.11	H.264 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
P3301-V	None	H.264 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
P3304	None	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v1.2
P3343	5.06	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P3344	5.06	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
P3346	5.2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
P3353	5.40.17	H.264 MJPEG	1	Camera	800x600	Y/N	1/1	-	Motion	None	v2.17
P3354	5.40.10.2	H.264 MJPEG	1	Camera	1280x960	N/N	1/1	-	Motion	Test by link	v2.2
P3363	5.40.17.1	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	-	Motion	Test by link	v3.8
P3364	5.40.10.2	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v2.2
P3364-L	5.60.1.4	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Zoom	Motion	Test by link	v4.4
P3364-LV	Refer to P3364-L(5.60.1.4)	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Zoom	Motion	Supported by design	v4.4
P3365	5.55.3.2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Test by link	v4.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P3365-V	Refer to P3365(5.55.3.2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.3
P3365-VE	Refer to P3365(5.55.3.2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.3
P3367	5.40.3	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Test by link	v2.1
P3384	5.40.19	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v3.7
P3905	5.55.3	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.3
P3905-R	Refer to P3905(5.55.3)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3
P3905-RE	Refer to P3905(5.55.3)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3
P3915	5.55.3	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v4.3
P3915-R	Refer to P3915-R(5.55.3)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P5414	5.55.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v2.20
P5415	Refer to P5414(5.55.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v3.0
P5512	5.25	H.264 MJPEG	1	Camera	704x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v1.13
P5512-E	Refer to P5512(5.25)	H.264 MJPEG	1	Camera	704x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
P5514	5.85.1	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v4.6
P5522	5.25	H.264 MJPEG	1	Camera	704x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v1.13
P5522-E	Refer to P5522(5.25)	H.264 MJPEG	1	Camera	704x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
P5532	5.15	H.264 MJPEG	1	Camera	720x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v1.10
P5532-E	Refer to P5532(5.15)	H.264 MJPEG	1	Camera	720x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.10



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P5534	5.15.1	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v1.2
P5534-E	Refer to P5534(5.15.1)	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.2
P5544	5.41.2.2	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v3.12
P5624	Refer to P5624-E(5.75.1)	H.264 MJPEG	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v4.3
P5624-E	5.75.1	H.264 MJPEG	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.4
P5635	Refer to P5635-E(5.75.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.3
P5635-E	6.20.1.4	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v5.13
P7210	5.50.2	H.264 MJPEG	5	Video Server	1536x1152	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v3.0
P7214	5.50.4.9	H.264 MJPEG	5	Video Server	D1	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v18.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P7224	5.40.7	H.264 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.6
P8221	5.10.2	H.264 MPEG4	1	Camera	2048x1536	Y/Y	8/8	-	Motion	Test by link	v2.12
P8513	Refer to P8514(5.21)	H.264 MPEG4	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v2.2
P8514	5.21	H.264 MJPEG	1	Camera	1280x800	Y/Y	-	-	Motion	Test by link	v2.1
Q1602	5.40.3	H.264 MJPEG	1	Camera	768x576	Y/Y	1/1	-	Motion	Test by link	v2.1
Q1604	5.11.1	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	None	v2.6
Q1614	5.55.1	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v3.8
Q1615	5.55.3	H.264 MJPEG	1	Camera	1920x1200	Y/Y	1/1	-	Motion	Test by link	v3.8
Q1635	5.80.1.2	H.264 MJPEG	1	Camera	1920x1200	Y/Y	2/0	-	Motion	Test by link	v4.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q1755	5.02	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.9
Q1755-E	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
Q1765-LE	5.55.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Zoom	Motion	None	v2.20
Q1910	5.15.1	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.2
Q1910-E	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.2
Q1921	5.20.1	H.264 MJPEG	1	Camera	768x576	Y/Y	2/2	-	Motion	Test by link	v2.1
Q1931-E	5.55.1	H.264 MJPEG	1	Camera	768x576	Y/Y	2/2	-	Motion	Test by link	v3.1
Q1941-E	8.50.1	H264 MJPEG	1	Camera	786x576	N/N	2/0	None	Motion	None	v20.3
Q2901-E	6.50.3.1	H.264 MJPEG	1	Camera	720x576	Y/Y	-	-	Motion	Test by link	v20.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q3505	5.80.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Test by link	v4.3
Q3505-V	Refer to Q3505(5.80.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Supported by design	v4.6
Q3708-PVE	5.95.4.2	H.264 MJPEG	3	Camera	2560x1920	N/N	-	-	Motion	Test by link	v5.11
Q6000	Refer to Q6000-E(5.65.1)	H.264 MJPEG	1	Camera	1920x1440	Y/Y	-	-	Motion	Supported by design	v4.4
Q6000-E	5.65.1	H.264 MJPEG	5	Video Server	1920x1440	N/N	-	-	Motion	Test by link	v4.3
Q6000-E-MkII	6.50.2.2	MJPEG H.264	5	Video Server	1920x1440	N/N	-	-	Motion	Test by link	v18.4
Q6032	None	H.264 MJPEG	1	Camera	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q6034	5.15	H.264 MJPEG	1	Camera	1280x800	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v1.3
Q6034-E	None	H.264 MJPEG	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q6035	5.25	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v1.15
Q6042	5.55.1	H.264 MJPEG	1	Camera	752x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v3.1
Q6044	5.55.1	H.264 MJPEG	1	Camera	1280x720	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.20
Q6044-E	5.70.1.1	H.264 MJPEG	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.4
Q6045	5.55.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.20
Q6045-E	5.70.1.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.6
Q6045-E-MkII	6.50.2.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	None	v18.6
Q6055	7.30.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v18.6
Q6115-E	5.65.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q7401	None	H.264 MJPEG	1	Video Server	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q7406	5.11.1	H.264 MJPEG	1	Video Server	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.6
Q7411	5.40.13.1	H.264 MJPEG	1	Video Server	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.17
Q7414	5.25	H.264 MJPEG	1	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v2.7
Q7424-R	5.40.10	H.264 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.7
V5915	5.75.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	Pan Tilt Zoom	-	Test by link	v4.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BIP-1000c	BIP-1000c-1.3-0	H.264 MJPEG MPEG4	1	Camera	1024x768	N/N	1/1	-	-	None	v4.7
BIP-1000c-DN	None	H.264 MJPEG MPEG4	1	Camera	1024x768	N/N	1/1	-	-	Supported by design	v4.7
BIP-1300c	BIP-1300c-1.3-0	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	1/1	-	-	None	v4.7
BIP-1300c-DN	None	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	1/1	-	-	Supported by design	v4.7
BIP-1600c	BIP-1600c-1.3-0	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	1/1	-	-	None	v4.7
BIP-1600c-DN	None	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	1/1	-	-	Supported by design	v4.7
BIP-640c	None	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	-	Supported by design	v4.7
BIP-640c-DN	None	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	-	Supported by design	v4.7
BIP2-1600c-dn	3.14.7	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	3/3	-	Motion	None	v4.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BIP2-D1920c-dn	3.8.0	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/N	1/1	-	Motion	Test by link	v2.3



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	5.90.0112(12510590)	H.264	1	Fisheye Camera	1280x720	Y/N	2/2	-	Motion	None	v3.6
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> H.264 only support IP mode of GOP structure. (Camera→Encoder Profile→Profile N→Expert Settings→GOP structure→IP) (NUUO Server limitation) Only support G.711 audio codec. (Camera performance limitation) After changing MJPEG resolution on web and getting camera setting on NUUO, resolution will return to previous setting. (Camera Firmware issue) Snapshot resolution is not correspond to existing profile. (Camera Firmware issue) Sometimes set multi-stream fail due to limitations of inter-streaming dependency.(NUUO Server limitation) Can't set tream3 quality value. (Camera Firmware issue) Some resolution can't set framerate (NIN-733 Stream2 only support fps 7.5 under 1280x720)(Camera performance limitation) MJPEG framerate can't synchronize to web setting. (Camera performance limitation) Can't set framerate 1 under base frame rate 50/60 ips mode. (Camera performance limitation) NUUO not test ptz functions. 										
NBC-225-P	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-255-P	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/2	-	Motion	Supported by design	v2.16
NBC-265-P	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-274-P	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-274-PM	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NBC-274-PT	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-455	5.72.0028	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Test by link	v3.5
NBN-40012	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
NBN-498	5.72.0028	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Test by link	v3.5
NBN-50022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NBN-733	Refer to NIN-733(5.90.0112)	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	Supported by design	v3.3
NBN-832	Refer to NDN-832(5.90.0112)	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v3.3
NDC-225-P	39500570	H.264 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.11
NDC-225-PI	Refer to NDC-225-P(39500570)	H.266 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NDC-255-P	Refer to NDC-225-P(39500570)	H.265 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NDC-265-P	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NDC-274-P	15500552	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.7
NDC-274-PT	Refer to NDC-274-P(15500552)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.7
NDC-455	Refer to NBN-498(5.72.0028)	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Supported by design	v3.5
NDI-50022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NDN-265-PIO	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NDN-40012	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
NDN-498	Refer to NBN-498(5.72.0028)	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Supported by design	v3.5



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NDN-50022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NDN-733	Refer to NIN-733(5.90.0112)	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	Supported by design	v3.3
NDN-832	5.90.0112	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v3.3
NIN-40012	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
NIN-733	5.90.0112	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	None	v3.3
NIN-832	Refer to NDN-832(5.90.0112)	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v3.3
NTC-255-PI	Refer to NDC-225-P(39500570)	H.264 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NTC-265-PI	15500552	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.8
NTI-40012	5.90.0126	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NTI-50022	5.90.0126	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
NUC-50022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NUC-51022	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
NWC-455	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
NWC-495	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
NWD-455	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
NWD-495	56500410	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	None	v2.11
VIP X1 XFE	39500570	H.264 MJPEG	1	Camera	704x480	Y/N	1/1	-	Motion	None	v2.11
VIP X16 XFE	5.90.0070 (70000590)	H.264	16	Video Server	704x576	Y/N	4/1	-	Motion	None	v3.7



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
130N	v3.1.0.9	H264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Zoom	Motion	None	v2.1
30xN	V3.2.2.8	H264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.4
50xA	V3.2.2.8	H264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Test by link	v3.3
CB-100A	v3.0.2.4	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	None	v1.5
CB-100Ae	v3.0.2.4	MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	None	v1.5
FB-100A	v3.0.2.3	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	-	None	v1.5
FB-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	-	None	v1.5
FD-100A	v2.3.7.8	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.1
FD-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	-	None	v1.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Hydracam	v3.2.3.4	H264	3	Video Server	1280x720	Y/Y	2/2	-	-	None	v3.7
IPC-C34000	V1.04.10-181018	H265 H264	1	Camera	1920x1080	N/N	N/A	N/A	N/A	None	v19.9
MD-100A	Refer to CB-100A(v3.0.2.4)	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	Supported by design	v1.16
OB-100A	v3.1.0.8	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Zoom	Motion	None	v2.2
OB-300Ap	v3.7.0.18A	H264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	None	v4.6
OB-300Np	v3.7.0.18A	H264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion / Record	None	v4.6
OB-E200Nf	3.7.0.18.3T	H264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.7
OSD-200A 20xp	gk20140422 NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v3.12
OSD/PZ-040D	v3.1.0.8	H264 MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
OSD/PZ-040E	v3.1.0.8	H264 MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v2.2
VD-201AF	v3.2.3.5.6	H264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.5
VD-E200Nf	Refer to OB-E200Nf(V3.7.0.18.3T)	H264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.7
VS-04A	v1.0.0.7-03T	H.264 MJPEG	4	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.13
VS-04A V2	3.5.2.15	H.264 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion / Record	None	v3.7
W/VS-01A	v3.1.0.6	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Zoom	Motion	None	v2.2
WCB-100A	v2.3.5.6.1	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v1.1
WCB-100Ae	v3.0.2.4	MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	None	v1.5
WFB-100A	v2.3.7.8	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WFB-100Ae	v2.3.7.8	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.5



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CMNC-130	Enc:V1.102A-008	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.6
CMNC-200	None	H.264 MJPEG	1	Camera	1920x960	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.6
CMNC-5385D	None	H.264 MJPEG	1	Camera	1920x960	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.6
HLC-81AD/P	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	-	Supported by design	v1.6
HLC-83V	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v2.7
HLC-83V/W	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.6
HLC-84V	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.6
HLC-84V/W	V3.2.62_PO	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	None	v1.6
IPH3611N	1.02.03	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v1.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NVE1000A	V1.5.641	MJPEG MPEG4	1	Camera	720x480	Y/Y	2/2	Pan Tilt Zoom	-	None	v1.7
NVE2000A	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.7
NVE4000A	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.7



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VB-H43	1.2.0	H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v5.0
VB-H651V	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-H651VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-H652LVE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-H751LE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-H760VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v5.10
VB-H761LVE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Zoom	Motion	Supported by design	v5.10
VB-M50B	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-M640V	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VB-M640VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10
VB-M641V	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-M641VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-M740E	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10
VB-M741LE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-R10VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-R11	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-R11VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-R12VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v5.10



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VB-R13	1.1.0	H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v5.10
VB-R13VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-S30D	1.1.0	MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.9
VB-S30VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-S31D	Refer to VB-S30D(1.1.0)	MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.9
VB-S800D	1.3.0	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.16
VB-S800VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v5.10
VB-S805D	Refer to VB-S905F(1.0.0)	MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.9
VB-S900F	Refer to VB-S800D(1.1.0)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.9



Delighting You Always

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VB-S905F	1.0.0	MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.9
VB-S910F	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Supported by design	v5.10

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS20HDI RE3V	v1.8.0801.1 001.93.0.66. 1.0	H.264 MJPEG	1	Camera	1290x1080	Y/Y	-	-	Motion	None	v4.6
DCS30HDI R30	v1.8.0601.1 001.93.0.65. 1.0	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	cx20141008 NSA	H.264 MJPEG	1	Fisheye Camera	1920x1080	Y/Y	4/2	-	Motion	Supported by design	v4.0
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> 1. It can't stop pan & tilt sometimes. (Camera performance limitation) 2.It can't set zoom speed. (Camera Firmware issue) 3.It should set one stream in MJPEG, the snapshot will work. (Camera Firmware issue) 4.If set preset point too fast, it will set wrong point. (Camera performance limitation) 5.The resolution setting doesn't sync with web. (Camera Firmware issue) 										
B13H	v1.1.0.0	H.264 MJPEG MJPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.0
C10	Refer to C10-W(v1.1.0.0 (build2))	H.264 MJPEG MJPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.0
C10-W	v1.1.0.0 (build2)	H.264 MJPEG MJPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.0
D13HD	v1.1.0.0	H.264 MJPEG MJPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.0
W13H	None	H.264 MJPEG MPEGA	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.0



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BL3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.2
BL3104	4.2.1.0(15831)T	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	-	Motion	Test by link	v18.6
BL5103	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.3
BL5105	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
BL5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v4.3
BL7302	01_C030	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	Supported by design	v4.3
BL7304	VK1.0.28.3_GZ	H264 H265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v18.1
BL7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.5
DM3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DM3102V2	IPC_D1202-B0003P10D1806	H265 H264 MJPEG	1	Camera	1920x1080	N/N	N/N	N/N	Motion	Supported by design	V19.3
DM3102V3	V5.5.6 build 180502	H265 H264	1	Camera	1920x1080	N/N	0/0	None	Motion	None	v20.3
DM3104	4.2.1.0(15831)T	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	-	Motion	None	v18.5
DM3112	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.5
DM3122	DM3122_AF_V0_BU_SMW-DH-H5V3.0.2.5	H.264 H.265	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v20.12
DM5103	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.3
DM5113	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v4.8
DM5115	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.9
DM5115V2	02.03.0.6.14208	H.265 H.264 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	None	v18.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DM5115V3	01.00.0.9.3079	H.265 H.264 MJPEG	1	Camera	2592x1944	N/N	-	-	Motion	None	v20.9
DM5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v4.3
DM7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	Supported by design	v4.3
DM7304	VK1.0.27.3_GZ	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v5.8
DM7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.5
DMP-5102	01.00.0.8.3492	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v21.2
FE5403	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1520	Y/Y	1/1	-	Motion	Supported by design	v4.7
FE5405	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1520	Y/Y	1/1	-	Motion	Supported by design	v4.6
HN G Series	VT1.0.2	H.265 H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v21.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PVC-300	2.0.0.1	MPEG4 MJPEG	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.9
PVC2300	V1.0.1	MPEG4 MJPEG	1	Camera	640x480	Y/Y	2/2	Pan Tilt	Motion	None	v1.9
VC220	1.0.0.21	MPEG4 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.9
VC240	1.0.0.8	MPEG4 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.9
WVC210	V1.1.0	MPEG4 MJPEG	1	Camera	640x480	Y/Y	-	Pan Tilt	Motion	None	v1.9
WVC2300	V1.1.0	MPEG4 MJPEG	1	Camera	640x480	Y/Y	2/2	Pan Tilt	Motion	None	v1.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IBE3815NVR	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
IBE3815PVR	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
IBE5810NCR	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
IBE5810PCR	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
IBP5030CR	Refer to IGP1030(XNET.M1-2.01.13.0204)	H.264	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IDC4000T	T1-1.0.13.0424	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.16
IDC4050F	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IDC4050IR	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IDC4050VF	XNET.M1-3.00.13.1125	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.2



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IDC4050VR	Refer to IGC2050F(X NET.M1-3.00.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IDP4000VD	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.1
IDP4000VR	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.1
IDP4030VR	Refer to IGP1030(XNET.M1-2.01.13.0204)	H.264	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IDP5035VR	Refer to IGP2035F(X NET.M1-3.00.13.0204)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IGC2050F	XNET.M1-3.00.13.0204	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12
IGP1000	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
IGP1030	XNET.M1-2.01.13.0204	H.264	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12
IGP2035F	XNET.M1-3.00.13.0204	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IJB2000	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
INS2000	XNET.A1- 2.01.13.090 2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.2
IPM3063N	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
IPM3063P	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
ISM1063x	XNET.A1- 2.01.13.020 4	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	4/0	Pan Tilt Zoom	Motion	None	v2.13
ISS2765N W	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
ISS2765P W	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
ISS2965x	Refer to ISM1063x(XNET.A1- 2.01.13.020 4)	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	4/0	Pan Tilt Zoom	Motion	Supported by design	v1.16
ISS403222 8W	Refer to IGP2035F(X NET.M1- 3.00.13.020 4)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ISSM2063x	Refer to ISMC1063x(XNET.A1-2.01.13.0204)	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	4/0	Pan Tilt Zoom	Motion	Supported by design	v1.16
IVC4000T	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	-	Supported by design	v1.2
IVC5055VR	Refer to IPC4050VF(XNET.M1-3.00.13.1125)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.2
IVP4000VR	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.1
IVP4030VR	Refer to IGP1030(XNET.M1-2.01.13.0204)	H.264	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IVP5035VR	Refer to IGP2035F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IXC2050IR	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
IXP3035VR	Refer to IGP2035F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
MPC1070PN	1.0.46	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	-	-	Motion	None	v3.4
NDE5055MF	Refer to NGE2055F(X NET.M1- 1.02.13.020 4)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NDE5055VR	Refer to NGE2055F(X NET.M1- 1.02.13.020 4)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NGE2055F	XNET.M1- 1.02.13.020 4	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12
NVE5055MF	Refer to NGE2055F(X NET.M1- 1.02.13.020 4)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NVE5055VR	Refer to NGE2055F(X NET.M1- 1.02.13.020 4)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NXE3055MR	Refer to NGE2055F(X NET.M1- 1.02.13.020 4)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
NXE3055VR	Refer to NGE2055F(X NET.M1- 1.02.13.020 4)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	2.622.00000 00.31.R	H.264 H.265 MJPEG	1	Camera	2688x1520	Y/Y	7/2	Pan Tilt Zoom	Motion	None	v19.4
Note:	<p>Firmware must be 2.210.0006.0.T.A.2017, build : 2016-03-24 or above then can use generic model. Firmware must be 2.210.BW03.0.T.A.2017.3N.NR, build : 2015-11-06 or above then can use generic model. Firmware must be 2.622.0000000.21.R, Build Date: 2018-01-12 or above then can use generic model.</p> <p>1. The range of parameter on camera will be changed by other parameter, our parameter dialog can't synchronize with camera. (Camera Firmware issue) 2. Image Parameters cannot be set normally. (Camera Firmware issue) 3. Audio G.711A (16k) and G.711Mu (16k) works abnormal. (NUUO server limitation) 4. PTZ cannot normally use Speed and AutoPan functions. (Camera Firmware issue) 5. DO cannot normally work. (Camera Firmware issue) 6. Camera with H.265 will have gray image. (NUUO server limitation)</p> <p>Firmware: 2.210.BW03.0.T.A.2017.3N.NR, build : 2015-11-06 has the other issues. 1. The bitrate range may be out of web bitrate range. (Camera Firmware issue) 2. AutoDetect function cannot work. (Camera Firmware issue)</p>										
DH-SD6AL240-HNI	2.621.00000 00.1.R.D32. 4010.9A.NR, Build Date: 2017-08-23	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	Test by link	v18.6
HCVR5104H	3.200.0005. 1.R, Build Date: 2014- 04-27	H.264	4	DVR	1280x720	Y/Y	-	Pan Tilt Zoom	Motion	None	v4.0
IPC-5100	Refer to IPC- HFW5302C(2.420.0005. 0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-5200	Refer to IPC- HFW5302C(2.420.0005. 0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-EBW81200	2.400.0000.4.R, build : 2015-08-06	H.264 MJPEG	1	Camera	4000x3000	Y/Y	2/1	-	Motion	None	v4.12
IPC-EBW8600	2.400.0000.4.R, build : 2015-08-06	H.264 MJPEG	1	Camera	3072x2048	Y/Y	2/1	-	Motion	None	v4.12
IPC-HD2100	2.212.0000.1.T, build: 2014-02-08	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v3.1
IPC-HDB3101	Refer to IPC-HFW3101C(V2.103)	H.264 MJPEG	1	Camera	1280x960	Y/Y	2/1	-	Motion	Supported by design	v2.12
IPC-HDB5100	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5100-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5200	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5200-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HDB5202	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5202-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5300	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5300-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5302	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5302-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW3101	Refer to IPC-HFW3101C(V2.103)	H.264 MJPEG	1	Camera	1280x960	Y/Y	2/1	-	Motion	Supported by design	v2.12
IPC-HDBW3300	V2.000	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HDBW4421E	Refer to IPC-HFW5421E-Z(2.400.000 0.23.R, build : 2015-12-15)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.14
IPC-HDBW4421F-AS	Refer to IPC-HFW5421E-Z(2.400.000 0.23.R, build : 2015-12-15)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.14
IPC-HDBW5100	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5100-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5121E-Z	Refer to IPC-HFW5421E-Z(V2.400.000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HDBW5200	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5200-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HDBW5202	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5202-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5220 E-Z	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HDBW5221 E-Z	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HDBW5300	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5300-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5302	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HDBW5302-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDBW5421E-Z	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HDW4421E	Refer to IPC-HFW5421E-Z(2.400.0000.23.R, build : 2015-12-15)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.14
IPC-HF3110	V2.000	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.16
IPC-HF3211	V2.000	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
IPC-HF3300	V2.000	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.16
IPC-HF5100	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HF5121E-Z	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HF5200	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HF5221E	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HF5421E	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HF81200E	2.400.0000.7.R	H.264 MJPEG	1	Camera	4000x3000	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v4.11
IPC-HFW1220S	2.420.0000.11.R, build : 2015-07-07	H.264 MJPEG	1	Camera	1920x1080	-	-	-	Motion	None	v4.12
IPC-HFW3101C	V2.103	H.264 MJPEG	1	Camera	1280x960	Y/Y	2/1	-	Motion	Test by link	v2.12
IPC-HFW3200C	2.212.0000.1.T, build: 2014-02-08	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	None	v3.1
IPC-HFW5100-IRA	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HFW5100C	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5100D	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5100E-VF	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5121E-Z	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HFW5200-IRA	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5200C	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5200D	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HFW5200E-VF	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5200E-Z	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5202C	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5220E-Z	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HFW5221E-Z	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HFW5300C	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5300E-VF	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HFW5300E-Z	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HFW5302C	2.420.0005.0.R, build: 2014-12-05	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	None	v3.13
IPC-HFW5421E-Z	V2.400.0000.30.R.20160604	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	None	v4.16
SD32203S-HN	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD40212S-HN	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD42212S-HN	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD42C212S-HN	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SD50120S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD50220S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD50230S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD52C120S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD52C220S-HN	2.210.0003.0.R.A.2017, build : 2014-11-12	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v3.13
SD52C230S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD59120S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
The connection is unstable, because of using ServerPush to get events.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SD59212S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD59220S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD59230S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD63120S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD63220S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD63230S-HN	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD6366E-HN	2.213.0000.R, build: 2013-12-27	H.264 MJPEG	1	Camera	704x576	Y/Y	7/2	Pan Tilt Zoom	Motion	Test by link	v3.3



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SD65XX-HN	2.102.0001.0.D	H.264 MJPEG	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	None	v2.5
SD69XX-HN	Refer to SD65XX-HN(2.102.0001.0.D)	H.264 MJPEG	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
SD6A230-HN	2.420.0000.0.R, build: 2014-04-19	H.264 MJPEG	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	None	v3.5
SD6AL230F-HNI	Refer to DH-SD6AL240-HNI (FW: 2.621.000000.1.R.D32.4010.9A.NR, Build Date: 2017-08-23)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	Supported by design	v18.6
SD6C120S-HN	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD6C220S-HN	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
SD6C230S-HN	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SD6C430U N-HN	2.420.0000. 5.R.301d.3N .NR, build : 2016-04-13	H.264 MJPEG	1	Camera	2592x1520	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v5.3
SDZW2030 S-HN	Refer to SD52C220S- HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NBR123P	Refer to NBR125C (FW: cam16D.DV0 058)	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v18.4
NBR125C	cam16D.DV0 058	H.265 H.264	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v18.4
NBR321	02.01.0035	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v5.14
NBR325P	02.01.0035	H.264	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Supported by design	v5.14
NBR326P	02.01.0035	H.264	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Supported by design	v5.14
NDF341	02.01.0035	H.264	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v5.14
NDF342	02.01.0035	H.264	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v5.14
NDM361	02.01.0035	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v5.14
NDR153P	cam16D.DV0 058	H.265 H.264	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v18.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NDR351	02.01.0035	H.264	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v5.14
NDR352P	02.01.0035	H.264	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Supported by design	v5.14
TBR720	02.01.0035	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v5.14
TBR721	02.01.0035	H.264	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v5.13
TBR722	02.01.0035	H.264	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Supported by design	v5.14
TBR723	02.01.0035	H.264	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v5.14
TDR751	02.01.0035	H.264	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Supported by design	v5.14



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-1201	0.00.01	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.13
DCS-1301	0.01.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1
DCS-2100	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
DCS-2100G	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
DCS-2103	1.20.00	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.16
DCS-2120	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
DCS-2120(TW)	0201tw	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5
DCS-2130	Refer to DCS-2103(1.20.00)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.16



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmwar e	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-2132L	1.00.06	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.7
DCS-2132LB	V2.00.05	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	Test by link	v4.6
DCS-2136L	v1.03.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v4.7
DCS-2210	V1.22	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.6
DCS-2210L	Refer to DCS-2230L(v0.03.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.6
DCS-2230	Refer to DCS-2210(V1.22)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.4
DCS-2230L	v0.03.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.6
DCS-2310L	v0.03.00	H.264 MJPEG	1	Camera	1280x720	Y/Y	-	-	Motion	None	v3.7



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmwar e	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-2330L	v1.00.01	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v2.19
DCS-2332L	V1.02.00	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v4.9
DCS-3010	v1.12.07	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v3.7
DCS-3110	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	None
DCS-3112	V1.11.01	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	Pan Tilt	Motion	Test by link	v4.6
DCS-3220	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-3220G	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-3410	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	Pan Tilt	-	Supported by design	v1.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-3415	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-3420	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-3430	1.02_4125	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	Pan Tilt	-	None	v2.6
DCS-3511	v1.10.13	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.4
DCS-3530	Refer to DCS-3511(v1.00.16)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15
DCS-3710	1	MJPEG MPEG4	1	Camera	1280x960	Y/Y	2/1	Pan Tilt	-	None	v2.12
DCS-3710B1	V0.02.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	Pan Tilt	-	None	v4.6
DCS-3714	v1.00.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	2/1	Pan Tilt	Motion	Test by link	v4.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-3715	v1.20	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12
DCS-3716	v1.03.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt	Motion	None	v4.7
DCS-4201	V1.00.02	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	V4.2
DCS-4602EV	v1.99.00 [HW: B]	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v18.3
DCS-4603	0.00.08	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.15
DCS-4605EV	v1.00.02 [HW: A]	H264 H266 MJPEG	1	Camera	2592x1945	N/N	-	-	Motion	None	v18.2
DCS-4622	1.00.03	H.264 MJPEG	1	Camera	1920x1536	Y/Y	-	-	Motion	None	v5.0
DCS-4633EV	0.00.03	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v5.14



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-4701E	v2.00.05 [HW: B]	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v18.5
DCS-4703E	Refer to DCS-4603(0.0 0.08)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.15
DCS-4705E	v1.00.02 [HW: B]	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v18.7
DCS-4802E	v2.00.00 [HW: B]	H.264 H.265 MJPEG	1	Camera	1920 x 1080	N/N	-	-	Motion	None	v18.7
DCS-5000L	v1.02.01	MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	None	v4.12
DCS-5010L	Refer to DCS-5020L(1. 01)	H.264 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	Supported by design	v2.15
DCS-5020L	1.01	H.264 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	None	v2.15
DCS-5211L	1.1	H.264 MPEG4 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	Motion	None	v2.15



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-5220	200	MPEG4	1	Camera	720x576	Y/Y	-	-	Motion	None	v1.0
DCS-5220(TW)	None	MPEG4	1	Camera	720x576	Y/Y	-	-	Motion	Supported by design	v1.0
DCS-5222L	1.1	H.264 MPEG4 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	Motion	None	v2.15
DCS-5222LB	V2.01.05	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	Motion	None	v4.5
DCS-5222LB2	Refer to DCS-5222LB(V2.01.05)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v3.8
DCS-5300	1.05	H.263	1	Camera	720x576	Y/N	-	-	Motion	None	v1.0
DCS-5300G	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
DCS-5605	1.01_4126	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmwar e	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-5610	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-5615	v1.00.02	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt	Motion	None	v2.19
DCS-5635	1.01_412 6	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-6004L	v0.00.01	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v2.16
DCS-6005L	Refer to DCS- 6004L(v0. 00.01)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	Supported by design	v2.16
DCS-6010L	v1.12.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1600x1200	Y/Y	-	Pan Tilt	Motion	Test by link	v4.6
DCS-6045L	V1.00b3	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.4
DCS-6110	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-6111	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-6112	v2.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.6
DCS-6112B1	V3.00.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6
DCS-6113	Refer to DCS-6112(v2.10.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
DCS-6113B1	Refer to DCS-6112B1(V3.00.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.3
DCS-6113VB1	Refer to DCS-6112B1(V3.00.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.3
DCS-6115	v0.09.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v4.7
DCS-6116	v1.00.09	H.264 MJPEG	1	Camera	2048x1536	Y/Y	-	-	Motion	None	v4.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-6210	V1.00.06	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.7
DCS-6212L	V1.00.06	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.10
DCS-6314	V1.01	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.4
DCS-6315	Refer to DCS-6115(0.09.00)	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	1/1	-	Motion	Supported by design	v4.7
DCS-6510	v1.02	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v4.10
DCS-6511	Refer to DCS-7513(v2.0.23)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.5
DCS-6513	1.03.03	H.264 MJPEG MPEG4	1	Camera	2048X1536	Y/Y	1/1	Zoom	Motion	None	v4.2
DCS-6515	Refer to DCS-7518(1.00.00)	H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmwar e	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-6517	Refer to DCS-7517(v2.00.00)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v5.7
DCS-6616	2.12.01	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	8/1	Pan Tilt Zoom	Motion	None	v5.12
DCS-6620	1.05	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
DCS-6620G	v2.00.02	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
DCS-6817B1	v2.00.02	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	8/1	Pan Tilt Zoom	Motion	None	v2.12
DCS-6915	v1.00.10	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.12
DCS-6915B1	Refer to DCS-6915(1.00.10)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.7
DCS-7000L	v0.09.00	H.264 MJPEG	1	Camera	1280x720	Y/Y	-	-	Motion	None	v3.2



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-7010L	V1.05.03	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Test by link	v4.3
DCS-7110	v1.20_20 120517	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-7110A3	V2.10.03	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	Pan Tilt	Motion	None	v3.9
DCS-7110B1	v3.00.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v4.4
DCS-7410	1	MJPEG MPEG4	1	Camera	704x576	Y/Y	2/1	Pan Tilt	-	None	v1.10
DCS-7413	1.00.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.10
DCS-7413B1	v2.11.08	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.6
DCS-7513	v2.0.23	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.5



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmwar e	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-7517	v1.11.00	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Zoom	Motion	Test by link	v5.15
DCS-7517B	v2.00.00	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v5.7
DCS-7518	v1.00	H.264	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v3.12
DCS-900	1	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-910	1.03	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-920	1.00(2012-11-09)	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-930LB	v2.15.06	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	Test by link	v5.15
DCS-931L	1	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.7



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-932	1	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.9
DCS-932L	1.05_2012-10-26_2.0.16-b4	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-932LB	Refer to DCS-930LB(v2.00 b1)	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v4.5
DCS-933L	1	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.7
DCS-935L	1	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.5
DCS-940L	1	H.264 MJPEG	1	Camera	640x480	Y/Y	-	-	Motion	None	v2.18
DCS-942L	1.2	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	None	v2.13
DCS-942LB	V2.00_3815	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	None	v4.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-950	None	MPEG4	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
DCS-950G	None	MPEG4	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
DCS-G900	None	MJPEG	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
DCS-P603	v1.02.02	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Test by link	v18.1
DCS-P703	Refer to DCS-P603 (FW: v1.02.02)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v18.1
DVS-104	None	MJPEG	4	Video Server	720x576	N/N	4/2	-	Motion	Supported by design	v1.0
DVS-301	1.01.02	H.263	1	Video Server	720x576	Y/N	1/1	-	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Universal Model	Tested by DCS-6513(V1.03.03)	H.264 MJPEG MPEG4	1	Fisheye Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.2
Note:	<p>1. The camera with highest resolution is unable to achieve the setting framerate in MJPEG, MPEG4 and H.264. (Camera performance limitation)</p> <p>2. The zoom in and out of behavior are opposite. (Camera Firmware issue)</p> <p>3. The 3rd stream can not set resolution to 2048x1536 when stream 1 and stream 2 are 2048x1536. (Camera performance limitation)</p> <p>4. When the format changes to MPEG4 before format is H.264 or MJPEG with the 176x144 resolution, the display will mosaic. (Camera Firmware issue)</p> <p>5. Universal Model now integrate from spec Nipca 1.9.5.</p>										



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-4721	VE1.0.22.2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.1
DCS-H30-51D/S	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H41-11D/I	Refer to DCS-H41-12D/I(2.0.7A5S2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v2.19
DCS-H41-11D/SI	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H41-11D/SO	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H41-12D/I	2.0.7A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	None	v2.20
DCS-H42-21D/SA	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H42-21D/SM	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H50-21D/S	1.00X0(20140307)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.4



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-H70-21D/A	2.0.9A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.20
DCS-H70-21D/M	Refer to DCS-H70-21D/A (2.0.9A5S2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.20
DCS-H70-21D/SA1	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H70-21D/SM1	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H70-22D/M1	2.0.9A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.19
DCS-H_Series	None	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
DCS-N20M-10H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-N30M-51H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-N31M-21H3	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-N40M-22H3	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
DCS-N40M-32H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-N40M-33H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-N40M-53H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-N40M-81H3	VC1.0.10	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.11
DCS-N62-40H2	VC1.0.40	H.264 MJPEG	1	Camera	720x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.11
DCS-N70M-20H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-N70M-21H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-N70M-21H3	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-N70M-50H2	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-V30M-50H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-V30M-51H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-V30M-51H2	Refer to DCS-N70M-21H3(VB1.0.26)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.11
DCS-V40M-12H	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
DCS-V40M-32H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-V40M-32H2	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
DCS-V40M-33H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-V70M-11H	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-V70M-20H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-V70M-21H	v1.0.30	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v2.17
DCS-V70M-21H2	VB1.0.29	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.18
DCS-V70M-50H	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
DCS-V90R-10F/A0	V4.02.R11.0 0001905.10 010.230800 0	H.264	1	Camera	1280x960	N/N	-	Pan Tilt Zoom	Motion	None	v18.7
DCS-V_Series	None	H.264 MJPEG MPEG4	1	Fisheye Camera	1600x1200	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v3.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	z120141215 NSZ z120141111 NSX z120141027 NSA	H264 MJPEG	1	Fisheye Camera	2048x2048	Y/Y	1/1	-	Motion	None	v3.12
Note:	<p>Support generic dewarp Generic support model: W1-BA100, W2-BAZ40, W5-CDWK0, NH073, NH063 Parameter setting will fail when multi-stream is allowed and resolution is higher than 1080p. PT function are not test on software. The maximum resolution is depends on camera. Camera (Z series) firmware must be z120141215NSZ or above then can use generic model. Camera (W series) firmware must be z120130417NSA or above then can use generic model. Camera (X series) firmware must be z120141027NSA or above then can use generic model.</p>										
NA063	z120120523 NSA	H264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v2.9
NA083	z12013016N SA	H264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	-	Motion	None	v2.20
NH061	d20100310N S	H264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
NH221	d20100310N S	H264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
NH720-20N1	pm2012022 2NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NH720-20N8	Refer to NH820-20N8(z120131126NSA)	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.0
NH820-20N1	pm20120222NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.0
NH820-20N8	z120131126NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.0
NV053	pm20120222NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.0
NV063	pm20120222NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.0
NV103	pm20120222NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.0
NV223	z120130417NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.15
V1	d20100317NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v1.1
V2	d20101215NS	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.19



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
V6	d20100317NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.1
Z2SD-F	bn20170922NSZ	H.264/MJPEG	1	Camera	2048*1536	Y/Y	-	Zoom	Motion/Record	None	v5.13
nZH06X	CMOS-080118	MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
nZH10X	CMOS-080118	MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	-	None	v1.1
nZH21X	CCD-cameraFw-IR-080108	MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
GLC-1401	1.36	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	-	None	v1.0
GLC-1601	1.43	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	-	None	v1.0
GLC-1602H	1.4	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	-	None	v1.0
GLD-1401	1.4	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	-	-	None	v1.0
GLD-1501	1.43	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	-	-	None	v1.0
GLS-2101	1.45	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	-	None	v1.0
GXB-1710M-IR	Refer to GXC-1710M(2.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.2
GXB-1720M-IR	Refer to GXC-1720M(1.05_Beta)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
GXC-1605M	Refer to GXC-1606M-IR(2.03)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
GXC-1606M-IR	2.03	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v2.8
GXC-1710M	2.11	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.13
GXC-1720M	1.05_Beta	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.8
GXD-1610M-IR	Refer to GXC-1606M- IR(2.03)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.8
GXD-1710M-IR	Refer to GXC- 1710M(2.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.2
GXD-1720M-IR	Refer to GXC- 1720M(1.05 _Beta)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
PXB-1080Z03	Refer to PXD- 2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
PXB-2080MIR	Refer to PXD- 2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
PXB-2080Z03	Refer to PXD- 2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PXB-2180Z03	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
PXC-2080CS	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
PXC-2080Z03	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
PXD-1010F02	vr20121016 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.10
PXD-1020F02	Refer to PXD-1010F02(vr20121016NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.10
PXD-2030PTZ180	vr20140416 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v3.8
PXD-2080MIR	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
PXD-2080Z03	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
PXD-2080Z03IR	4.23-49-ds	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EV3150A	Refer to EV3151A(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
EV3151	2.0.0 (build 20110121)	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	-	None	v1.16
EV3151A	2.0.0 (build 20110121)	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	-	None	v1.16
EV6150A-BI	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV6150A-CI	2.0.0 (build 20110121)	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.16
EV6151A	Refer to EV6552R(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
EV6153A	Refer to EV6552R(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
EV6156A	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EV6250A-EI/EO	Refer to EV3151A(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
EV6251A-FI/FO	Refer to EV3151A(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
EV6252A-GI/GO	Refer to EV3151A(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
EV6353A-DO	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV6353A-EO	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV6353A-FO	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV6355A/A P-BO	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV6355A/A P-CO	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EV6551A/A P-BI	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV6551A/A P-CI	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV6551A/A P-DI	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV6552A/A P	Refer to EV6552R(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
EV6552R	2.0.0 (build 20110121)	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
EV6581A/A P	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV6750	Refer to EV6552R(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
EV8150A	1.9.7 Build 20100806	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EV8180A	1.1.4 (build 003)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
EV8180F	1.0.8 (build 001)	H.264 MJPEG MPEG4	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
EV8180Q	1.0.8 (build 001)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
EV8180Q-XD	1.1.4 (build 003)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.11
EV8180U	1.0.8 (build 001)	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
EV8280U	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV8281U	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
EV8285Q	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
EV8286Q	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EV8383F	Refer to EV8180F(1.0 .8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV8580A	Refer to EV8180A(1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8580F	Refer to EV8180F(1.0 .8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV8580Q	Refer to EV8180Q(1.0 .8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
EV8580U	Refer to EV8180U(1.0 .8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
EV8581A	Refer to EV8180A(1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8581Q	Refer to EV8180Q(1.0 .8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
EV8581U	Refer to EV8180U(1.0 .8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
EV8582U-BL	1.1.6 (build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.18



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EV8780A	Refer to EV8180A(1.1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8780U	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	N/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV8781A	Refer to EV8180A(1.1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8781F	Refer to EV8180F(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
EV8781Q	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
EV8781U	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
EV8782A	Refer to EV8180A(1.1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8782Q	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
EV8782Q-BD	Refer to EV8180Q-XD(1.1.4 (build 003))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EV8782U	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	N/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
N50A-ML	Refer to N71U-ML(1.1.6 (build 003))	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
N50U-ML	Refer to N71U-ML(1.1.6 (build 003))	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
N51U-ML	Refer to N71U-ML(1.1.6 (build 003))	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
N71U-ML	1.1.6 (build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.18



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	1.2.5B11	H.264 MPEG4 MJPEG	1	Fisheye Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1
Note:	<p>Support generic dewarp</p> <p>1. Not support CBR mode.(Camera Firmware issue)</p> <p>2. It will lose parameters of stream2 and stream3 if you disable stream2 and stream3 on camera web. (Camera performance limitation)</p>										
EAN2150	CCD-cameraFw-100811P	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.5
EAN2218	ev20111116 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.5
EAN2350	ev20111116 NSA	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.5
EAN3120	V1.0.10	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.5
EAN3200	1.0.9	H.264 MJPEG	1	Camera	1440x1080	Y/N	1/1	-	Motion	None	v1.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EAN3220	V1.0.10	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
EAN3300	Refer to EHN3340(1. 2.4)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v3.6
EAN800A	1.1.34	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.1
EAN800AW	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.1
EAN850A	1.1.27	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.1
EAN900	1.1.34	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.1
EDN1220	1.0.8	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.18
EDN1320	1.0.8	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v2.18
EDN2210	ev20121002 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EDN2245	ev20120607 BNS	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.5
EDN2260	1.3.0.d	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	-	None	v3.4
EDN3160	V1.0.18	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.6
EDN3240	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.14
EDN3260	1.0.18	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.6
EDN3340	Refer to EHN3340(1.2.4)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v3.6
EDN800	1.1.27	H.264 MJPEG MPEG4	1	Camera	704x576	N/N	1/1	-	-	None	v1.1
EDN850H	1.0.5	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.1
EHN3160	1.0.18	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EHN3200	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.12
EHN3260	1.2.5B2	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.8
EHN3340	1.2.4	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.5
EHN3361	Refer to EZN3340(1.2.5B2)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v3.6
EMN2220	0.8.7-B10	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.13
EMN2320	1.0.1	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v2.14
EPN2218	ev20111116 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.5
EPN2700	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	-	Supported by design	v1.1
EPN3100	v1.0.4	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	-	None	v1.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EPN3600	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	-	Supported by design	v1.1
EPN4122	1.0.4 B7	H.264 MJPEG	1	Camera	1280x960	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v2.6
EPN4220	1.0.16	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.5
EPN4220P	Refer to EPN4220(1.0.16)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
EPN4230	Refer to EPN4220(1.0.16)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
EQN2200	1.0.27	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	-	None	v1.13
EQN2201	None	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	-	Supported by design	v1.13
ETN2110	v3.2.1.4	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt	Motion	None	v2.14
ETN2260	1.01_F1	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt	Motion	None	v3.6



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EVS100	1.1.0.5	MJPEG MPEG4	1	Video Server	720x576	Y/N	0/1	Pan Tilt Zoom	-	None	v1.0
EVS200A	v1.1.34	H.264 MJPEG MPEG4	2	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	-	None	v1.1
EVS200AW	None	H.264 MJPEG MPEG4	2	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.1
EVS400	1.1.5.0	MPEG4	4	Video Server	720x576	Y/Y	4/0	Pan Tilt Zoom	-	None	v1.0
EVS410	1.0.21	H.264 MJPEG	4	Video Server	704x480	Y/Y	4/1	-	Motion	None	v2.16
EZN3160	V1.0.10	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
EZN3240	1.0.14	H.264 MJPEG	1	Camera	1440x1080	Y/N	1/1	-	Motion	None	v1.12
EZN3260	1.2.4	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.3
EZN3340	1.2.5B2	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EZN3361	Refer to EZN3340(1.2.5B2)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v3.6
EZN850	1.1.27	H.264 MJPEG MPEG4	1	Camera	704x576	N/N	1/1	Zoom	-	None	v1.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM-B3000	1.02.09	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.13
ACM-PT500	2.03.16	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt	Motion	None	v3.7
ACM-R2001	1.02.09	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.11
ACM-R3002	Refer to ACM- V3103(2.03. 23A)	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
ACM-R3006	1.02.05T	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	None	v2.13
ACM-V3001	1.02.09	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.12
ACM-V3002	Refer to ACM- V3103(2.03. 23A)	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
ACM-V3103	2.03.23A	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v3.13
AT- HK4A26LP R-LZS	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/Y	1/1	Zoom	Motion	Supported by design	v.5.15



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AT-HK4A26LP R-Z	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/Y	1/1	Zoom	Motion	Supported by design	v.5.15
AT-HK4A26LP R-ZHS	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/Y	1/1	Zoom	Motion	Supported by design	v.5.15
AT-HKTCG225	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/Y	1/1	Zoom	Motion	Supported by design	v.5.15
C3000	v3.2.2.3	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.14
C3000-W	v3.2.2.3	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.14
CDB-2KM552	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.3
CDB-2KM552S	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.6
CDB-3VM835	Refer to TCP-HDVB835 (VJ2.0.02)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
CDB-4KM552	Refer to TCP-KM465(VK2.0.11.0_F)	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDB-4KU852	Refer to TCP-4KU808(VH2.0.0.12)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.12
CDB-4VM551	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
CDB-5KM551	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDB-5VM551	Refer to TCP-VM559(VC2.0.26.6_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v4.3
CDB-5VM551G	VH2.0.14.2_F	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v5.2
CDB-720F	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	-	Supported by design	v2.5
CDB-720F/IR	V1.0.20_F	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.5
CDB-720V	VB1.0.26_F	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.5
CDB-720VIR	VB1.0.26_F	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDB-720VIR-H	VE2.0.14.2_F	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v3.3
CDB-HD280	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDB-HFD720	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
CDB-HFD728	Refer to CDB-720VIR-H(VE2.0.14.2_F)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v3.5
CDB-HFD828	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDB-HFD828W	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDB-KFD228	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.6
CDB-KFD236	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.6
CDB-MD602	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDB-MD605	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
CDB-MV1080F	VB1.0.32_F	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.14
CDB-MV1080F-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDB-MV720F	VB1.0.28_F	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.11
CDB-MV720F-H	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
CDB-T5	A1D-500-V6.07.24-NB	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	-	Motion	None	v3.11
CDV-10KV313	Refer to TCP-10KB313(A1D-500-V6.11.30-NB)	H.264 MJPEG	1	Camera	3648x2736	Y/Y	1/1	-	Motion	Supported by design	v5.4
CDV-2KM502	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.3
CDV-2KM502S	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDV-2M360	VB1.0.32_F	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.15
CDV-3F828	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDV-3V930	None	H.264 MJPEG	1	Camera	720x576	N/N	1/1	-	-	Supported by design	v1.0
CDV-3V930U	None	H.264 MJPEG	1	Camera	720x576	N/N	1/1	-	-	Supported by design	v1.0
CDV-3VM301	V3.2.54_F	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.5
CDV-3VM501	Refer to TCP-MH802(1.0.46)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5
CDV-3VM800	VC1.0.06_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.14
CDV-3VM800-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDV-3VM800-H1	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDV-3VM800H	Refer to TCP-KM265(VKD 2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.7
CDV-3VM800Z3	Refer to TCP-HDVB800Z3(V C2.0.24.2_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v3.11
CDV-3VM800Z4 2	VE2.0.23_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.0
CDV-3VM835	Refer to TCP-HDVB835 (VJ2.0.02)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
CDV-3VWD960	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	None	v1.5
CDV-3VWD960H	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
CDV-4F936	Refer to TCP-VM469Z42(V H2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
CDV-4KM502	Refer to TCP-KM465(VK2. 0.11.0_F)	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.11
CDV-4KM502Z4 2	VK2.0.28.6_F	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v18.4



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDV-4KM502Z4 2X	Refer to CDV-4KM502Z42 (FW: VK2.0.28.6_F)	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v18.4
CDV-4KU801	Refer to TCP-4KU808(VH2.0.0.12)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.12
CDV-4VM501	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
CDV-4VM501Z4 2	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
CDV-5KM501	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDV-5KM501Z3 5	VK2.0.23.0	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	None	v5.0
CDV-5VM501	Refer to TCP-VM559(VC2.0.26.6_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v4.3
CDV-5VM501G	Refer to CDB-5VM551G(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v5.2
CDV-5VM501Z3	VC2.0.26.4_F	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	None	v3.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDV-5VM501Z42	Refer to TCP-VM559Z42(V C2.0.26.6)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v4.4
CDV-8KP108	VKU1.2.4.59	H.265 H.264 MJPEG	1	Camera	2880x2160	Y/Y	1/1	-	Motion	Supported by design	v19.1
CDV-DT5	A1D-500-V6.08.25-NB	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v3.11
CDV-DT910IR	A1D-500-V6.10.24-NB	H.264 MJPEG	1	Fisheye Camera	3648x2736	Y/N	-	-	Motion	None	v4.13
CDV-DT95IR	Refer to CDV-DT5(V6.08.25-NB)	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.3
CDV-MD602	VG2.0.20_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.3
CDV-MD605	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
CDV-MFB2000D	2.03.17	H.264 MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.5
CDV-MV1080F-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDV-P360	Refer to TCP-MH802(1.0.46)	H.264 MJPEG	1	Fisheye Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5
CDV-P360-5	VC2.0.26.4	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	-	Motion	None	v4.1
CDV-VM2008T	01_C021	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v4.12
EDH-02H	V1.0.20_F	H.264 MJPEG	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.10
EP-201	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-221	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-221DN	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-601	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-601HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EP-908	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-908HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.5
EP-936	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-936HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.5
EP-HTQ935	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.5
EP-Q2018H-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
EP-Q2018HW-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
EP-Q2026H-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
EP-Q2026HW-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EP-Q2036H-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
EP-Q2036HW-IP	V1.0.46_F	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v3.7
MD-D1200	V3.2.56_F	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.0
MD-D1322	V1.0.23.09_F	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.5
MD-D1612	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	None	v1.5
MD-D3622Q-H	VD1.0.12_04_F	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.20
SP-HK2020C-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK2020CM-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SP-HK2028Q-AIP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK2033Q-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK204MP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK2050R-LA	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK2107IR-IP	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
SP-HK3033Q-AIP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.20150921)	H.264 MJPEG	1	Camera	2048x1536	N/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
SP-HK3033Q-IP	Refer to SP-HK-3036R-IPNVSS-V8.1.1.20150921)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SP-HK3036Q-IP	Refer to SP-HK-3036R-IPNVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16
SP-HK3036R-AIP	Refer to SP-HK-3036R-IPNVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16
SP-HK3036R-IP	NVSS-V8.1.1.2015 0921	H.264 MJPEG	1	Camera	2048x1536	Y/Y	8/2	Pan Tilt Zoom	Motion	None	v4.16
SP-HK3303R-IP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	N/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
SP-HK5220R-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK5233R-IP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK6230SR-AIP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SP-HK6233R-AIP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK6240SR-AIP	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
SP-HK6333R-AIP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	N/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
SP-HK6340R-AIP	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	N/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
SP-HK8020IR-IP	VK1.0.24.0_F	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v5.10
SP-HK8030IR-IP	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
SP-HK8120H-IP	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
SP-HK8120Q-IP	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SP-HP2013C-IP	onvif_v2.4.2_20150327	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.1
SP-HP2020C-IP	onvif_v2.4.0_20141027	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.1
SP-HP2020CM-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2020Q-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2030CM-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2030Q-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2030SR-IP	onvif_v2.5.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	None	v4.12
SP-HP2040SR-IP	Refer to SP-HP2030SR-IP(onvif_v2.5.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SP-HP2313C-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2320C-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2330C-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2330Q-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2336Q-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2530AR-IP	NVSS_V8.0.5.20150609	H.264 MJPEG	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	None	v4.15
SP-HP2620CP-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP4833-IP	A1D-500-V6.09.44-NB	H.264 MJPEG	1	Camera	2688x1520	Y/Y	4/2	Pan Tilt Zoom	-	None	v4.7



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SP-PTIR736A-IP	Refer to EP-Q2036HW-IP(V1.0.46_F)	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v4.4
SP-PTIR736B-IP	Refer to EP-Q2036HW-IP(V1.0.46_F)	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v4.4
SP-PTIR737-IP	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	-	None	v1.5
TCMA-99	V3.2.54_F	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.5
TCMP-99	V3.2.54_F	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	-	None	v1.5
TCP-10KB313	A1D-500-V6.11.30-NB	H.264 MJPEG	1	Camera	3648x2736	Y/Y	1/1	-	Motion	None	v5.4
TCP-1200AV	V1.0.26_F	H.264 MJPEG	1	Camera	640x480	Y/Y	-	-	-	None	v2.5
TCP-2200AM	V1.0.30_F	H.264 MJPEG	1	Camera	1600x1200	Y/Y	-	-	-	None	v2.5
TCP-2200AM-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-2700AM	Refer to CDB-720VIR-H(VE1.0.12.2_F)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v3.3
TCP-2700AM-W	Refer to CDB-720VIR-H(VE2.0.14.4)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v3.4
TCP-2800AM	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-336AM	VB1.0.40_F	H.264 MJPEG MPEG4	1	Camera	2032x1536	Y/Y	1/1	-	Motion	None	v2.20
TCP-4KU808	VH2.0.0.12_F	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	None	v4.12
TCP-670DNU	V3.2.50_F	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	-	None	v1.0
TCP-680DNU	V3.2.50_F	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	-	None	v1.0
TCP-690	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0
TCP-690DN	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-690U	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0
TCP-B365K	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-BF108	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
TCP-BF1080	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-BF128	VE1.0.10_F	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v3.0
TCP-BF208	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-BF428	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
TCP-BF728IR	Refer to CDB-720VIR-H(VE2.0.14.2_F)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v3.5
TCP-BF828IR	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-HDVB110	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
TCP-HDVB180	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-HDVB720	V1.0.20_F	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.5
TCP-HDVB720-H	VE2.0.20.8_F	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v4.1
TCP-HDVB800	VC1.0.18.2_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.15
TCP-HDVB800-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-HDVB800-H1	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-HDVB800H	Refer to TCP-KM265(VKD 2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.7
TCP-HDVB800Z3	VC2.0.24.2_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v3.11



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-HDVB800Z42	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-HDVB801	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	-	Supported by design	v2.5
TCP-HDVB835	VJ2.0.02_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.12
TCP-HF1080D	2.03.10	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.19
TCP-HFB720	VB1.0.28_F	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.11
TCP-HFB720-H	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
TCP-HP1024	V1.0.14_F	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.5
TCP-HP1080	VC1.0.06_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.14
TCP-HP1080-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-HP1080H	Refer to TCP-KM265(VKD 2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.7
TCP-HP930	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0
TCP-HP930U	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0
TCP-HVB3100D	Refer to ACM-V3103(2.03.23A)	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
TCP-HVB3105D	Refer to ACM-V3103(2.03.23A)	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
TCP-IPWD690	V3.2.56_F	MJPEG MPEG4	1	Camera	720x480	Y/Y	2/2	-	-	None	v1.5
TCP-IPWD700DN	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	-	None	v1.5
TCP-IR590-WD30	V1.0.20_F	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	None	v1.10
TCP-IRH4080-70	VKD2.1.28_F	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v19.6



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-IRH5030C	Refer to TCP-MH802(1.0.46)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5
TCP-IRH5040C	Refer to TCP-MH802(1.0.46)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5
TCP-IRH5080-50	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-IRH5080-70	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-IRH5080W-50	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-IRH5080W-70	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-IRV540	V3.2.60_F	MJPEG MPEG4	1	Camera	720x480	N/N	-	-	-	None	v1.5
TCP-IRV560	V3.2.60_F	MJPEG MPEG4	1	Camera	720x480	N/N	-	-	-	None	v1.5
TCP-KB436	FW VK2.0.28.6_F	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v18.9



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-KM265	VKD2.1.24.2_F	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v18.3
TCP-KM265S	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.6
TCP-KM465	VK2.0.11.0_F	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	None	v4.11
TCP-KM470Z10	VK2.0.26.0_F	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v5.6
TCP-KM559	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-KM559Z35	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-KZ262S	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.6
TCP-KZ462	Refer to TCP-KM465(VK2.0.11.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.11
TCP-M360K	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-M912DN	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/2	-	-	Supported by design	v1.5
TCP-MB602	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
TCP-MB605	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
TCP-MB685	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
TCP-MH802	1.0.46	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v3.5
TCP-MH859	Refer to TCP-VM559(VC2.0.26.6_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v4.3
TCP-MH859G	Refer to CDB-5VM551G(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v5.2
TCP-MZ602	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
TCP-MZ605	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-VM2008T	01_C021	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v4.12
TCP-VM201	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	-	Supported by design	v1.5
TCP-VM2210	3.1.0.0	MJPEG MPEG-4 H.264	1	Camera	1920x1080	Y/Y	1/0	Pan Tilt Zoom	Motion	None	v4.12
TCP-VM2818	Refer to TCP-VM2210(3.1.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v4.13
TCP-VM2833	Refer to TCP-VM2210(3.1.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v4.13
TCP-VM359	VC1.0.16_F	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.14
TCP-VM469	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
TCP-VM469Z42	VH2.0.14.2_F.B6	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	None	v5.1
TCP-VM501	Refer to TCP-MH802(1.0.46)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-VM559	VC2.0.26.6_F	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Test by link	v4.3
TCP-VM559G	Refer to CDB-5VM551G(V H2.0.14.2_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v5.2
TCP-VM559Z3	Refer to CDV-5VM501Z3(V C2.0.26.4)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v3.12
TCP-VM559Z42	VC2.0.26.6	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Test by link	v4.4
WB-8211SD	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/4	-	-	Supported by design	v1.0
WB-8211SDU	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/4	-	-	Supported by design	v1.0
WB-8411	None	MJPEG MPEG4	4	Video Server	720x576	Y/N	4/1	-	-	Supported by design	v1.0
WB-8412	None	MJPEG MPEG4	4	Video Server	640x480	Y/Y	4/4	-	-	Supported by design	v1.5
WB-H811	V1.0.44_F	H.264 MJPEG	1	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WB-H814	V1.0.82_F	H.264 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v3.10
WB-HB01	VH2.0.18.0_F	H.264 MJPEG	1	Camera	960x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.7
WB-HB04	V1.0.0.8.F	H.264 MJPEG	4	Video Server	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v5.8
WB-HB08	V1.0.0.10_F	H.264 MJPEG	1	Video Server	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v18.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FC-309	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-313	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-324	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-324S	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-334	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-334S	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-348-NTSC	BU 1.2	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	None	v3.10
FC-363	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-618-R-NTSC	BU 1.2	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Test by link	v3.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FC-632S	Refer to FC-618R-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-645S	Refer to FC-618R-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-669S	Refer to FC-618R-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-690S	Refer to FC-618R-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACD-3VM501	Refer to ACDV-3VM501(V1.0.26)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.6
ACDV-3VM501	Refer to ACDV-3VM501	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
AEP-Q2018H-IP	None	H.264 MJPEG	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
AEP-Q2018HW-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
AEP-Q2026H-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
AEP-Q2026HW-IP	None	H.264 MJPEG	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
AEP-Q2036H-IP	V1.0.26	H.264 MJPEG	1	Camera	720x480	Y/Y	-	-	-	None	v1.14
AEP-Q2036HW-IP	V1.0.26	H.264 MJPEG	1	Camera	720x480	Y/Y	-	-	-	None	v1.14
ASP-PTIR737-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ASP-PTIR737-LA-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
ATCP-IRH5030C	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
ATCP-IRH5040C	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802DN	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802DN WI	V1.0.26	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v1.14
ATCP-MH802WI	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
ATCP-VM501	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
B0100	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
B0202	V3.2.0.0	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.0
B1100	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
C1100	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
C1100-W	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
C2002	Refer to C2200(V3.2. 0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
C2002-W	Refer to C2200- W(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
C2200	Refer to B0202(V3.2. 0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
C2200-W	Refer to B0202(V3.2. 0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
D0100	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D1100	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
D2000-FD3	Refer to M4202-DB02(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
D2000-VD3	Refer to M4202-DB03(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
D2000-VP2	Refer to M4202-DB02(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
D2100	1.0.1.4	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
FBS-1300BL	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300BX	AgWT8130104N20_140528282B	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.5
FBS-1300ID	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300IDR	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FBS-1300MID	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300MVD	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300VD	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBS-1300VDR	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
FBU-200LWD	AgWT82001 22N06 V32 1401213F	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	None	v3.3
FBU-201LWD	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBU-300LWD	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBU-301LWD	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FBX-200	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
FBX-200CL	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBX-200LWD	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBX-300LWD	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FBX-300WD	None	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
FDM-200	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
FDM-200LWD	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FDM-300LWD	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FDM-300WD	None	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
FVD-200	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
FVD-200LWD	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
FVD-300LWD	AgWT83000 36N06 V32 1401214F	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.3
FVD-300WD	None	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
IPB-1080BL	Refer to IPD-1080CD(VC1 .0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.6
IPB-1080BM	Refer to IPD-1080CD(VC1 .0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.6
IPB-1080E	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
IPB-1080EL	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.13



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPB-1080F	Refer to NPB-1080BMX-M(VE1.0.24_2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
IPB-1080F28	Refer to NPB-1080BMX-M(VE1.0.24_2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
IPB-1080WDR	Refer to IPD-1080WDR(Forenix_roofs_VG1.0.20_TG_20150129_101057)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.1
IPB-2265U-M	IPC_G6103-B0011P11D1809	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v19.3
IPB-2265UF-E	IPC_G6103-B0009P30D1803	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v19.3
IPB-4065BM	VK1.0.13.3_TG	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	None	v4.10
IPB-8000BM	VH1.0.0.11_TG	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	None	v4.11
IPD-1080CD	VC1.0.22.6_TG	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.6



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPD-1080E	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
IPD-1080KF	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
IPD-1080MF	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
IPD-1080WDR	VG1.0.20_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1
IPD-4065CD	Refer to IPB-4065BM(For enix_3516A_VK1.0.11.4_TG_20151202_152150)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.9
IPD-8000CD	Refer to IPB-8000BM(For enix_8139_VH1.0.0.11_TG)	MJPEG H.264	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.11
IPM-1080F	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
IPM-1080RF	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPV-1080F	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
IPV-1080CD	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.6
IPV-1080E	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
IPV-1080F	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
IPV-1080WDR	Refer to IPD-1080WDR(Forenix_rootfs_VG1.0.20_TG_20150129_101057)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.1
IPV-2365UF-E	IPC_G6103-B0009P30D1803	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v19.3
IPV-4065CD	Refer to IPB-4065BM(For enix_3516A_VK1.0.11.4_TG_20151202_152150)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.9
IPV-6065CDS-M	Refer to NPV-6065CDS-M(VKU1.2.2.3.10_TG)	H265 H264 MJPEG	1	Camera	3072x2160	Y/Y	1/1	Zoom	motion	Supported by design	v19.12



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPV-8000CD	Refer to IPB-8000BM(For enix_8139_V H1.0.0.11_T G)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.11
IPX-1080DN	Refer to IPD-1080CD(VC1 .0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.6
IPX-1080E	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
IPX-1080WDR	Refer to IPD-1080WDR(F orenix_roofs_VG1.0.20_TG_2015012 9_10105)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.1
IPX-4065DN	Refer to IPB-4065BM(For enix_3516A_VK1.0.11.4_TG_2015120 2_152150)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.9
IPX-8000DN	Refer to IPB-8000BM(For enix_8139_V H1.0.0.11_T G)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.11
IPZB-1000R	3.0.0.4	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	-	None	v4.5
ISPD-2018	Refer to ISPD-2020(Foreni x_VC1.0.30 1204_TG_20 150310_112 618.bin)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	None	v4.1



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ISPD-2020	VC1.0.30120_4_TG	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v4.1
ISPD-2065-20X	VK1.0.15.1_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v4.13
ISPDII-1312WD	AgWT81313 12N20_1404 185F	H.264 MJPEG	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
ISPDII-3018WD	AgWT83030 18N20_1404 185F	H.264	1	Camera	2048x1536	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
ISPDIII-3010	0.1.4960M	H.264 MJPEG	1	Fisheye Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.8
M0202-BH01	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
M0202-BH02	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
M0202-BH03	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
M4202-DB02	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M4202-DB03	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
M7202-DB03	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
NI Series	VT1.0.2	H.265 H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v21.2
NPA-2065BM-M	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
NPA-2065BM-10X	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
NPA-2065CD-M	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
NPB-1080BLX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
NPB-1080BMX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
NPB-1080BMX-M	VE1.0.24.2_TG	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v4.16



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NPB-1080F28X	Refer to NPD-1080MFX(VMB1.0.28_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v18.12
NPB-2065BL	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPB-2065BL-M	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPB-2065BM	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPB-2065BM-M	VQ1.0.23.0_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.8
NPB-2065F	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPB-2065F28	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPB-4065BL-M	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
NPB-4065BM	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v20.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NPB-4065BM-M	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
NPB-4065F28	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v20.9
NPB-6065BMS-M	Refer to NPV-6065CDS-M(VKU1.2.23.10_TG)	H.264 H.265 MJPEG	1	Camera	3072x2160	Y/Y	1/1	Zoom	Motion	Supported by design	v20.12
NPB-720	Refer to NPB-720BM (VB1.0.26_TG)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
NPB-720A	Refer to NPB-720BM (VB1.0.26_TG)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
NPB-720BM	VB1.0.26_TG	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.6
NPB-720U	Refer to NPB-720BM (VB1.0.26_TG)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
NPB-8065BM-M	VKU1.2.4.30	MJPEG H.264 H.265	1	Camera	3840x2160	Y/Y	1/1	Zoom	Motion	None	v18.2
NPC-4215	0821T1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.13



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NPD-1080CDX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
NPD-1080MFX	VMB1.0.28_TG	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v18.11
NPD-2065CD	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPD-2065CD-M	VKD1.1.1.18_TG	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v18.8
NPD-2065KF	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPD-2065MF	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPD-4065CD	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v20.9
NPD-4065CD-M	VK1.0.27.0_TG	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v18.8
NPD-4320	0821T1	H.265 H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v5.12



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NPD-720K	Refer to NPB-720BM (VB1.0.26_TG)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
NPD-720R	Refer to NPB-720BM (VB1.0.26_TG)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
NPE-2065BM-M	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
NPE-2065BM-10X	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
NPE-2065BM-30X	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
NPF-4520	0821T1	H.265 H.264 MJPEG	1	Fisheye Camera	2560x1920	Y/Y	1/1	-	Motion		v5.12
NPF-6065R-360	VKU1.2.23.1_0_TG	H265 H264 MJPEG	1	Fisheye Camera	2880x2160	Y/Y	1/1	None	Motion	None	v19.9
NPV-1080CDX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
NPV-1080CDX-M	VE1.0.24.4_TG	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.2



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NPV-2065CD	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPV-2065CD-M	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPV-4065CD	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v20.9
NPV-4065CD-M	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
NPV-6065CDS-M	VKU1.2.23.1_0_TG	H265 H264 MJPEG	1	Camera	3072x2160	Y/Y	1/1	Zoom	Motion	None	v19.10
NPX-1080DNX	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
NPX-2065DN	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
NPX-4065DN	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v20.9
NSPD-2065-10X	VK1.0.28.5_1718	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	Pan Tilt Zoom	Motion	None	v18.7



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NSPD-2065-20X	VK 1.0.22.0_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v4.16
NSPD-2065-30X	Refer to NSPD-2065-20X(VK1.0.22.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
NSPD-4065-10X	Refer to NSPD-2065-20X(VK1.0.22.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
NSPD-8220-OH	0821T1	H264,H265,MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan/Tilt/Zoom	Motion	None	v5.13
NSPDII-2065-20X	4.2.44	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v20.7
NVS-AH01	VH1.0.0.16	H.264 MJPEG	1	Camera	960x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.2
NVS-AH01X	VK1.0.27.2_TG	H265 H264 MJPEG	1	Video Server	1920x1080	Y/Y	1/1	None	Motion	None	v19.9
NVS-AH04	V1.0.0.8_TG	H.264 MJPEG	4	Video Server	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v5.11
NVS-AH08	V1.0.0.18	H.264 MJPEG	8	Video Server	1920x1080	Y/Y	2/1	-	Motion	Supported by design	v19.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
T2000-FB1	Refer to M0202-BH01(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
T2000-FB2	Refer to M0202-BH02(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
T2000-VB3	Refer to M0202-BH03(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
VQ2100	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
VQ2200	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
VQ2210C	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15
VQ2300	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
VQ2310	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VIT-DA651E	2.1.19-01-B907	H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	-	Motion	Test by link	v4.9



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TVC-M1245E-2M-P	V4.0.g	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v3.1
TVC-MP2B-S	e20120223B NS	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
A3101LE/A4101	4.0.30.51	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v4.4
A3102LE/A4102	4.11.23.51	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v4.4
A3253LE/A3263LE	4.8.26.51	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.4
B2201	Refer to B4251RLE(v 1.8.1001.10 01.101.0.75. 1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.4
B3202LE	Refer to B4201RLE(v 1.8.0801.10 01.101.0.66. 1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v4.4
B3251RLE	Refer to B4251RLE(v 1.8.1001.10 01.101.0.75. 1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.4
B4201RLE	v1.8.0801.1 001.101.0.6 6.1.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Test by link	v4.4
B4251RLE	v1.8.1001.1 001.101.0.7 5.1.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
B5201E	Refer to B6232LE(v1.8.0601.1001.101.0.4605.1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v4.4
B6231E	Refer to B6232LE(v1.8.0601.1001.101.0.4605.1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v4.4
B6232LE	v1.8.0601.1001.101.0.4605.1.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v4.4
C1201L	V1.0.40	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.10
C3203LE	2.3.3073.74	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
GCI-G1536F	gr20140530 NSA	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	-	Motion	None	v3.6
GCI-H2505B	Refer to GCI-K2505B(gr20130417NSX)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
GCI-K0589T(H)	Refer to GCI-K1586V(gr20130621NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
GCI-K0779P	gr20130621 NSA	MJPEG H.264	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.16
GCI-K1523VS	Refer to GCI-K2505B(gr20130417NSX)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
GCI-K1526V	gr20120522 NSA	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.4
GCI-K1526VS	Refer to GCI-K2505B(gr20130417NSX)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
GCI-K1585V	Refer to GCI-K1586V(gr20130621NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
GCI-K1586V	gr20130621 NSA	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
GCI-K1812W	gr20120711 NSA	MJPEG H.264	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
GCI-K2505B	gr20130417 NSX	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.16



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	AS65_ALL001_V1.00.07	H.264 MJPEG MPEG4	1	Fisheye Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.8
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> 1. Camera reboot (60 seconds) after parameter configuration. 2. Not support 16 KHz sampling rate audio in. 3. No support Camera search. 4. The camera setting will be failed if choose the value "BOTH" 5. Camera can not connect when 2nd resorution set to 854*480. 6. The default value of brightness could be 50. 										
GDN-D1300IR	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
GDN-D1300V	AS65_ALL001_V0.01.09	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
GDN-D2300	Refer to GDN-H2300IR(AS65_ALL001_V0.02.04)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
GDN-D2300V	Refer to GDN-H2300IR(AS65_ALL001_V0.02.04)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
GDN-D3200IR	Refer to GDN-D3200V(AS65_ALL01_V0.02.00)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.13
GDN-D3200V	AS65_ALL01_V0.02.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
GDN-DV1300IR	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
GDN-F1300V	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.13
GDN-F2300	Refer to GDN-H2300IR(AS65_ALL001_V0.02.04)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
GDN-H1300IR	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.13
GDN-H2300IR	AS65_ALL001_V0.02.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.2
GDN-H3200IR	Refer to GDN-D3200V(AS65_ALL01_V0.02.00)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.13



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
GDN-MD2000V	V5.2.0build 141120	H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v5.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	1.21.11_20181203_R251	H.265 H.264 MJPEG	1	Camera	2560x1920	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v19.10
SPE-1610	1.10_190603	H264 MJPEG	16	Video Server	1280x720	Y/Y	16/4	Zoom	Motion	Test by link	v19.12
XNP-6320H	1.21.11_20181203_R251	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v19.7



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v5.5.8 build 190531 V5.5.0 build 171030 V5.0.9 build 141009	H.264 H.265 MPEG4 MJPEG	1	Camera / Fisheye Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v19.6
Note:	<p>1. V5.5.0 build 171030 is the version of firmware of IPCam. 2. V5.0.9 build 141009 is the version of firmware of fisheye.</p> <p>IPCam model: 1. DO alarm is abnormal. (NUUO server limitation)</p> <p>Fisheye model: 1. Support generic dewarp 2. When audio codec is changed in webpage, audio in IP Camera 2, 3, 4, 5 can't use correct codec. (Camera Firmware issue)</p>										
Generic Server	V3.1.2 build 141219	H.264 MPEG4 MJPEG	16	Vedio Server	2560x1920	Y/Y	16/4	Pan Tilt Zoom	Motion	None	v4.5
Note:	<p>1. V3.1.2 build 141219 is the version of firmware of video server. 2. Talk not support in the model support ISAPI protocol. (Camera Firmware issue) 3. Can't get RSTP prot, default value 554. (Camera Firmware issue)</p>										



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD2012-I	v5.0.2 build 130805	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.12
DS-2CD2012F-I	V5.3.0 build 150616	H.264	1	Camera	1280x960	N/N	-	-	Motion	None	v4.4
DS-2CD2032-I	V5.3.0 build 150513	H.264	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.6
DS-2CD2112-I	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2142F WD-I	Refer to DS-2CD2142FW D-IWS(V5.4.1 build 160525)	H.264	1	Camera	2688x1520	Y/Y	1/1	-	Motion	Supported by design	v5.2
DS-2CD2142F WD-IWS	V5.3.8 build 151224	H.264	1	Camera	2688x1520	Y/Y	1/1	-	Motion	Test by link	v4.13
DS-2CD2212-I3	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2212-I5	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD2312-I	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2342WD-I	Refer to DS-2CD2142FW D-IWS(V5.4.1 build 160525)	H.264	1	Camera	2688x1520	Y/Y	1/1	-	Motion	Supported by design	v5.2
DS-2CD2432F-IW	V5.3.0 build 150513	H.264	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.14
DS-2CD2612F-I	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2612F-IS	V5.02 130805	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v2.19
DS-2CD2632F-IS	Refer to DS-2CD2732F-IS(V5.02 130805)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.19
DS-2CD2642FWD-IZS	V5.3.3	H.264	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	None	v4.14
DS-2CD2712F-I	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD2712F-IS	Refer to DS-2CD2612F-IS(V5.02 130805)	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v2.19
DS-2CD2732-IS	V5.02 130805	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Test by link	v2.19
DS-2CD2942F-I	Refer to DS-2CD2942F-IWS(v5.4.0 build 160603)	H.264	1	Camera	2560x1440	Y/Y	1/1	-	Motion	Supported by design	v4.16
DS-2CD2942F-IWS	V5.4.0 build 160603	H.264	1	Camera	2560x1440	Y/Y	1/1	-	Motion	Test by link	v4.16
DS-2CD4032F WD-A	V5.1.6 build 140412	H.264 MPEG4	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	None	v3.5
DS-2CD4065F-P	V5.3.4 build 150812	H.264	1	Camera	3072x2048	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.6
DS-2CD40C5F-AP	V5.3.0 build 150513	H.264	1	Camera	4000x3000	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.14
DS-2CD4124F-IZ	Refer to DS-2CD4224F-IZH(V5.3.5 build 151218)	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.11



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD4125F WD-IZ	Refer to DS-2CD4A25FW D-IZHS(v5.3.5 build 151218)	H.264	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.12
DS-2CD4132F WD-IZ	Refer to DS-2CD4332FW D-PTZ(V5.3.5 build 151218)	H.264	1	Camera	2048x1536	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.13
DS-2CD4212F WD-IZS	V5.1.6 build 140412	H.264 MPEG4	1	Camera	1280x960	Y/Y	1/1	Zoom	Motion	None	v3.5
DS-2CD4224F-IZH	V5.3.5 build 151218	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.11
DS-2CD4332F WD	V5.3.0 build 150513	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v4.8
DS-2CD4332F WD-PTZ	V5.3.5 build 151218	H.264	1	Camera	2048x1536	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v4.13
DS-2CD4565F-IZH	V5.3.4 build 150812	H.264	1	Camera	3072x2048	Y/Y	1/1	Zoom	Motion	None	v4.14
DS-2CD4625F WD-IZS	V5.3.4	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v4.11
DS-2CD4A25F WD-IZ	V5.3.0 build 150617	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.10



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD4A25F WD-IZHS	V5.3.5 build 151218	H.264	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Test by link	v4.11
DS-2CD4D36F WD-IZP	V5.4.5 build 170717	H.265 H.264 MJPEG	1	Camera	2048x1536	N/N	0/0	Zoom	Motion	Supported by design	v5.15
DS-2CD6026F HWD-A	V5.1.0 build 131202	H.264 MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v4.5
DS-2CD6332F WD-I	V5.4.14 build 160427	H.264	1	Camera	1536x1536	Y/Y	-	-	Motion	Test by link	v4.16
DS-2CD6332F WD-IS	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
DS-2CD6332F WD-IV	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
DS-2CD6332F WD-IVS	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-I	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD6362F-IS	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-IV	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-IVS	V5.0.9 build 141009	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	None	v4.2
DS-2CD702N-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD702NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD702NF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD702P-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD702PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD702PF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD712N-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD712NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD712NF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD712P-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD712PF	V2.0 build 090522	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.0
DS-2CD712PF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD7133-E	V3.0 110117	H.264	1	Camera	640x480	N/N	-	-	-	None	v1.9
DS-2CD7153-E	v5.0.8 build 130930	H.264 MPEG4 MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	Test by link	v2.19
DS-2CD7253F-EIZ	V5.0.2 Build 130709	H.264 MPEG4 MJPEG	1	Camera	1600x1200	N/N	-	Zoom	Motion	None	v2.20



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD732F-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD732NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD732NF-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD732PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD732PF-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD752F-E	None	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	Supported by design	v1.0
DS-2CD752MF-E	None	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	Supported by design	v1.0
DS-2CD752MF-FB	V2.0 110426	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD752MF-FH	None	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	Supported by design	v1.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD753F-E	Refer to DS-2CD753F-EI(V3.0 110921)	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.17
DS-2CD753F-EI	V3.0 110921	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v2.0
DS-2CD754F-E	Refer to DS-2CD754FWD-EI(V3.2 120105)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Supported by design	v2.0
DS-2CD754F-EI	Refer to DS-2CD754FWD-EI(V3.2 120105)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Supported by design	v2.0
DS-2CD754FW D-E	Refer to DS-2CD754FWD-EI(V3.2 120105)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Supported by design	v1.18
DS-2CD754FW D-EI	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Test by link	v2.0
DS-2CD762MF	None	MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.0
DS-2CD762MF-E	None	MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.0
DS-2CD762MF-FB	None	MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD762MF-FH	None	MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.0
DS-2CD783F-E	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v2.0
DS-2CD783F-EI	Refer to DS-2CD783F-E(V3.0 110921)	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.18
DS-2CD792NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD792NF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD792NF-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD792PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD792PF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD792PF-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD802N-IR1	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802N-IR3	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802N-IR5	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD802NF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD802P-IR1	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802P-IR3	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802P-IR5	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802PF	V2.0 build 090522	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	None	v1.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD802PF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD812PF	v2.0 build 090522	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	None	v1.0
DS-2CD812PF-E	Refer to DS-2CD812PF(v 2.0 build 090522)	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD8253F-EI	v4.0.3 build121123	H.264 MPEG4	1	Camera	1600x1200	N/N	-	-	Motion	None	v2.8
DS-2CD8254F-EIS	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	None	v2.0
DS-2CD8264F WD-EIS	v4.0.3 build121123	H.264 MPEG4	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.8
DS-2CD832F	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD832F-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD832NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD832NF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD832P-IR5	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD832PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD832PF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD852F	None	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	Supported by design	v1.0
DS-2CD852MF-E	V2.0 build 20090430	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.0
DS-2CD853F-E	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.1
DS-2CD854F-E	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.0
DS-2CD862MF-E	None	MPEG4	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD864FW D-E	v4.0.3 build121123	H.264 MPEG4	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.8
DS-2CD883F-E	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt	Motion	None	v2.0
DS-2CD892NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD892P-IR5	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD892PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD892PF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CS2132F	Refer to DS-2CD2032-I(V5.3.0 build 150513)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.6
DS-2DE7174-AE	Refer to DS-2DE7184-A(V5.3.9 build 150910)	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v4.10
DS-2DE7176-A	Refer to DS-2CD2942F-IWS(v5.4.0 build 160603)	H.264	1	Camera	1280x960	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v4.14



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DE7176-D	V5.3.9 build 150910	H.264	1	Camera	1280x960	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v4.14
DS-2DE7184-A	V5.3.9 build 150910	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v4.10
DS-2DF1-401H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-402H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-5702	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
DS-2DF1-570A	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
DS-2DF1-572	V4.1.2 build 121205	H.264	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.9
DS-2DF1-5732	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
DS-2DF1-573A	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DF1-57A	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
DS-2DF1-601H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-602H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-603H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-604H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-605H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-606H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-607H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-608H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DF1-609H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-610H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-611H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-612H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-613H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-614H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-615H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-616H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-617H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DF6236V-AEL	V5.3.2 build 150519	H.264	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	None	v4.14
DS-2DF8223I-AEL	V5.2.8 build 150124	H.264 MPEG4	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	None	v4.5
DS-2DM1-602H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DM1-603H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DM1-604H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DM1-612H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DM1-613H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DM1-614H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2PT3326IZ-DE3	V5.4.12 build 180530	H.265 H.264	4	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v18.12



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Not support Flip/Mirror.

Bitrate list can not sync with camera web.

The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-6101HFI-IP	V2.0 Build 20090522	H.264 MPEG4	1	Vedio Server	704x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.0
DS-6101HFI-SATA	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.5
DS-6104HCI	V2.0 build 090921 / V4.0 build 090508	H.264	4	Vedio Server	704x480	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v1.5
DS-6104HCI-SATA	None	H.264 MPEG4	4	Vedio Server	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.5
DS-6601HFHI	v1.0.2 build 121107	H.264	1	Vedio Server	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.7
DS-6716HFI	V1.2.3 build 141203	H.264 MJPEG MPEG4	16	Vedio Server	704x480	Y/Y	16/4	Pan Tilt Zoom	Motion	None	v3.13
DS-6716HWI	V1.2.5 build 150522	H.264 MJPEG MPEG4	16	Vedio Server	960x480	Y/Y	16/4	Pan Tilt Zoom	Motion	None	v4.11
DS-8116HQHI-SH	V3.1.2 build 141219	H.264	16	Vedio Server	960x576	Y/Y	16/4	Pan Tilt Zoom	Motion	None	v4.0



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACUIX	1.5.6	MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.6
H3D1F	40.0.6	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.18
H3D2F	40.0.6	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/0	Zoom	Motion	None	v2.18
HCD554IP	5.4.5	MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.6
HCD5MIH	13.1.2	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.5
HD3MDIH	11.0.3	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.5
HD3MDIP	7.07	MPEG4	1	Camera	1280x720	Y/Y	1/1	-	-	None	v1.6
HD4DIP	4.4.8	MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.6
HD4MDIH	12.0.3	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.5



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD4MDIP	8.0.4	MPEG4	1	Camera	1280x720	Y/Y	1/1	-	-	None	v1.6
HDZ20HD	Refer to HDZ20HDX(H20120808NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDE	Refer to HDZ20HDX(H20120808NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDEX	Refer to HDZ20HDX(H20120808NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDX	H20120808NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.10
HNVE1	6.3.4	MPEG4	1	Camera	7045x76	Y/Y	1/1	-	-	None	v1.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
iCanServer 510	None	MPEG4	1	Video Server	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanServer 612	v1.0.19	H.264 MJPEG	1	Video Server	720x480	Y/Y	1/1	Pan Tilt	-	None	v1.4
iCanView2 20/260	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanView2 22	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanView2 30	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanView2 40/250	2.2.2	MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt	-	None	v1.0
iCanView2 70	None	MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt	-	Supported by design	v1.0
iCanView2 80	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanView2 90	None	MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
iCanView3 22MP	v2.0.12	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.19
iCanView3 32MP	v2.0.12	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt	-	None	v1.19
iCanView3 40MP	v2.0.12	H.264 MJPEG	1	Camera	1280x1024	Y/Y	4/2	Pan Tilt	-	None	v1.19
iCanView3 50MP	v1.0.19	H.264 MJPEG	1	Camera	720x480	Y/Y	4/2	Pan Tilt	-	None	v1.4
iCanView3 62MP	v2.0.12	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.19



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EXCA100IP 2	v1.8.1001.3.5.25	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	None	v3.8
EXCA215IP 2	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v3.8
EXCA234IP 2	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v3.8
EXCA234IP 2WDR	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v3.8
EXCA336IP 2	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v3.8



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VIP-S3020	2.210.IB00. 0.R, build : 2014-11-12	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S3230	2.420.IB01. 1.R, build : 2015-05-15	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S4000	2.210.IB00. 0.T, build : 2015-07-09	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S4020	2.210.IB00. 0.R, build : 2014-11-12	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S4200	2.420.IB01. 1.R, build : 2015-05-15	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S4220	2.420.IB01. 1.R, build : 2015-05-15	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NBL3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.10
NBL5103	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
NBL5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.10
NBL7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion / Record	None	v4.13
NBL7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Zoom	Motion	Supported by design	v4.13
NDM3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.10
NDM3112	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
NDM5103	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
NDM5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	None	Motion	Supported by design	v4.6



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NDM7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion / Record	Supported by design	v4.13
NDM7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Zoom	Motion	Supported by design	v4.13
NFE5403	01_C020	H.264 H.265	1	Fisheye Camera	2048x1520	Y/Y	1/1	-	Motion	Supported by design	v4.13



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	None	H.264 MJPEG	1	Fisheye Camera	2536x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.19
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> 1. Focus function is not test on NUUO product. 2. The maximum resolution is depended on camera. 3. Some framerate and bitrate cannot setup. (ONVIF limitation) 										
NCOA22F	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NCOA32FD	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NCOA52F	v1.8.1001.85.0.8317	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.5
NDOA22F-W	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NDOA32FD-W	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NIAA202F	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIDA212F-W	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIDA312F D-W	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIDA512F-W	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIPA2H22-C	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIPA2H22-W	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIRA222F	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NIRA232F	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NIRA332FD	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NITA212F	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NITA312FD	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCH-2MX	-	MJPEG	16	Video Server	1920x1080	Y/N	0/0	-	-	None	v18.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
JS-B0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-B0100-W	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-B0131	None	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-B1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.6
JS-B1100-R30	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-B1204-R25	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v2.6
JS-C1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	Supported by design	v2.6
JS-C2100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-D0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	Supported by design	v2.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
JS-D1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-D1130	None	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-D1204	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v2.6
JS- ISD200X18	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
JS- OSD200X2 0	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
JS-WGP- 100-CB	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	Supported by design	v2.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VN-C205U	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.0
VN-C20U	None	MJPEG	1	Camera	640x480	N/N	2/2	-	-	Supported by design	v1.0
VN-C215U	None	MJPEG	1	Camera	640x480	N/N	2/2	-	-	Supported by design	v1.0
VN-C655U	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.0
VN-E4(U)	None	MJPEG	4	Video Server	640x480	Y/Y	4/1	-	-	Supported by design	v1.0
VN-H137	4.02.378	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.7
VN-H157	Refer to VN-H57(4.00.575)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v2.7
VN-H237	Refer to VN-H137(4.02.378)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.7
VN-H257	Refer to VN-H57(4.00.575)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v2.7



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VN-H37	Refer to VN-H137(4.02.378)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.7
VN-H57	4.00.575	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.7
VN-H657	2.01.827 SPL2841	H.264 MJPEG	1	Camera	1920x1080	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.13
VN-T16	j.2.2.2232	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.13
VN-T216	Refer to VN-T16(j.2.2.2232)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.13
VN-V685	3.04	MJPEG MPEG4	1	Camera	640x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.7
VN-V686	Refer to VN-V685(3.04)	MJPEG MPEG4	1	Camera	640x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.7



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC2211-FN-PIR	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2211-FN-SIR	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2233-FN-PIR40	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2233-FN-SIR40	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2251-HNB-SIR80-Z6048(VER .A)	7.1.6.808 Mar 9 2018 07:56:05	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v18.6
IPC2253-HNB-PIR30	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
IPC2453-FNB-PIR40	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-0010	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.0
FCS-0020	1.0.07	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt	-	Supported by design	v1.0
FCS-0030	Refer to WCS- 0030(V1.0.0 .7)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	Supported by design	v1.1
FCS-0031	v1.0.0.30	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v1.11
FCS-0040	Refer to WCS- 0040(v1.0.0 2)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	-	Supported by design	v1.8
FCS-0071	2.1.0202_le vel1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v2.0
FCS-1010	0102d	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
FCS-1030 V1.0	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
FCS-1030 V2.0	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-1040	0102a	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
FCS-1040 V3.0	0100a	MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.1
FCS-1050	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
FCS-1060	0202a	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	None	v1.0
FCS-1070	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
FCS-1081	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
FCS-1081A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
FCS-1091	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	-	-	Supported by design	v1.0
FCS-1101	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-1121	v1.0.0.6	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.1
FCS-1122	v1.0.0.37	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.0
FCS-1131	L20100315N S	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.1
FCS-1131- V2	le20120806 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.5
FCS-1132	Refer to FCS- 5052(1.0.0. 2)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.11
FCS-1141	L20100312N S	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
FCS-1151	0100a	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v1.1
FCS-3000	0101a	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
FCS-3021	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-3031	V1.0.01	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	-	None	v1.1
FCS-3051	V1.0.01	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	-	None	v1.1
FCS-3052	Refer to FCS- 5052(1.0.0. 2)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.11
FCS-3061	V1.0.0.17	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	-	None	v1.1
FCS-3062	1.0.0.6	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.2
FCS-3071	L20100315N S	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v1.1
FCS-3071- V2	le20120905 NSA	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.6
FCS-3081	L20100820N S	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.8
FCS-3081- V3	le20120806 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-3091	2.0.0413	H.264 MJPEG	1	Camera	1600x1200	Y/Y	2/1	-	-	None	v1.11
FCS-3101	FCS-3101- ANC3211M- 1.0.1.3-08- 07	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.17
FCS-4010	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	4/1	-	Motion	None	v1.0
FCS-4020	0100a	MJPEG MPEG4	1	Camera	704x576	Y/Y	4/1	-	-	None	v1.1
FCS-4041	Refer to FCS- 4042(Le201 40113NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.2
FCS-4042	Le20140113 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.2
FCS-4101	FCS-4101- ANC3210M- 1.0.1.3-08- 07	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	Pan Tilt	Motion	None	v2.17
FCS-5011	0100c	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
FCS-5030	0102g	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-5041	V1.0.0.33	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Zoom	Motion	None	v1.8
FCS-5042	2.0.0.1	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/0	Zoom	Motion	None	v3.2
FCS-5051	L20100820N S	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.8
FCS-5051-V2	le20120806 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.5
FCS-5052	Refer to FCS- 3062(1.0.0. 6)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.2
FCS-5061	le20130117 NSA	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v2.17
FCS-5062	v1.0.0.2	H.264 MJPEG MPEG4	1	Camera	2952x1944	Y/Y	1/1	-	Motion	None	v2.11
FCS-6010	v1.0.0.9	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt	Motion	None	v1.17
FCS-7011	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-7111	0100a	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.1
SDK8	CFA- V6.07.23-L1	H.264 MJPEG	1	Fisheye Camera	3648x2736	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.9
WCS-0010	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.0
WCS-0020	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.0
WCS-0030	V1.0.0.7	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	None	v1.1
WCS-0040	v1.0.02	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	-	None	v1.8
WCS-0050	v1.0.0.36	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.0
WCS-1090	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	-	-	Supported by design	v1.0
WCS-2010 V1.0	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WCS-2010 V2.0	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
WCS-2030 V1.0	0200d	H.263	1	Camera	720x576	Y/N	-	-	Motion	None	v1.0
WCS-2030 V2.0	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
WCS-2030 V3.0	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
WCS-2040	0101b	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
WCS-2040 V3.0	0100b	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.1
WCS-2060	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
WCS-2070	0100b	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
WCS-6020	1.1.4.1	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	Motion	None	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WCS-6050	1.0.4.2	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt	Motion	None	v2.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPD112ESX	0.0.60	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v1.9
IPD2322	1.4.31p	H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.7
IPD552EX	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	-	Motion	None	v1.9
IPG1022ES	1.0.426	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.18
IPR320ESX	1.0.426	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	-	None	v1.18
IPR414/418ESX	0.0.60	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	-	None	v1.9
IPR458	0.3.54	H.264 MJPEG	1	Camera	720x576	N/N	-	-	Motion	None	v1.8
IPS025	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS030	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPS035	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS125	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS130	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS135	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS203	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS212	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
LD2222	1.4.31p	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.7



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LDW2010	260.0.0.1208100	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.8
LNB3100	Refer to LND5100(1796.0.0.1208060)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LNB5100	Refer to LND5100(1796.0.0.1208061)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LND3100	Refer to LND5100(1796.0.0.1208060)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LND5100	1796.0.0.1208060	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.5
LND7210	Refer to LNV7210R(2237.0.0.1405190)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.7
LND7210R	Refer to LNV7210R(2237.0.0.1405190)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.7
LND7300	1801.0.0.1303220	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Test by link	v2.15
LNP2800	Refer to LNP3700T(1286.0.0.1205140)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LNP2800I	Refer to LNP3700T(1286.0.0.1205141)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
LNP2810T	1890.0.1302150	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v2.15
LNP3700	Refer to LNP3700T(1286.0.0.1205140)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
LNP3700T	1286.0.0.1205140	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.5
LNU5100R	1954.0.0.1303110	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	Test by link	v2.15
LNU7210R	Refer to LNV7210R(2237.0.0.1405190)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.7
LNV5100R	1972.0.0.1303110	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	Test by link	v2.15
LNV5110	Refer to LND5100(1796.0.0.1208060)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LNV7210	Refer to LNV7210R(2237.0.0.1405190)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.7



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LNV7210R	2237.0.0.14 05190	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.7
LNV7300	Refer to LND7300(19 13.0.0.1304 220)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.15
LSW2010	Refer to LDW2010(26 0.0.0.12081 00)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.8
LSW900	Refer to LVW701(4.1. 1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LSW901	Refer to LVW701(4.1. 1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LVS201	385.0.0.120 8200	H.264 MJPEG	1	Camera	704x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.8
LVS301	Refer to LVS311(129. 1.0.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LVS311	129.1.0.111 0260	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v2.8
LVW700	Refer to LVW701(4.1. 1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LWV701	4.1.1.1110260	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.8
LWV900	Refer to LWV701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LWV901	Refer to LWV701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW130W	4097.0.0.120313	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.5
LW332	1026.0.0.1110260	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.5
LW335	Refer to LW332(1026.0.0.1110260)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW342	Refer to LW345(767.0.0.1207113)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW345	767.0.0.1207113	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v2.5
LW352	1030.0.0.111160	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.8



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LW355	Refer to LW352(1030.0.0.1111160)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.8
LW6324	Refer to LW332(1026.0.0.1110260)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW6354	Refer to LW332(1026.0.0.1110260)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW6424	Refer to LW345(767.0.0.1207114)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW6454	Refer to LW345(767.0.0.1207115)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW9226	774.0.0.1211150	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.8
LW9226I	Refer to LW9226(774.0.0.1211150)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW9228	Refer to LW9226(774.0.0.1211150)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW9228I	Refer to LW9226(774.0.0.1211150)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LW9422	1632.0.0.12 05030	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.5



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NCD-2003PR	51110.2.126 2.100	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.20
NMX-2003P	51110.2.126 2.100	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v2.20



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NCB855PRO	Refer to NCR875PRO(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.9
NCC800	AP_01-00-60-25B_MS03	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.9
NCR858	Refer to NCR878(AP_01-00-62-18_MS05)	H.264 MPEG4 MJPEG	1	Camera	2592x1944	Y/N	2/1	-	Motion	Supported by design	v2.20
NCR870	AP_01-00-62-18_MS00-01N	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.1
NCR875PRO	AP_01-00-60-25A_MS02	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.7
NCR878	AP_01-00-62-18_MS05	H.264 MPEG4 MJPEG	1	Camera	2592x1944	Y/N	2/1	-	Motion	None	v2.20
NDF820	Refer to NCR870(AP_01-00-62-18_MS00-01N)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
NDF821	Refer to NDR891(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
NDF821PRO	Refer to NCR875PRO(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NDF831	Refer to NDR891(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
NDF831PRO	Refer to NCR875PRO(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
NDR891	AP_01-00-60-25A_MS02	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.7
NDR891PRO	Refer to NCR875PRO(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
NIC910HPRO	None	H.264 MPEG4 MJPEG	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
NIC930HPRO	A1D-310-V4.08.05-NB	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.14
NIC950HPRO	A1D-310-V4.12.09-NB	H.264 MPEG4 MJPEG	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v2.9
NIC990	M.0.2.5	H.264 MJPEG	1	Camera	1920x1080	Y/N	6/1	Pan Tilt Zoom	Motion	None	v1.19



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
MS-C2872-FIPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2872-FPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2872-RFIPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2872-RFPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2962-RFIPB	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v18.11
MS-C2972-FIPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2972-FPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2972-RFIPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.12



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
MS-C2972-RFPB	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.12
MS-C2973-PB	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v18.11
MS-C2975-PB	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v18.11
MS-C2983-PB	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v18.11



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO302DN	DC Standard	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO310DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO332DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
HD-PRO350DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/IR	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/IR/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO351DN W/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO351DN W/IR/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO352DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO352DN W/IR	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO370DN WOUT	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
HD-PRO370W	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
HD-PRO392DN W/V	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO410DN W/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO410DN W/H-POE	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO518DN	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO610DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	Supported by design	v3.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO692DN W/V/IR	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO710DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO750DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO750DN W/IR	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO810DN W/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO810DN W/H/M	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO890	mw2014070 3NSA	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO890/O UT	mw2014070 3NSA	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For display mode, please set on the Mobotix web setting page first.

No support Audio from Camera when viedo format is MJPEG.

Using ExtIO, please set on the Mobotix web setting page first.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	MX-V4.1.9.29	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/Y	2/2	-	Motion	None	v2.19
D12D-IT	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
D12D-Sec	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	-	Supported by design	v1.0
D14D-Sec	MX-V4.1.0.2	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Test by link	v2.2
D15D-Sec	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v3.3
D15D-Sec-Dnight	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	None	v2.19
D15D-Sec-Night-Pano	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
D15D-Sec-Pano	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
D22M-Basic	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	2/2	-	-	Supported by design	v1.0



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For display mode, please set on the Mobotix web setting page first.

No support Audio from Camera when viedo format is MJPEG.

Using ExtIO, please set on the Mobotix web setting page first.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D22M-IT	MX-V3.4.0.9	MJPEG MxPEG	1	Camera	1408x576	Y/N	2/2	-	-	None	v1.0
D22M-Sec	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
D24M-Basic	None	MJPEG MxPEG	1	Camera	2560x1536	Y/N	-	-	-	Supported by design	v1.1
D24M-IT	None	MJPEG MxPEG	1	Camera	2560x1536	Y/N	2/2	-	-	Supported by design	v1.1
D24M-Sec	MX-V4.0.1.15	MJPEG MxPEG	1	Camera	2560x1536	Y/N	2/2	-	-	None	v1.1
M10D	M10-V2.2.2.17	MJPEG	1	Camera	1408x576	Y/N	-	-	-	None	v1.0
M12D-IT	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
M12D-Sec	MX-V3.4.0.9	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	-	None	v1.0
M12D-Web	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	-	Supported by design	v1.0



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For display mode, please set on the Mobotix web setting page first.

No support Audio from Camera when viedo format is MJPEG.

Using ExtIO, please set on the Mobotix web setting page first.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M15D-Sec	4.3.4.5	MJPEG MxPEG	1	Camera	3072x2048	Y/Y	2/2	-	Motion	None	v4.11
M15D-Sec-DNight	Refer to M15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	3072x2048	Y/Y	2/2	-	Motion	Supported by design	v2.19
M15M-Sec	Refer to M15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	3072x2048	Y/Y	2/2	-	Motion	Supported by design	v2.19
M22M-IT	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
M22M-Sec	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	-	Supported by design	v1.0
M24M-Sec	MX-V4.0.4.28	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Test by link	v2.3
Q22M-Basic	None	MJPEG MxPEG	1	Fisheye Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
Q22M-Sec	MX-V3.4.5.10	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/N	2/2	-	-	None	v1.0
Q24M-Sec	MX-V4.0.1.7	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/Y	-	-	-	None	v1.0



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

For display mode, please set on the Mobotix web setting page first.

No support Audio from Camera when viedo format is MJPEG.

Using ExtIO, please set on the Mobotix web setting page first.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q25M-Secure	MX-V4.1.10.35	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/Y	2/2	-	Motion	None	v3.4
S14D-Sec	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
S14D-Sec-Night	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
S14M-Sec	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
S15D-Sec	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	None	v3.3
S15M-Sec	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
S15M-Sec-Night	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
T25M-Secure	MX-V4.1.10.35	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/Y	2/2	-	Motion	None	v3.4



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
INC-2000BX	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
INC-2036BF	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
INC-2036DF	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
INC-2036DM	v2.0.0801.1002.139.0.132.0.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	None	v5.8
INC-2622BV	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
INC-2812BV	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
INC-2812DV	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HMNC100	00910	H.264	1	Camera	1280x720	N/N	-	-	-	None	v3.8
HMNC500	00910	H.264	1	Camera	1280x720	Y/N	-	-	-	None	v3.9

NetworkCamera

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AT-HK4A26LP R-ZS	V5.4.5	H.264 MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.12
ActivaPro	4.1.17.916	H.264 H.265 MJPEG	1	Camera	QXGA	Y/Y	8/2	Pan Tilt Zoom	Motion IVS	None	v5.14



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ENV-HBU5V-50R-20	IPC_G6103-B0009P30D1803C06	H.265 H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v21.2



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BL7314	v3.6.0804.1 004.260.0.1 0.5.1_20200618	H.264 H.265 MJPEG	1	Camera	2592x1520	1/1	1/1	-	Motion	Supported by design	v20.12

OEM

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N24320	01_C020	H.264 H.265 MJPEG	1	Fisheye Camera	2048x1520	Y/Y	1/1	-	Motion	Supported by design	v4.7
N24520	01_C013	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.6
N26210	M2.15.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v4.0
N26211	M2.15.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v4.0
N36210	03_C002	H.264 MJPEG	1	Camera	1920x1080	-	-	-	-	Supported by design	v4.0
N36220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	Supported by design	v4.12
N36320	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1520	-	-	-	Motion	Supported by design	v4.2
N36520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	-	-	-	Motion	Supported by design	v4.10
N37320	M3.1.5.17	H.264 MJPEG	1	Camera	1920x1080	N/Y	2/2	-	Motion	Supported by design	v4.0

OEM

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N37510	M3.1.5.19	H.264 MJPEG	1	Camera	2560x1920	Y/Y	2/2	-	Motion	Supported by design	v4.0
N38210	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.0
N38220	01_C013	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.0
N38520	01_C028	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.5
N74210	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.0
N74211	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.0
N74320	01_C014	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v4.8
N74520	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.9
N76210	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	-	Supported by design	v4.0

OEM

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N76220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	Supported by design	v4.12
N76320	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.2
N76520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
N77320	M3.1.5.21	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v4.0
N77510	M3.04.15.C0 1	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.0
N78210	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.0
N78220	01_C030	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.0
N78520	01_C028	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

1. Version 1.02 can be backward compatible to version 1.01.

2. ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software.

3. Not Support Flip/Mirror.

4. Not Support Hue.

To confirm the compatibility, it is recommended to execute testing prior to any further usage.

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AXIS	P3301	5.11	MJPEG H.264	1	Camera	768x576	Y/Y	1/1	-	Motion	None	v1.2
BASLER	BIP2-1600-25c-dn	3.14.1	MJPEG H.264	1	Camera	1600x1200	N/N	-	-	-	None	v3.9
Note:	1. The I/O number is 0 in onvif/onvif. (Camera Firmware issue) 2. Only one stream profile in onvif/onvif (Camera Firmware issue) 3. Not support MPEG4 in onvif/onvif (Camera Firmware issue) 4. Not support motion. (Camera Firmware issue) 5. Not support audio but software shows enable/disabe audio option. (Camera Firmware issue) 6. The list of camera Resolution isn't synchronized with the one on camera's web. (Camera Firmware issue) 7. Cannot connect video when FPS >= 2. (Camera Firmware issue) 8. The list of camera Framerate isn't synchronized with the one on camera's web. 9. Not support http but software shows http option at protocol setting. (NUUO software limitation) 10. Cannot connect video streaming if RTSP port is changed. (Camera Firmware issue)											
Canon	VB-H41	Ver 1.0.0(Build Number: 2483:50)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	-	None	v3.6
Note:	1. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 2. Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation) 3. Snapshot does not support. (NUUO server limitation)											
D-link	DCS-C43W-20F/B02	V4.0.2.R1 1.000005 23.12010	H.264	1	Camera	1280x720	N/N	-	-	Motion	None	v3.5



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

1. Version 1.02 can be backward compatible to version 1.01.
2. ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software.
3. Not Support Flip/Mirror.
4. Not Support Hue.

To confirm the compatibility, it is recommended to execute testing prior to any further usage.

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
											<p>Note:</p> <ol style="list-style-type: none"> 1. Some resolution of 2nd stream cannot to be set. (Camera Firmware issue) 2. 3rd stream cannot use. (Camera Firmware issue) 3. Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation) 4. Due to Onvfi restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 5. Camera cannot support connection via HTTP. 	
HiStream	HH9803C-L16	2.3.1.4.0.22	MJPEG H.264	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
											<p>Note:</p> <ol style="list-style-type: none"> 1. Camera only support H.264 and MJPEG, but it responds that it can support H.264 and MJPEG and MPEG4. (Camera Firmware issue) 2. Due to Onvfi restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue) 4. DI/DO/MD's status cannot get from camera. (Camera Firmware issue) 5. Camera cannot support connection via HTTP. 	
Jetstor	JV-OSD0200-X20	V6.04.01-CGBO24200-140808	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	None	v3.8



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

- 1. Version 1.02 can be backward compatible to version 1.01.**
- 2. ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software.**
- 3. Not Support Flip/Mirror.**
- 4. Not Support Hue.**

To confirm the compatibility, it is recommended to execute testing prior to any further usage.

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Note:	1. Camera cannot respond valid status of motion detection. (Camera Firmware issue) 2. Camera cannot support connection via HTTP. 3. Camera is unable to achieve maximum FPS. (Camera Firmware issue)											
LILIN	IPS518	1.2.02	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.13
Note:	1. The range of bitrate and frame rate may be different from what camera web shows. (Camera Firmware issue) 2. Image setting, digital input, talk and motion detection do not function. (Camera Firmware issue) 3. Zoom and focus do not function normally. (Camera Firmware issue) 4. Video settings may not be synchronized to camera web. (Camera Firmware issue) 5. Audio is not available under TCP and UDP. (Camera performance limitation) 6. Autodetection and camera search do not function. (Generic model) 7. The camera supports 4 streams, while only 3 streams could be displayed. (NUUO server limitation) 8. Some frame rates and bit rates cannot be set. (ONVIF limitation) 9. Dependency between frame rate and bitrate is not shown. (ONVIF limitation) 10. Flip and mirror are not supported. (ONVIF limitation)											
ONVIF	ONVIF 17.06	v3.4.0804 .1003.3.0 .83.0.0	H.265 H.264 MJPEG	1	Camera	2536x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v5.11



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

1. Version 1.02 can be backward compatible to version 1.01.
2. ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software.
3. Not Support Flip/Mirror.
4. Not Support Hue.

To confirm the compatibility, it is recommended to execute testing prior to any further usage.

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Note:	<p>Support generic dwarf Test by IPR57/41ACDN/Z/13 in DP v5.11.(FW : v3.4.0804.1003.3.0.83.0.0) 1. Motion detection is not supported on MJPEG. (Camera performance limitation) 2. Not support PTZ (Camera Firmware issue) 3. The result of camera search is wrong. (NUUO server limitation)</p>											
Qihan	QH-NV431	v2.3.8.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v3.4
Note:	<p>1. Due to Onvif restriction, some bit rates cannot be set. (ONVIF limitation) 2. 2nd or 3rd stream cannot be connected when 1st stream under high bitrate. (Camera performance limitation)</p>											
Stanley	1310-F	NSD-1.0.9.58	H.264	1	Camera	1280x720	N/N	-	-	Motion	None	v3.4
TVT	TD9422M	3.4.0Beta6	H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.5



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

- 1. Version 1.02 can be backward compatible to version 1.01.**
- 2. ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software.**
- 3. Not Support Flip/Mirror.**
- 4. Not Support Hue.**

To confirm the compatibility, it is recommended to execute testing prior to any further usage.

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Note:	1. Camera only support H.264, but it responds that it can support H.264 and MJPEG. (Camera Firmware issue) 2. Camera cannot respond valid status of motion detection. (Camera Firmware issue) 3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue) 4. Camera cannot support audio with a-law. (ONVIF limitation) 5. Camera cannot support connection via HTTP.											
Tyco	ADVEIPSD37AH	V1.04_STD-1	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
Note:	1. Camera only support H.264, but it responds that it can support H.264 and MJPEG. (Camera Firmware issue) 2. Camera cannot respond valid status of motion detection. (Camera Firmware issue) 3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue) 4. Camera cannot support audio with a-law. (ONVIF limitation) 5. Camera cannot support connection via HTTP.											
Wapa	BL-C7HA108 OIL-T18	V6.03.05-CGBO24200-1210	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	-	None	v3.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

1. Version 1.02 can be backward compatible to version 1.01.

2. ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software.

3. Not Support Flip/Mirror.

4. Not Support Hue.

To confirm the compatibility, it is recommended to execute testing prior to any further usage.

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
------------	-------------	-----------------	--------------	----------	-------------	----------------	--------------	--------	-----	--------------	---------	--------------------

Note:

1. Due to Onvif restriction, some bit rates cannot be set. (ONVIF limitation)
2. Framerate setting has no effect on streaming. (Camera Firmware issue)



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP36MDOM 3MPX	1.0.0.5 20160727	H.264	1	Camera	2048x1536	Y/Y	-	-	Motion	None	v5.3



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v1.80	H.265 H.264	1	Camera	2048x1536	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v18.5
Note:	1. Tested by WV-S6131 (FW: 1.80)										
BB-HCE481	None	MJPEG	1	Camera	640x480	Y/Y	2/1	-	Motion	Supported by design	v1.0
BB-HCM100	None	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.2
BB-HCM110	None	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.2
BB-HCM311	None	MJPEG	1	Camera	640x480	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
BB-HCM331	1.3	MJPEG	1	Camera	640x480	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-HCM371	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM381	1.32	MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
BB-HCM403	None	MJPEG	1	Camera	640x480	Y/Y	2/1	-	Motion	Supported by design	v1.0
BB-HCM511	3.20R01	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	-	Motion	None	v1.0
BB-HCM515	3.14R01	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	-	Motion	None	v1.0
BB-HCM527	3.51R00	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	-	Motion	None	v1.0
BB-HCM531	3.51R00	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	-	Motion	None	v1.0
BB-HCM547	3.60R00	H.264 MJPEG	1	Camera	640x480	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v1.3
BB-HCM580	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	-	Motion	Supported by design	v1.2

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-HCM581	3.21R00	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
BB-HCM701	4.30R00	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.3
BB-HCM705	4.30R00	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/0	-	Motion	None	v1.1
BB-HCM715	4.30R00	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.1
BB-HCM735	4.30R00	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.1
BB-HCS301	None	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
BB-SC364	4.32	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v5.6
BB-SC382	Refer to BB-SC384B(V4.63)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
BB-SC384B	V4.63	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v5.4

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-ST162	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v2.17
BB-SW172	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v2.17
BB-SW374	Refer to BB-SC364(4.32)	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
BL-C1	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
BL-C10	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
BL-C101	3.52R00	MJPEG MPEG4	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.0
BL-C111	3.10R01	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
BL-C121	3.52R00	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
BL-C131	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BL-C140	3.51	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.2
BL-C160	3.51R01	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
BL-C20	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
BL-C210	4.31R00	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.7
BL-C230	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.7
BL-C30	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
BL-VP101	1.67	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Test by link	v2.16
BL-VP104	1.81	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v2.16
BL-VP104W	Refer to BL-VP104(1.81)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.17

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BL-VT164	1.66	H.264 MJPEG	1	Camera	1280x720	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v2.16
BL-VT164W	Refer to BL-VT164(1.66)	H.264 MJPEG	1	Camera	1280x720	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v2.17
DG-GXE100	2.02	H.264	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.0
DG-GXE500	1.6	H.264	4	Video Server	720x480	Y/Y	3/2	Pan Tilt Zoom	Motion	Test by link	v4.0
DG-NF284	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NF302	1.5	MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.0
DG-NP240	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
DG-NP244	1.70J2	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
DG-NP304	1.5	MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	None	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DG-NS202	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NS202A	2.60J3	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NS950	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NS954	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NW960	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NW964	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-SC385	Refer to WV-SC385(1.61)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v2.18
DG-SF132	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
DG-SF334	1	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.11

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DG-SP102	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
DG-SW155	Refer to SW-155/M(1.06)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.8
K-EF134L	V2.42	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v4.1
K-EW114L	2.420.PS00.0.T, build:2014-09-19	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v4.1
KX-HCM110	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
KX-HCM280A	None	MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
WJ-GXE100	2.50	H.264 MJPEG	1	Video Server	720x480	N/N	N/N	Zoom	Motion	None	v19.6
WJ-GXE500	2.50	H.264 MPE4	4	Video Server	720x480	Y/Y	N/N	Zoom	Motion	None	v19.7
WJ-NT304	1.04	MJPEG MPE4	4	Video Server	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WJ-NT314	None	MJPEG MPEG4	4	Video Server	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.0
WV-NF284	v1.02	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.0
WV-NF302	1.40E4_1.06	MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	None	v1.0
WV-NM100	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
WV-NP1000	None	MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.0
WV-NP1004	1.21	MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.0
WV-NP240	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
WV-NP244	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
WV-NP304	1.50E5_1.06	MJPEG MPEG4	1	Camera	1280x	Y/Y	-	-	Motion	None	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-NP472	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
WV-NP502	1	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	-	-	Motion	None	v1.0
WV-NS202	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
WV-NS202A	2.6	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
WV-NS324	2.01	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.0
WV-NS950	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
WV-NS954	1.06E0	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
WV-NW484	160000	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.7
WV-NW502S	1.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	-	-	Motion	None	v1.0

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-NW960	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
WV-NW964	1.40E3	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
WV-S2110RJ	v1.80	H.265 H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	-	None	v18.4
WV-S2111L	v1.80	H.265 H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	-	Motion	None	v18.4
WV-S6110	v1.35	H.265 H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v18.3
WV-S6111	4.11	H265 H264 MJPEG	1	Camera	1280x720	Y/Y	3/0	Pan Tilt Zoom	Motion	None	v19.12
WV-S6130	v1.80	H.265 H.264	1	Camera	2048x1536	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v18.5
WV-S6131	v1.80	H.265 H.264	1	Camera	2048x1536	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v18.5
WV-SC384	Refer to WV-SC385(2.1)	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.18

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SC385	2.50	H264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v20.3
WV-SC386	1.44	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1
WV-SC588	2.43	H.264	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v5.9
WV-SC588A	Refer to WV-SC588(2.43)	H.264	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.9
WV-SF132	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
WV-SF135	Refer to SW-155/M(1.06)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.17
WV-SF332	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.7
WV-SF335	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.7
WV-SF336	1.03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	None	v1.7

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SF342	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.11
WV-SF346	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.11
WV-SF438	1.04	H.264 MJPEG	1	Fisheye Camera	2048x1536	Y/Y	3/1	-	Motion	None	v2.17
WV-SF539	1.6	H.264	1	Camera	1920x1080	Y/Y	3/1	-	Motion	Test by link	v4.0
WV-SFN310	v1.71	H.264	1	Camera	1280x960	Y/N	3/1	-	Motion	None	v3.13
WV-SFN310J	Refer to WV-SFN310(v1.71)	H.264	1	Camera	1280x960	Y/N	3/1	-	Motion	Supported by design	v3.13
WV-SFN311	Refer to WV-SFN310(v1.71)	H.264	1	Camera	1280x960	Y/N	3/1	-	Motion	Supported by design	v3.13
WV-SFV481	1.12	H.264	1	Camera	2992x2992	Y/Y	3/1	-	Motion	None	v4.2
WV-SFV611L	Refer to WV-SFV631L(1.83)	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SFV631L	1.83	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2
WV-SFV631LT	Refer to WV-SFV631L(1.83)	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2
WV-SP102	1.81	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Test by link	v2.17
WV-SP105	1.61	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.10
WV-SP302	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	Supported by design	v1.7
WV-SP305	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	Supported by design	v1.7
WV-SP306	1.03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	None	v1.7
WV-SP508	1.05	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.1
WV-SP509	1.07	H.264 MJPEG	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v2.1

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SPN311	v1.71	H.264	1	Camera	1280x720	Y/Y	3/1	-	Motion	None	v4.0
WV-SPN631	Refer to WV-SFV631L(1.83)	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2
WV-SPW631L	Refer to WV-SFV631L(1.83)	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2
WV-ST162	1.81	H.264 MJPEG	1	Camera	800x600	N/N	-	Pan Tilt Zoom	Motion	Test by link	v2.17
WV-ST165	1.44	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1
WV-SW152/M	Refer to SW-155/M(1.06)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.17
WV-SW155	2.02	H.264	1	Camera	1280x720	N/N	3/1	-	Motion	Test by link	v4.0
WV-SW155/M	1.06	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.17
WV-SW158	1.07	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v3.11

-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SW172	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v2.17
WV-SW174W	1.81	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v3.1
WV-SW175	Refer to WV-ST165(1.44)	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1
WV-SW314	Refer to WV-SW316L(1.46)	H.264 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v2.1
WV-SW316	1.46	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v2.1
WV-SW316L	1.46	H.264 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v2.1
WV-SW352	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.13
WV-SW355	1.01	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v1.13
WV-SW395	Refer to WV-SC385(2.1)	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.18



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SW396	1.44	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v2.0
WV-SW458	1.6	H.264	1	Camera	1920x1080	Y/Y	3/1	-	Motion	None	v4.0
WV-SW558	Refer to WV-SP509(1.07)	H.264 MJPEG	1	Camera	640x480	N/N	3/1	-	Motion	Supported by design	v2.1
WV-SW559	Refer to WV-SP509(1.07)	H.264 MJPEG	1	Camera	640x480	Y/Y	3/1	-	Motion	Supported by design	v2.1
WV-SW598	2.07	H.264	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v4.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D5118	1.6.13.9310 -A1.4567	H.264 MJPEG	1	Camera	1280x960	N/N	-	Pan Tilt Zoom	Motion	None	v1.13
D5220	1.8.3.8- 20121119.9 320-A1.8615	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v2.20
IBPS110- ER	03.29.59	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Zoom	Motion	Test by link	v4.15
ID10	None	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	-	Supported by design	v1.5
ID30	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	Supported by design	v1.5
IDE20	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	Supported by design	v1.5
IDS0	None	H.264 MJPEG MPEG4	1	Camera	800x608	Y/N	1/1	-	-	Supported by design	v1.5
IE10	None	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	-	Supported by design	v1.5
IE30	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	Supported by design	v1.5



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IEE10	None	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	-	Supported by design	v1.5
IEE20	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	Supported by design	v1.5
IES0	None	H.264 MJPEG MPEG4	1	Camera	800x608	Y/N	1/1	-	-	Supported by design	v1.5
IL10	1.8.2.4.8310-03.9119	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	-	None	v2.20
IM10	1.8.2.18-20121109-1.8272-01.8	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v2.20
IMPS110-1	03.29.59	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Zoom	Motion	Test by link	v4.15
IMS0	None	H.264 MJPEG MPEG4	1	Camera	800x608	Y/N	1/1	-	-	Supported by design	v1.5
IP110	01.02.0006	MPEG4 MJPEG	1	Camera	704x576	N/N	-	-	-	None	v1.19
IX10	None	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	-	None	v1.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IX30	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	Supported by design	v1.5
IXE20	1.6.4.9081	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	-	None	v1.5
IXS0	1.4.9.9080	H.264 MJPEG MPEG4	1	Camera	800x608	Y/N	-	-	-	None	v1.5
SpectralIV-IP	01.02.0006	MPEG4 MJPEG	1	Camera	704x576	N/N	-	-	-	None	v1.19

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PBY-H626A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7926A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7926AM	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7982	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7982M	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H79882	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7A26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7A82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7A855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PBY-H7B82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7B82M	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7B882	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HB26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HB855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HC26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HC855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HD26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HD855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PBY-HH26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HH855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HK26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HK855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HL26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HL26AM	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HL82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HL882	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HMi855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10

-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PBY-HNi855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HP82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HQ26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HQ855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HS26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HS855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HV26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-Hi26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-Hi26AM	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PBY-Hi82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-Hi82M	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-Hi882	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10

Probe

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PIC-H2010	v1.0.4_20121029	H.264	1	Camera	1920x1088	Y/N	1/1	-	Motion	None	v2.9
PID-H1300	v1.0.1_20121005	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.9
PIN-H1310	v1.0.0_20120627	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.4
PMI-H2000	v1.0.2_20120906	H.264 MJPEG	1	Camera	1920x1088	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
QSS2224SR 5-DPF40-B	Refer to QSS3634ER 3-DPZ28 (FW: IPC_G6102- B5018P10D1 711)	H.265 H.264 MJPEG	1	Camera	2592x1520	N/N	-	-	Motion / Record	Supported by design	v18.5
QSS2324EB R-DPZ28	IPC_Q1201- B5022P10D1 711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v18.7
QSS314SR- DVPF28	IPC_G6102- B5018P21D1 711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	-	-	Motion	None	v18.6
QSS3234SR 3-DVZ28	IPC_Q1201- B5022P10D1 711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v18.7
QSS3614SR 3-DPF28M	Refer to QSS314SR- DVPF28 (FW: IPC_G6102- B5018P21D1 711)	H.265 H.264 MJPEG	1	Camera	2560x1440	Y/Y	-	-	Motion	Supported by design	v18.6
QSS3634ER 3-DPZ28	IPC_G6102- B5018P10D1 711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	Zoom	Motion	None	v18.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmwar e	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v1.8.0601 .1001.11 0.0.36.1. 0	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.8

Note:	<p style="text-align: center;">Support generic dewarp</p> <ol style="list-style-type: none"> 1. Audio in with Raw PCM codec are not supported.(Camera Firmware issue) 2. Home function are not supported. (Camera Firmware issue) 3. The streaming has broken under MJPEG format.(Camera Firmware issue) 4. Due to Onvif restriction, some frame rate and bit rates cannot be set.(Camera performance limitation)
-------	---



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
C6475	2	MJPEG MPEG4	1	Camera	704x480	N/N	-	Pan Tilt Zoom	-	None	v1.0
PNV-9080R	4.00_20061 7	H.264 H.265 MJPEG	1	Camera	4096x2160	Y/Y	1/1	-	Motion	Test by link	v20.12
QNV-7080R	1.00_16081 9	H.264 H.265	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Test by link	v5.9
SNB-1000	1.07_11040 7	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	-	None	v1.17
SNB-1001	1.00_11122 6	H.264 MJPEG	1	Camera	640x480	Y/Y	1/0	-	Motion	Test by link	v2.2
SNB-2000	None	H.264 MJPEG MPEG4	1	Camera	720x576	N/N	2/2	-	-	Supported by design	v1.2
SNB-3000	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	-	Supported by design	v1.2
SNB-3002	Refer to SND- 3082/F(2.10 _130416)	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	Motion	Supported by design	v2.18
SNB-5000	3_24_14070 1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v4.14



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNB-5000A	Refer to SND-5080/F(3.10_130416)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.16
SNB-5001	1.00_12052_1	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8
SNB-5003	1.12_13103_1	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v3.0
SNB-5004	3.00_14090_3	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.1
SNB-6003	Refer to SND-6083(1.00_130412)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.14
SNB-6004	3.01_14080_4	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v3.10
SNB-7000	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	Supported by design	v1.13
SNB-7001	Refer to SND-7011(1.00_120601)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v2.7
SNB-7002	1.06_13040_2	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.16



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNB-7004	3.00_140915	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.0
SNC-B2315	2.11	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0
SNC-B2331	1	H.264 MJPEG MPEG4	1	Camera	720x576	N/N	2/2	-	Motion	None	v1.0
SNC-B2335	1.01	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0
SNC-B5368	1	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0
SNC-B5395	2.1	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0
SNC-B5399	1.01	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0
SNC-C6225	1.01	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.0
SNC-C7225	1.01	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.0



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-C7478	1.01_090625	MJPEG MPEG4	1	Camera	720x576	Y/Y	8/4	Pan Tilt Zoom	Motion	None	v1.0
SNC-M300	2.11_090729	MJPEG MPEG4	1	Camera	2048x1536	Y/Y	2/2	-	Motion	None	v1.0
SND-1011	1.00_111226	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Test by link	v2.2
SND-1080	1.00_111226	H.264 MJPEG	1	Camera	640x480	Y/Y	1/0	-	Motion	Test by link	v2.2
SND-3080	None	H.264 MJPEG MPEG4	1	Camera	720x576	N/N	2/2	-	-	Supported by design	v1.2
SND-3082	Refer to SND-3082/F(2.10_130416)	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	Motion	Supported by design	v2.18
SND-3082/F	2.10_130416	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	Motion	None	v2.16
SND-5010	1.00_120626	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.9
SND-5011	1.00_120521	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SND-5061	1.00_12052 1	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8
SND-5080/F	3.10_13041 6	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.16
SND-5083	Refer to SNB- 5004(1.12_1 31031)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
SND-5084	Refer to SNB- 5004(1.12_1 31031)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
SND-6011R	1.11_13101 1	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Test by link	v3.2
SND-6083	1.00_13041 2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.16
SND-6084	3.01_14080 4	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Test by link	v3.10
SND-6084R	Refer to SNB- 6004(1.00_1 30316)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
SND-7011	1.00_12060 1	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	None	v2.7



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SND-7061	Refer to SND-7011(1.00_120601)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v2.7
SND-7080	1.00_110319	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	None	v1.17
SND-7082	1.00_120824	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.7
SND-7082/F	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.16
SND-L6013R	Refer to SNO-L6083R(1.00_150403)	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v4.8
SNF-7010V	1.00_130806	H.264 MJPEG	1	Fisheye Camera	2048x1536	Y/Y	-	-	Motion	None	v2.18
SNF-8010	1.00_140719	H.264	1	Fisheye Camera	2560x2048	Y/Y	1/1	-	Motion	Test by link	v4.7
SNO-1080R	1.00_120125	H.264 MJPEG	1	Camera	640x480	Y/Y	1/0	-	Motion	Test by link	v2.2
SNO-5080R	3.10_130416	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v2.16



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNO-6011R	Refer to SND-6011R(1.11_131011)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v3.5
SNO-6084	Refer to SND-6083(1.00_130412)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
SNO-6084R	Refer to SNB-6004(1.00_130316)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
SNO-7080R	2.00_121004	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Test by link	v3.2
SNO-7082R	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.16
SNO-7084R	3.00_140915	H.264	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Test by link	v4.11
SNO-L6013R	Refer to SNO-L6083R(1.00_150403)	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v4.8
SNO-L6083R	1.00_150403	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.7
SNP-3120V	1.22_110603	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.17



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNP-3301	1.21_110310	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.13
SNP-3302/H	Refer to SNP-3371/H/TH(1.01_111104)	H.264 MJPEG MPEG4	1	Video Server	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.1
SNP-3370	1.21_110310	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.17
SNP-3371/H/TH	1.01_111104	H.264 MJPEG MPEG4	1	Video Server	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v2.0
SNP-3430H	1.07_110324	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	8/4	Pan Tilt Zoom	Motion	None	v1.17
SNP-5200/H	1.00_110309	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v1.17
SNP-5300	1.10_130523	H.264 MJPEG	1	Camera	1280x1024	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v2.17
SNP-6200	1.00_130703	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v2.17
SNP-6200H	Refer to SNP-6200(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNP-6200HP	Refer to SNP-6200(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200P	Refer to SNP-6200(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200RH	3.02_14072_2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.11
SNP-6320H	1.01_14100_7	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.10
SNV-1080	Refer to SNO-1080R(1.00_120125)	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Supported by design	v2.2
SNV-1080R	Refer to SNO-1080R(1.00_120125)	H.264 MJPEG	1	Camera	640x480	Y/Y	1/0	-	Motion	Supported by design	v2.2
SNV-3080	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	-	Supported by design	v1.2
SNV-3082	Refer to SND-3082/F(2.10_130416)	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	Motion	Supported by design	v2.18
SNV-3120	1.20_10122_1	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	-	Zoom	-	None	v1.11



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNV-5010	2.00_110608	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.17
SNV-5080	Refer to SND-5080/F(3.10_130416)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.16
SNV-5080R	3.10_130416	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.16
SNV-5084	Refer to SNB-5004(1.12_131031)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
SNV-6012M	1.00_130704	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Test by link	v3.1
SNV-6084	Refer to SND-6083(1.00_130412)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
SNV-6084R	Refer to SNB-6004(1.00_130316)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
SNV-7080	1.00_110319	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	Test by link	v1.17
SNV-7080R	Refer to SNO-7080R(2.00_121004)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Supported by design	v3.2



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNV-7082	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.16
SNV-L6083R	1.00_150403	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.8
SNZ-5200	1.02_110603	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Zoom	Motion	None	v1.17
SPE-100	v1.19 110317 3	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.19
SPE-400	1.40_120201	H.264 MJPEG MPEG4	4	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v2.0
XNB-8000	1.01_170520	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v5.12
XND-6080	1.01_170520	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.12
XND-6080R	1.01_170520	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.12
XND-6080RV	1.01_170520	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.12



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
XND-6080V	1.01_17052 0	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.12
XNO-8080R	1.01_17052 0	H.265 H.264	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Test by link	v5.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-100PBIA	2.400.BW00.0.T, build : 2015-10-22	H.264 MJPEG	1	Camera	1280x960	Y/Y	-	-	Motion	None	v4.10
SNC-200PDIA	2.210.BW00.8.R	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.10
SNC-211FDIA	Refer to SNC-200PDIA(V2.210.BW00.8.R.20151124)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.12
SNC-211RSIA	2.210.BW01.0.R.A.2017.3N.NR, build : 2015-04-09	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v4.1
SNC-231RZNA	2.400.BW06.0.R.T1.484, build : 2016-01-13	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	None	v4.11
SNC-311FBIF	Refer to SNC-311FEIF(V2.420.BW00.0.T.20150213)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.0
SNC-311FEIF	V2.420.BW00.0.T.20150213	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.0
SNC-311RBIA	V2.420.BW00.0.T.20150213	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	None	v4.0



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-311RDIA	Refer to SNC-311RBIA(V2.420.BW00.0.T.20150213)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	-	Motion	Supported by design	v4.0
SNC-311RINA	Refer to SNC-311RBIA(V2.420.BW00.0.T.20150213)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	-	Motion	Supported by design	v4.0
SNC-3302	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.20
SNC-3303	v1.0.3.454	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	None	v3.3
SNC-3305	1.0.2.386	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v2.19
SNC-331DLNN	V2.400.BW00.0.R	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v4.4
SNC-3322	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.20
SNC-3342	v1.0.0.11	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v2.4
SNC-3901MDN	3.5	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-3903M	0.9.6.6	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	-	Test by link	v1.11
SNC-390DN/W	1.5	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.1
SNC-4302	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.20
SNC-431FBIF	V2.400.BW0 0.0.R.20160 324	H.264 MJPEG	1	Camera	2688x1520	N/N	-	-	Motion	Test by link	v4.15
SNC-431FEIF	Refer to SNC- 431FBIF(2.4 00.BW00.0. R, build : 2016-03-24)	H.264 MJPEG	1	Camera	2688x1296	N/N	-	-	Motion	Supported by design	v4.16
SNC-431RBIA	Refer to SNC- 100PBIA(2.4 00.BW00.0.T , build : 2015-10-22)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v4.12
SNC-431RDIA	Refer to SNC- 100PBIA(2.4 00.BW00.0.T , build : 2015-10-22)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v4.12
SNC-431RLNN	Refer to SNC- 331DLNN(V2 .400.BW00.0 .R, build : 2015-7-27)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-4323IR	Refer to SNC-6323IRH(v1.0.3.454)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v3.3
SNC-441FBIFe	Refer to SNC-441RBIAe(2.460.BW01.1 3.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v18.12
SNC-441FDIF	Refer to SNC-441RBIAe(2.460.BW01.1 3.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v18.12
SNC-441FEIF	Refer to SNC-441RBIAe(2.460.BW01.1 3.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v18.12
SNC-441FINF	Refer to SNC-441RBIAe(2.460.BW01.1 3.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v18.12
SNC-441RBIAe	2.622.00BW 000.0.R, Build Date: 2018-05-04	H.265 H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Test by link	v18.9
SNC-441RDIAe	2.622.00BW 000.0.R, Build Date: 2018-05-04	H.265 H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Test by link	v18.7



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-441RLNN	Refer to SNC-441RBI Ae(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v18.12
SNC-5211MIR	3.1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	-	None	v1.3
SNC-521IR/W	1.5	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	None	v1.1
SNC-5312IR	Refer to SNC-6312IRH(1.0.2.386)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v2.19
SNC-5315IR	Refer to SNC-6315IRH(1.0.2.386)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v2.19
SNC-5321MIR	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	-	Supported by design	v1.11
SNC-5323IRH	Refer to SNC-6323IRH(v1.0.3.454)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v3.3
SNC-565IR/W	1.5	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Zoom	-	None	v1.1
SNC-6163ID	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	-	Supported by design	v1.11



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-620/W	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.1
SNC-6201M	3.1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	-	None	v1.3
SNC-6202	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.20
SNC-6212IR	Refer to SNC-6312IRH(1.0.2.386)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v2.19
SNC-6302	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.20
SNC-6303	Refer to SNC-3303(v1.0.3.454)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v3.3
SNC-6303M	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	-	Supported by design	v1.11
SNC-6312IRH	1.0.2.386	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.19
SNC-6315IRH	1.0.2.386	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	None	v2.19



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-6323IRH	v1.0.3.454	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v3.3
SNC-6332	1.0.0.10	H.264 MJPEG	1	Camera	1600x1200	Y/Y	4/1	-	Motion	None	v2.1
SNC-670ID/W	1.3	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.1
SNC-831DBIA	2.400.BW00.8.R, build : 2016-08-15	H.264 MJPEG	1	Camera	4000x3000	Y/Y	2/1	Zoom	Motion	Supported by design	v18.2
SNC-8322I/HO	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.20
SNC-841DBIAe	Refer to SNC-441RBI Ae(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v18.12
SNC-841DDIAe	Refer to SNC-441RBI Ae(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v18.12
SNC-P3601M	3.5	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.4



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-P3603M	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	-	Supported by design	v1.11
SVS-3001	None	H.264 MJPEG	1	Camera	720x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.19



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FBN-D101N	v1.0.1_2012 1005	H.264 MJPEG	1	Camera	1280x720	Y/	1/1	-	Motion	Supported by design	v3.8
FBN-D101P	v1.0.1_2012 1005	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.8
PSN-1012N	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
PSN-1012P	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
PSSN-1012N	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
PSSN-1012P	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
RIN-0012N	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
RIN-0012P	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
0200-0300-30	v5.3.10 build 170418	MPEG4 H264	1	Camera	1920*1088	Y/Y	7/2	Pan Tilt Zoom	Motion	Test by link	v18.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Shany all series don't support Home feature, has B/W image with very low quality value in MJPEG codec.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-10XX	Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002EE)	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
SNC-20XX	Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002EE)	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
SNC-21X0	SHANY gWT510971 5NO0001 V21 110922FF	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	-	Test by link	v1.16
SNC-21XX	SHANY gWT813003 5NO0001 V21 110915FF	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
SNC-22XX	SHANY gWT820271 5NO0001 V21 110922FF	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	-	Test by link	v1.16
SNC-23XX	SHANY gWT830003 6NO0001 V21 110915FF	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
SNC-81XX	Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002EE)	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
SNC-91XX	SHANY gWT8SD823 6SE0000 V21 111002EE	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Test by link	v1.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Shany all series don't support Home feature, has B/W image with very low quality value in MJPEG codec.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-D1XX	Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002EE)	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
SNC-HD2XX	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
SNC-HD81X2	SHANY gWT820102 2SE0001 V21 110915FF	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt Zoom	-	None	v1.16
SNC-HD91X2	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
SSC-RX01N	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15

SONY.

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	1.7.0	H.264 MJPEG	1	Fisheye Camera	1920x1080	Y/Y	2/2	-	Motion	None	v2.17
Note:	<p>Support generic dewarp Support G6 model. In certain scenarios i.e. under high frame rate and resolution with multiple stream condition, camera might have limitation by bandwidth specification. For further information, please visit Sony A&E Portal: https://www.security.sony.biz/ssp/ae/homeDisplay.do</p>										
SNC-CH110/B	1.22.00	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v1.8
SNC-CH110/S	1.22.00	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v1.8
SNC-CH120	1.8	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/0	-	Motion	Test by link	v2.18
SNC-CH140	1.07.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/2	-	Motion	None	v1.3
SNC-CH160	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	Zoom	Motion	None	v3.7

SONY

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-CH180	1.10.03	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	1/2	-	Motion	Test by link	v1.3
SNC-CH210/B	1.78.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.11
SNC-CH210/S	1.78.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.11
SNC-CH220	1.21.02	H.264 MJPEG MPEG4	1	Camera	1920x1440	N/N	1/1	-	Motion	None	v1.8
SNC-CH240	1.10.01	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.3
SNC-CH260	1.78.00	H.264 MJPEG MPEG4	1	Camera	1920x1440	N/N	1/1	Zoom	Motion	None	v2.11
SNC-CH280	1.26.01	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/Y	1/2	Zoom	Motion	None	v1.9
SNC-CM120	1	MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.11
SNC-CS10	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.11

SONY

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
 Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-CS11	1.05	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.11
SNC-CS20	1	MJPEG MPEG4	1	Camera	768x576	Y/Y	1/2	-	Motion	None	v1.11
SNC-CS3	None	MJPEG	1	Camera	736x480	N/N	1/2	-	Motion	Supported by design	v1.11
SNC-CS50	2.21	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	-	Motion	None	v1.11
SNC-CX600W	1.7.0	H.264 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v2.17
SNC-DF40	1.17	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.11
SNC-DF50	1.11	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/2	-	Motion	None	v1.11
SNC-DF70	1.17	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.11
SNC-DF80	1.11	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/2	-	Motion	None	v1.11

SONY

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-DF85	0.9	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/2	-	Motion	None	v1.11
SNC-DH110	1.82.01	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v3.7
SNC-DH110/B	1.27.00	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v1.11
SNC-DH110/W	Refer to SNC-DH110/B (1.27.00)	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH110T/B	Refer to SNC-DH110/B (1.27.00)	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH110T/W	Refer to SNC-DH110/B (1.27.00)	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH120	1.78.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	Zoom	Motion	None	v2.11
SNC-DH120T	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.7
SNC-DH140	1.07.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/2	-	Motion	None	v1.3

SONY.

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-DH140T	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/2	-	Motion	Supported by design	v1.7
SNC-DH160	1.13.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.7
SNC-DH180	1.10.02	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/2	-	Motion	None	v1.2
SNC-DH210/B	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH210/W	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH210T/B	1.27.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.9
SNC-DH210T/W	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH220	1.82.01	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.7
SNC-DH220T	None	H.264 MJPEG MPEG4	1	Camera	1920x1440	N/N	1/1	-	Motion	Supported by design	v1.11

SONY

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-DH240	1.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/Y	1/2	-	Motion	Test by link	v1.3
SNC-DH240T	None	H.264 MJPEG MPEG4	1	Camera	1680x1056	Y/Y	1/2	-	Motion	Supported by design	v1.7
SNC-DH260	1.30.00	H.264 MJPEG MPEG4	1	Camera	1920x1440	N/N	1/1	Zoom	Motion	None	v1.9
SNC-DH280	1.26.01	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/Y	1/2	Zoom	Motion	None	v1.9
SNC-DM110	None	MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
SNC-DM160	1.01	MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.11
SNC-DS10	1.01	MJPEG MPEG4	1	Camera	768x576	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.11
SNC-DS60	1	MJPEG MPEG4	1	Camera	768x576	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.11
SNC-EB600	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0

SONY

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-EB600B	1.9.2	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v3.0
SNC-EB602R	Refer to SNC-EB632R(2.2.1)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v3.9
SNC-EB630	1.9.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.20
SNC-EB630B	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EB632R	2.2.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.9
SNC-EM600	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM601	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM602R	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM630	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0

SONY

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
 Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-EM631	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM632R	1.9.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.1
SNC-EP520	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v1.14
SNC-EP521	1.42.00	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.18
SNC-EP550	1.51.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.18
SNC-EP580	1.42.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.0
SNC-ER520	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v1.14
SNC-ER521	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v1.14
SNC-ER550	1.78.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.11

SONY.

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-ER580	1.82.01	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v3.6
SNC-ER585	1.78.00	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v2.15
SNC-HM662	1.2.0	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	None	v4.12
SNC-P1	1.28	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.11
SNC-P5	1.28	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.11
SNC-RH124	1.84.00	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.7
SNC-RH164	1.10.01	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v1.3
SNC-RS44N	None	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
SNC-RS44P	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11

SONY

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-RS46N	None	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
SNC-RS46P	1.10.02	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v1.3
SNC-RS84N	None	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
SNC-RS84P	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
SNC-RS86N	None	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
SNC-RS86P	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
SNC-RX530	3.03	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11
SNC-RX550	2.01	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11
SNC-RX570	3.01	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11

SONY

--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-RZ25	1.29	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11
SNC-RZ30	3.14	MJPEG	1	Camera	736x480	N/N	3/2	Pan Tilt Zoom	Motion	None	v1.11
SNC-RZ50	2.21	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11
SNC-VB600	1.9.2	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	None	v2.20
SNC-VB600B	1.7.0	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	None	v2.17
SNC-VB630	2.2.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	None	v3.10
SNC-VB635	1.11.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	None	v3.1
SNC-VM600	Refer to SNC- VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v3.0
SNC-VM600B	Refer to SNC- VB600B(1.7. 0)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v2.17

SONY

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-VM601	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v3.0
SNC-VM601B	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v3.3
SNC-VM602R	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v3.0
SNC-VM630	Refer to SNC-VM632R(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v3.0
SNC-VM631	Refer to SNC-VM632R(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v3.0
SNC-VM632R	1.9.2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	None	v3.0
SNC-WR600	1.11.0	H.264 MJPEG	1	Camera	1280x1024	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.2
SNC-WR602	Refer to SNC-WR600(1.11.0)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.2
SNC-WR630	1.11.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.1

SONY

--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-WR632	Refer to SNC-WR630(1.11.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.1
SNC-XM631	2.2.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.9
SNC-XM632	1.12.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.2
SNC-XM636	Refer to SNC-XM632(1.12.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.2
SNC-XM637	Refer to SNC-XM632(1.12.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.2
SNC-Z20	1.06	MJPEG	1	Camera	736x480	N/N	1/2	Zoom	Motion	None	v1.11
SNC-ZB550	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.11
SNT-EP104	None	H.264 MJPEG MPEG4	1	Video Server	720x480	N/N	-	-	-	Supported by design	v1.11
SNT-EP154	1.10.01	H.264 MJPEG MPEG4	4	Video Server	720x480	N/N	-	-	Motion	None	v1.3

SONY.

**--: not available on camera
Y: Support Function
N: Not Support Function**

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNT-EX101	None	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.11
SNT-EX101E	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.3
SNT-EX104	1.10.01	H.264 MJPEG MPEG4	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v1.3
SNT-EX154	1.10.01	H.264 MJPEG MPEG4	4	Video Server	720x480	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v1.3
SNT-V704	2.15	MJPEG MPEG4	4	Video Server	720x480	Y/Y	4/4	-	Motion	None	v1.11



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Nitida 12000	01.10:01.08 :01.13:01.1 1:01.05:00. 04	H.264	1	Camera	1920x1080	N/N	-	-	-	None	v4.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v1.9.0601.1 001.3.0.36.0 .0 v3.4.0804.1 003.3.0.83.0 .0	H.265 H.264 MJPEG	1	Fisheye Camera	2536x1920	Y/Y	2/2	Pan Tlit Zoom	Motion	None	v5.11
Note:	Support generic dwarf Test by IPR57/41ACDN/Z/13 in DP v5.11.(FW : v3.4.0804.1003.3.0.83.0.0) 1. Motion detection is not supported on MJPEG. (Camera performance limitation) 2. Not support PTZ (Camera Fireware issue) Test by IPC54-40EDN in DP v3.13.(FW : v1.9.0601.1001.3.0.36.0.0) (I/O ch : 1/1) 1. The ranges of bitrate and framerate may be different from camera web. (Camera Firmware issue) 2. Motion detection is not supported on MJPEG. (Camera performance limitation) 3. Bitrate of actual streaming may be different from the setting. (Camera Firmware issue) 4. Frame rate of actual streaming may be different from the setting. (Camera Firmware issue)										
IPR54/14A LDN(II)/2 3	v2.0.0601.1 002.3.0.56.0 .0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Test by link	v4.12
IPR56/20A PDN/13	v2.0.0701.1 002.3.0.114. 1.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Test by link	v4.12
IPS54/70D N/Z18	Refer to IPS54/70/D N/ZR18(v1.6 _build04401 4_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tlit Zoom	Motion	Supported by design	v2.6
IPS54/70D N/ZR18	v1.6_build04 4014_148	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tlit Zoom	Motion	None	v2.17



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPS54/70DR/Z18	Refer to IPS54/70/DN/ZR18(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilit Zoom	Motion	Supported by design	v2.6
IPS54/70DR/ZR18	Refer to IPS54/70/DN/ZR18(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilit Zoom	Motion	Supported by design	v2.6
IPS54/71DN/Z18	Refer to IPS54/70DN/ZR18(v1.6_build044014_026)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilit Zoom	Motion	Supported by design	v2.9
IPS54/80DR	Refer to IPS54/70DN/ZR18(v1.6_build044014_026)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilit Zoom	Motion	Supported by design	v2.9
SN-IPC54/11DN	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPC54/11EDN	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPC54/11FDN	v1.6_build044014_027	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	None	v2.6
SN-IPC54/12DN	v2.0.0601.1002.3.0.56.0_0_20151027	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	None	v4.14



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SN-IPC54/12E DN	Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPC54/12F DN	Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPC54/14E DN	Refer to SN-IPD54/12VD N(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPC54/31E DN	Refer to SN-IPV54/31UD N(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPC54/40E DN	v1.6_build044014_148	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	None	v2.16
SN-IPC55/20E DN	v1.8.1001.1001.3.0.46.0.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	None	v3.10
SN-IPD54/11V DN	Refer to SN-IPC54/11FD N(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPD54/11V DR	Refer to SN-IPC54/11FD N(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SN-IPD54/12V DN	v1.9.0601.1001.3.0.22.0.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	None	v3.10
SN-IPD54/12V DR	Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPD54/14V DN	Refer to SN-IPD54/12VD N(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPD54/14V DR	Refer to SN-IPD54/12VD N(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPD54/31V DN	Refer to SN-IPV54/31UD N(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPD54/31V DR	Refer to SN-IPV54/31UD N(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPD54/40V DN	Refer to SN-IPC54/40ED N(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11
SN-IPR54/11A KDN	Refer to SN-IPC54/11FD N(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SN-IPR54/11A LDN	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPR54/11A NDN	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPR54/11D N	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPR54/12A KDN	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPR54/12A LDN	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPR54/12A NDN	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPR54/12D N	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPR54/14A KDN	Refer to SN-IPD54/12VDN(v1.6_build044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SN-IPR54/14A PDN	Refer to SN-IPD54/12VDN(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPR54/31A KDN	Refer to SN-IPV54/31UDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPR54/31A PDN	Refer to SN-IPV54/31UDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPR54/31U DN	v1.7.1001.3.0.13	H.264	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.2
SN-IPR54/40A KDN	Refer to SN-IPC54/40EDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11
SN-IPR54/40A PDN	Refer to SN-IPC54/40EDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11
SN-IPR57/41A CDN/Z	v3.3.0804.1002.1.1.66.15	H.264 MJPEG	1	Camera	2592x1520	Y/Y	-	Zoom	Motion	None	v5.6
SN-IPS56/30C DR/ZS12	v2.0.0702.1002.3.0.119.0.0	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Pan Tilit Zoom	Motion	None	v4.15



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SN-IPV54/11DN	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/11DR	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/11UDN	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/11UDR	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/11ZDR	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/12DN	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/12DR	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
SN-IPV54/12UDN	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SN-IPV54/12U DR	Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPV54/12Z DR	Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
SN-IPV54/14U DR	Refer to SN-IPD54/12VD N(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPV54/14Z DR	Refer to SN-IPD54/12VD N(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPV54/31U DN	v1.6_build044014_148	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	None	v2.16
SN-IPV54/31U DR	Refer to SN-IPV54/31UD N(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPV54/31Z DR	Refer to SN-IPV54/31UD N(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
SN-IPV54/40U DN	Refer to SN-IPC54/40ED N(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Some framerate and bitrate can't be set due to Onvif restriction.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SN-IPV54/40U DR	Refer to SN-IPC54/40ED N(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11
SN-VSR54/04	build044014_136_1	H.264	4	Video Server	704x576	Y/N	2/1	Pan Tilit Zoom	Motion	None	v2.19
VSR54/01	v1.6_build044014_026	H.264 MJPEG	1	Video Server	704x480	Y/N	2/1	Pan Tilit Zoom	Motion	None	v2.6



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TV-IP262P	1.0.3	H.264 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v3.5
TV-IP262PI	Refer to TV-IP262P(1.0.3)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v3.6
TV-IP310PI	V5.0.1 140303	H.264	1	Camera	2048x1536	N/N	-	-	Motion	None	v3.6
TV-IP311PI	Refer to TV-IP310PI(V5.0.1 140303)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v3.6
TV-IP572P	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572PI	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572W	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572WI	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP672P	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TV-IP672PI	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP672W	1.1.2	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	None	v3.6
TV-IP672WI	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCAM series (230/250/251/270)	V1.T122 V1.108F	H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	None	v1.0
TCAM-570	V1.111R04-T100	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.19
TCAM-5x10	V2.201R01_T100	MJPEG H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt	Motion	None	v1.19
TCS-200	T122	H.264	1	Video Server	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
TCS-2000	V1.111R04-T100	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.19
TN-B200CE	Refer to TN-B202CEIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
TN-B202CEIR	V3.311R01	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.0
TN-D1202CE	Refer to TN-B202CEIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
TN-P1220CS	Refer to TN-P1222CGPLX (V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v3.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TN-P1222CGPLX	V3.311R01	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	None	v3.0
TN-P1230CS	Refer to TN-P1222CGPLX (V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v3.0
TN-P3220CS	Refer to TN-P1222CGPLX (V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v3.0
TN-P3220CSIR	V3.311R01	H.264	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.0
TN-P3220CTIR	Refer to TN-P3220CSIR (V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.0



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ADC-P114-302IR	V3.1.0.150818	H.264 MPEG4	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	Test by link	v5.8
ADCi350-B111	V3.1.0.150909	H.264	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.8



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPE1100M	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
IPE3100	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
IPE3500	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
IPE3500M	1.6.7	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.14
IPE4100	1.6.6	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v1.17
IPE5500	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
IPE6500	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
IPE7500	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
IPN100HD	1.4.0.11	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.13



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPN1202HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
IPN2102HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
IPN302HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
IPN3102HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
IPN3202HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
IPN3502HD	1.4.0.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.13
IPN3502HDIR	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
IPN352HD	1.10.0.16	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.6
IPN6602HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPN6802HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
IPX3302HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
IPX3702HD	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
IPX4202HD	1.4.1.8	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.13
IPX4602HD	Refer to IPX4202HD(1.4.1.8)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.13
NVC1000	1.6.7	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	-	None	v1.17
NVC4000	1.6.7	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	-	None	v1.17
NVC4000-R12	None	H.264 MJPEG MPEG4	4	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.14
NVC4000-R40	None	H.264 MJPEG MPEG4	4	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.14



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC2122LR 3-PF40-C	IPC_G6105- B0005P30D1 711	H.265 H.264 MJPEG	1	Camera	1920*1080	N/N	-	-	Motion	None	v18.11
IPC2124SR 3-DPF36	IPC_G6102- B5019P20D1 803	H.265 H.264 MJPEG	1	Camera	2592x1520	N/N	-	-	Motion	None	v18.11
IPC2324EB R-DPZ28	IPC_Q1201- B5023P20D1 803	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v18.11
IPC268ER9 -DZ	IPC_HCMN2 105- B0009P30D1 711	H.265 H.264 MJPEG	1	Camera	3840x2160	Y/Y	2/1	Zoom	Motion	None	v19.7
IPC314SR- DVPF36	IPC_G6102- B5019P20D1 803	H.265 H.264 MJPEG	1	Camera	2592*1520	Y/Y	-	-	Motion	None	v18.11
IPC6222ER -X20-B	IPC_HCMN2 103- B0022P01D1 806	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v18.12
IPC6852SR -X38UG	IPC_HCMN2 103- B0023P11D1 809	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v19.6
IPC814SR- DVSPF16	IPC_G6102- B5020D1806	H.265 H.264 MJPEG	1	Fisheye Camera	2560*1440	N/N	-	-	Motion	Test by link	v18.12



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
US-AVC4-2-600NR-I2	5.0.2.6495	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	-	None	v1.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Ctyri Dva Osm	1023-1007-1016-1003	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.15
Ctyri Nula Nula	1031-1007-1022-1003	H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.5
Ctyri Pet Devet	1023-1007-1016-1003	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.15
Ctyri Pet Sedm	Refer to Ctyri Pet Devet(1023-1007-1016-1003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v2.18
Devet Tri Jedna	1052-1028-1038-1008	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.8
Pet Ctyri Dva	Refer to Pet Dva(1022-1014-1014-1010)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
Pet Ctyri Dva B	1067-1026-1035-1014	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.6
Pet Dva Jedna	1022-1014-1014-1010	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.16
Pet Nula Nula	Refer to Pet Dva Jedna(1022-1014-1014-1010)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Pet Osm Tri	1067-1026-1035-1014-B3A6	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.6
Pet Pet Dva	1067-1026-1035-1014	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.6
Pet Sedm Jedna	1067-1026-1035-1014-A1A1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.6
Pet Sest Jedna	1067-1026-1035-1014	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v4.6
Pet Sest Pet	1026-1017-1020-1007	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v3.5
Tri Dva Osm	1054-1028-1036-1008	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.16
Tri Jedna Jedna	1054-1028-1036-1008	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v2.18
Tri Jedna Sedm	Refer to Tri Dva Osm(1054-1028-1036-1008_	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.16
Tri Pet Devet	Refer to Tri Pet Sedm(1050-1027-1034-1008)	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.15

Viakom

**-: not available on camera
Y: Support Function
N: Not Support Function**

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Tri Pet Sedm	1050-1027-1034-1008	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.15
Tri Sest Pet	Refer to Tri Jedna(1054-1028-1036-1008)	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v2.18



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M2TiA	VISION_2014.09.10_v1.1.5.19	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.8
MTi	VISION 1.1.5.10 20140109	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v3.1
NVS202	2014.10.14_v1.1.5.20	H.264 MJPEG	1	Video Server	960x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.9
VD102i	Refer to M2TiA(VISION 1.1.5.10 20140109)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
VD10M2	Refer to M2TiA(VISION 1.1.5.10 20140109)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.8
VISION M3Ti	VISION 1.1.5.13 20140227	H.264 MJPEG	1	Camera	2048x1537	Y/Y	1/1	Zoom	Motion	None	v3.2
VISION M3i	1.1.2.46	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.17
VISION Mi	1.1.2.46	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.17
VISION NVS102	IP VISION 1.1.0.16 20120316	H.264 MJPEG	1	Video Server	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.1



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VISION VDA101SM 2Ti	Refer to VN7XSM2Ti-IR(VISION_2014.09.10_v1.1.5.19)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Supported by design	v3.8
VISION VPD101PM 2Ti	Refer to VN7XSM2Ti-IR(VISION_2014.09.10_v1.1.5.19)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Supported by design	v3.8
VISION i	IP VISION 1.1.0.16 20120316	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v2.1
VN10M2	Refer to M2TiA(VISION 1.1.5.10 20140109)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.8
VN200i	Refer to M2TiA(VISION 1.1.5.10 20140109)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
VN6XSM2Ti-IR	Refer to VN7XSM2Ti-IR(VISION_2014.09.10_v1.1.5.19)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Supported by design	v3.8
VN7XSM2Ti-IR	VISION_2014.09.10_v1.1.5.19	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	None	v3.8
VPD202BM 2Ti-IR	1.5.20 20141113	H.264 MJPEG	1	Video Server	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.10



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VK2-1080BIR35V16e	Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080BIR37e	Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080BIR3V9F	2.0.3-T4_release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.8
VK2-1080VFD3V9F	2.2.4-T3_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/0	Zoom	Motion	None	v3.4
VK2-1080VFDIR37e	Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080VRD3V9	1.8.8-T4_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v3.4
VK2-1080VRDIR35V16e	1.1.8-T8_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.4
VK2-1080VRDIR37e	Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VK2-1080VRDIR3V9F	1.7.0-T4_release	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	Zoom	Motion	None	v3.1
VK2-1080XVRDPTZ	1.2.1-X1_release	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	None	v3.8



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	0101b	H.264 MPEG4 M-JPEG	1	Camera	2560x1920	Y/Y	8/8	Pan Tilt Zoom	Motion Record	None	v20.6
AB5353H	Refer to IP8335H(0100h)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	3/1	-	Motion	Supported by design	v2.16
AF5172	Refer to FE8172(0100f)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	Supported by design	v2.16
AF5172V	Refer to FE8172(0100f)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	Supported by design	v2.16
BB5116	Refer to IP8161(0101b)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.4
BB5315	Refer to IP8332(0101a)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
BD5115	Refer to FD8134(0100e)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
CC8130	0100d	H.264 MJPEG	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.10
CC8371-HV	CC8371- VVTK-0109a	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v19.6



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CC9381-HV	0222g	H265 H264 MJPEG	1	Camera	2592x1944	Y/N	0/0	Zoom	Motion Record	None	v20.6
FD61x1	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
FD61x2	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
FD7130	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
FD7131	None	MJPEG MPEG4	1	Camera	720x576	N/Y	1/1	-	Motion	Supported by design	v1.0
FD7132	0100f	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
FD7141	0100g	MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	-	Motion	None	v1.0
FD7160	None	MJPEG MPEG4	1	Camera	1600x1200	N/Y	-	-	Motion	Supported by design	v1.0
FD8131	Refer to FD8133(010 0e)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8131V	0300d	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Test by link	v2.15
FD8133	None	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.7
FD8133V	None	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.0
FD8134	0100e	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	None	v1.7
FD8134V	None	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.0
FD8135H	0202c	H.264 MJPEG	1	Camera	1280x800	Y/Y	3/1	-	Motion	None	v2.20
FD8136	0100f	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.2
FD8137H	0101a	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v3.0
FD8137HV	Refer to FD8137H(01 01a)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v3.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8138-H	Refer to IB8338-H(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v4.3
FD8151V	0100c	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	-	Motion	None	v2.10
FD8154	0100d	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	-	Motion	None	v3.5
FD8155H	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
FD8161	0100e	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v1.1
FD8162	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v1.12
FD8163	0101b	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v2.14
FD8164	0100d	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v2.20
FD8165H	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8166	0100g	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Test by link	v2.15
FD8166A	0200e	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v5.11
FD8167	0103a	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.3
FD8167A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
FD8168	0100e	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v3.6
FD8169	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.11
FD8169A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v5.11
FD816BA-HF2	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Reocord	None	v5.12
FD816BA-HF3	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD816BA-HT	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8171	0100e	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Test by link	v3.3
FD8179-H	0100e	H.264 MJPEG	1	Camera	2688x1520	Y/N	-	-	Motion	Test by link	v18.2
FD8181	Refer to FD8381-EV(0101c)	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.3
FD8182-F2	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8182-T	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8335H	0101a	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	3/1	-	Motion	Test by link	v2.3
FD8338-HV	Refer to IB8338-H(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v4.3
FD8355EH V	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8361	0202b	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Test by link	v1.12
FD8361L	Refer to FD8361(020 2b)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.12
FD8362	Refer to FD8362E(01 02a)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.2
FD8362E	0102a	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v2.2
FD8363	0102a	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.5
FD8365EH V	Refer to IP816A- HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
FD8367	Refer to Generic(010 1b)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1
FD8367-TV	Refer to Generic(010 1b)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1
FD8367-V	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8369-V	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
FD836BA-HT	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD836BA-HTV	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD836BA-HVF2	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8371EV	0100i	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.1
FD8372	0100f	H.264 MJPEG MPEG4	1	Camera	2560x1920	Y/Y	3/1	-	Motion	Test by link	v2.3
FD8379-HV	Refer to FD8179-H (FW: 0100e)	H.264 MJPEG	1	Camera	2688x1520	Y/N	-	-	Motion Record	Supported by design	v18.2
FD8381-EV	0101c	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	None	v4.3
FD8382-ETV	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8382-EVF2	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8382-TV	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8382-VF2	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD9165-HT	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	zoom	Motion	Supported by design	v20.6
FD9167-H	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.9
FD9167-HT	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.9
FD9181-HT	0104l	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/Y	1/1	Zoom	Motion	Supported by design	v18.11
FD9365-EHTV	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	zoom	Motion	Supported by design	v20.6
FD9365-HTV	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	zoom	Motion	Supported by design	v20.6



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD9365-HTVL	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	zoom	Motion	Supported by design	v20.6
FD9367-EHTV	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.9
FD9367-HTV	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.9
FD9367-HV	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.9
FD9381-EHTV	0104l	H.265 H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Zoom	Motion	None	v18.9
FD9381-HTV	0104l	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/Y	1/1	Zoom	Motion	Supported by design	V18.11
FE8171V	0100d	H.264 MJPEG	1	Camera	1536x1536	Y/Y	1/1	-	Motion	Test by link	v1.13
FE8172	0100f	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	None	v2.5
FE8172V	Refer to FE8172(0100f)	H.264 MJPEG MPEG4	1	Camera	1920x1920	Y/Y	1/1	-	Motion	Supported by design	v2.16



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FE8173	0100c	H.264 MJPEG MPEG4	1	Fisheye Camera	1536x1536	Y/Y	1/1	-	Motion	Test by link	v2.15
FE8174	0100e	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.1
FE8174V	Refer to FE8174 (0100e)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.1
FE8180	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.9
FE8181	v0200b	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v4.0
FE8391-V	0100f	H.264 MJPEG	1	Camera	2944x2944	Y/Y	1/1	-	Motion	None	v4.9
FE9391-EV	0121b	H264 H265 MJPEG	1	Fisheye Camera	2816x2816	Y/Y	1/1	-	Motion	None	v20.7
FE9382-EHV	0101a	H264 H265 MJPEG	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	None	v5.15
IB-9365HT	0113d	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Zoom	Motion Record	None	v19.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IB8338-H	0100e	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v4.3
IB8364	0101a	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Test by link	v3.0
IB8367-RT	0100f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.5
IB8367A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
IB8369	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.11
IB8369A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
IB836BA-HF3	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB836BA-HT	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8381	Refer to FD8381-EV(0101c)	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.3



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IB8382-EF3	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-ET	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-F3	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-RF3	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-RT	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-T	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB9365-EHT	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	zoom	Motion	Supported by design	v20.6
IB9367-EHT	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.9
IB9367-H	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v18.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IB9367-HT	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v18.9
IB9381-EHT	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/Y	1/1	Zoom	Motion	Supported by design	V18.11
IB9381-HT	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/Y	1/1	Zoom	Motion	Supported by design	V18.11
IB9387-HT	0117b	H265 H264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Zoom	Motion Record	Support by design	v20.6
IP21x1	None	MJPEG	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
IP21x2	None	MJPEG	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
IP3132	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP3133	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP3135	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP3135-PLNX	None	H.263	1	Camera	720x576	Y/N	1/2	-	Motion	Supported by design	v1.0
IP3136	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP3136-PLNX	None	H.263	1	Camera	720x576	Y/N	1/2	-	Motion	Supported by design	v1.0
IP3137	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP31x1	0201b	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
IP31x1-TLFN	None	MPEG4	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
IP31x2	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP31x7	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP51x2	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP51x4	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP6114	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP6124	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP61x2	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP61x4	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP61x7	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP7130	0100c	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
IP7131	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7132	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP7133	0100b	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
IP7134	0100b	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
IP7135	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP7137	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP7138	0101h	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.0
IP7139	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP7142	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP7151	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP7152	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP7153	0100g	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
IP7154	0100b	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
IP7160	0101b	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v1.0
IP7161	None	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP71x7	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7251	0100f	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
IP7330	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/0	-	Motion	Supported by design	v1.0
IP7361	None	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP8130	0100e	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/0	-	Motion	Test by link	v2.17



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8130W	Refer to IP8130(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.17
IP8131	Refer to IP8131W(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.17
IP8131W	0100e	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/0	-	Motion	Test by link	v2.17
IP8132	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v1.7
IP8133W	0100c	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Test by link	v1.16
IP8151	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.7
IP8152	0100e	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/0	Pan Tilt Zoom	Motion	None	v2.13
IP8155HP	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8161	0101b	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8162	0100f	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.10
IP8162P	0100f	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.10
IP8165HP	Refer to IP816A- HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8166	0200e	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v5.11
IP816A-HP	0100f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v4.3
IP8172	0100a0	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Test by link	v2.8
IP8173H	0100i	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	Pan Tilt Zoom	Motion	Test by link	v2.19
IP8330	0100e	H.264 MPEG4 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.7
IP8331	0100c	H.264 MPEG4 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.16



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8332	None	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.7
IP8335H	0100h	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	3/1	-	Motion	Test by link	v2.0
IP8336W	0102b	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.19
IP8337H	0100b	H.264 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	Test by link	v2.19
IP8352	0100g	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.14
IP8355EH	Refer to IP816A- HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8361	0100c	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Test by link	v2.3
IP8362	0100d	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.2
IP8364	0101a	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	None	v3.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8365EH	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8371E	0100g	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Test by link	v2.18
IP8372	0100e	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	2/1	-	Motion	None	v2.10
IP9165-HP	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	zoom	Motion	Supported by design	v20.6
IP9165-HT	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	zoom	Motion	Supported by design	v20.6
IP9165-LPC	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	zoom	Motion	Supported by design	v20.6
IP9181-H	0104l	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/Y	1/1	Zoom	Motion	Supported by design	V18.11
IZ7151	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IZ9361-EH	0107a	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion Record	None	v19.1



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
MA8391-ETV	0100f1	H.264 MJPEG	4	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v18.8
MD7530	0100d	MJPEG MPEG4	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.11
MD7560	0100c	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/0	-	Motion	Test by link	v1.10
MD7560X	Refer to MD7560(0100c)	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/0	-	Motion	Supported by design	v1.17
MD8531H	0100h	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v3.4
MD8562	0100c	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v1.16
MS8391-EV	0100e	H.264 MJPEG	1	Camera	7552x1416	Y/Y	1/1	-	Motion	Test by link	v4.10
MS9390-HV	0117b	H265 H264 MJPEG	1	Camera	4512x1728	Y/N	N/A	Zoom	Motion Record	None	v19.12
PD8136	0100e	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Test by link	v2.12



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PT3134	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT31x2	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT31x3	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT31x4	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT31x7	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT7000	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
PT7135	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
PT7137	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
PT8133	0100g	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Test by link	v2.2



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PZ61x2	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
PZ61x4	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
PZ7131	0100b	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
PZ7132	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.7
PZ7151	0101b	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
PZ7152	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
PZ71X1	None	MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
PZ71X2	None	MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
PZ81X1	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.14



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PZ81X1W	0100e	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v1.14
SD61x2	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
SD7151	0301b	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v1.18
SD81X1	0100g	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/Y	4/1	Pan Tilt Zoom	Motion	Test by link	v2.1
SD8362E	0104a	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	3/2	Pan Tilt Zoom	Motion	Test by link	v2.1
SD8363E	0202b	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v3.4
SD8364E	0200d	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v3.6
SD83X1	0100e	H.264 MPEG4 MJPEG	1	Camera	720x480	Y/Y	3/2	Pan Tilt Zoom	Motion	Test by link	v1.15
SD83X2	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	3/2	Pan Tilt Zoom	Motion	Supported by design	v1.15



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SD83X3	0102d	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	3/2	Pan Tilt Zoom	Motion	Test by link	v2.1
SD83x4	Refer to SD83x6(020 0c)	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.20
SD83x6	0200c	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.20
SD9361- EHL	0102e	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v.5.15
SD9364- EHL	0100h_15	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v4.12
SF8172	0100d	H.264 MPEG4 MJPEG	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	None	v2.16
SF8172V	Refer to SF8172(010 0f)	H.264 MPEG4 MJPEG	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	Supported by design	v2.16
SF8174	0100c	H.264 MPEG4 MJPEG	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	Test by link	v3.4
TB9331-E	0109a	H.265 H.264 MJPEG	1	Camera	960x640	Y/Y	1/1	-	Motion Record	None	v19.4



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TC5330	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
TC5331	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
TC5630	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
TC5631	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
VS2101	None	MJPEG	1	Video Server	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
VS2401	None	MJPEG	4	Video Server	720x576	N/N	4/2	-	Motion	Supported by design	v1.0
VS2402	None	MJPEG	4	Video Server	720x576	N/N	4/2	-	Motion	Supported by design	v1.0
VS2403	0103b	MJPEG	4	Video Server	720x576	N/N	4/4	Pan Tilt Zoom	Motion	None	v1.0
VS3100	None	H.263	1	Video Server	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0



--: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

MPEG4: Unable to connect through HTTP.

Smart stream function support only if Vivotek camera support this function.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VS3101	None	H.263	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
VS3102	None	H.263	1	Video Server	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
VS3102-XLTH	None	H.263	1	Video Server	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
VS7100	0101e	MJPEG MPEG4	1	Video Server	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
VS8100	0100g	H.264 MJPEG	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	Motion	None	v3.1
VS8102	0200c	H.264 MPEG4 MJPEG	1	Video Server	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.13
VS8401	None	H.264 MPEG4 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.15
VS8801	0202a3	H.264 MPEG4 MJPEG	8	Video Server	720x576	Y/Y	8/8	Pan Tilt Zoom	Motion	None	v3.4



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VZ-N115-123001	2.115.0000. 0.R, build : 2018-06-08	H264 H265	1	Camera	1920x1080	N/N	-	-	Motion	None	v20.9
VZ-N116-133001-FE130	2.116.0000. 0.R, build : 2019-01-09	H264 H265 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v20.9
VZ-N116-133001-FE180	2.114.0000. 7.R, build : 2018-11-23	H264 H265 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v20.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
MPIX-21DF	2.420.WT00.0.T, build: 2014-06-19	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.13
MPIX-30-VDV-IRM	2.420.WT00.0.T	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	Zoom	Motion	None	v3.11
MPIX-50BIMR	2.210.WT00.0.R	H.264 MJPEG	1	Camera	2560x1920	Y/Y	2/1	Zoom	Motion	None	v3.11



-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WK-SD6000HD	v1.4.1.8	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v3.2



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
YUC-H626A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-H7926A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-H7926AM	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-H7A26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-H7A82	VH1.0.0.3_Y	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	-	Motion	None	v4.8
YUC-H7A855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.8
YUC-HB26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HB855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HC26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
YUC-HC855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HD26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HD855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HH26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HH855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HK26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HK855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HL26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HL26AM	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10



-: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
YUC-HMi855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HNi855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HQ26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HQ855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HS26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HS855	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-HV26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-Hi26A	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
YUC-Hi26AM	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	Tested by P6210(2.1.5.20)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Montion	None	v3.11
Note:	1. It may fail to set Profile 2 to 1920x1080 or 1280x720. (Camera Firmware issue) 2. Not support to set profile 3 to 1920x1080 or 1280x720; while the setting is supported in camera web. (Camera Firmware issue)										
B5010	None	H.264 MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.10
B5110	None	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
B5111	M2.1.6.02C045	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v4.9
B5210	M2.1.6.05	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.10
B6110	MG.0.6.01_C1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
B6210	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0
B6220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	None	v4.12
B6320	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.10
B6330	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
B6520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Test by link	v4.10
B6530	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
B7210	M2.1.6.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	-	Montion	None	v3.12
B7320	M3.1.5.17	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/2	-	Montion	None	v2.18
B7510	M3.1.5.19	H.264 MJPEG	1	Camera	2560x1920	Y/Y	2/2	-	Montion	None	v3.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
B8210	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	None	v3.11
B8220	01_C030	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	None	v5.6
B8520	01_C028	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v4.5
CB3210	01_C001	H.265 H.264 MJPEG	1	Camera	None	N/N	-	-	Motion	Supported by design	v18.11
CB3211	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	Supported by design	v18.11
CB5220	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	Supported by design	v18.11
CB6230	Refer to B8220(01_C 030)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.7
CB6330	01_C043	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Zoom	Motion	Supported by design	v18.11
CD3210	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	-	v18.11



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CD3211	01_C001S5	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	None	v18.11
CD5220	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	None	v18.11
CD6230	Refer to B8220(01_C 030)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.7
CD6330	01_C043	H.265 H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	None	v18.11
D3100	M2.1.6.02.0 830	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.10
D3200	M2.1.6.02C0 66	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.10
D4210	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.10
D4211	03_C011	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.4
D4220	01_C043	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v18.2



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D4320	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.8
D4520	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	None	v4.9
D510E	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
D5110	None	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.15
D5111	None	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.15
D5112	Refer to D5113(M2.1 .6.01)	H.264 MPEG4 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.10
D5113	M2.1.6.01	H.264 MPEG4 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.6
D520E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
D5210	M2.1.6.04	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D610A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
D6111	MG.0.6.01_C 1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.0
D611E	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
D6210	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0
D6220	Refer to B6220(03_C 002)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Montion	Supported by design	v4.12
D6320	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Montion	None	v4.2
D6330	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
D6520	Refer to B6520(01_C 020)	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
D6530	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D7110	MG.1.6.03P7_app7	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt	Motion	Test by link	v2.0
D7111	M2.0.3.3.6	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.5
D7210	Refer to D3200(M2.1 .6.02C066)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.12
D7320	M3.1.5.21	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.2
D7510	M3.04.15.C0 1	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	None	v2.15
D8210	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	None	v3.11
D8220	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	None	v4.2
D8520	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.6
F1100	Refer to F1105(BP.1. 6.01)	MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.15



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F1105	BP 1.6.01	MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v2.6
F210A	LM.1.6.18P9_testport2	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	None	v1.0
F3000	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.5
F3005	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.5
F3101	Refer to F3106(MG.1.6.03P7_exhibit2)	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v2.0
F3102	Refer to F3110(M2.1.6.02C045)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.11
F3105	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0
F3106	MG.1.6.03P7_exhibit2	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	Test by link	v2.0
F3107	M2.1.6.05	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v4.3



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F3110	M2.1.6.02C045	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.10
F3115	Refer to F3110(M2.1.6.02C045)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.11
F312A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
F3201	Refer to F3206(M2.1.6.01C2)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Supported by design	v2.0
F3206	M2.1.6.01C2	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Test by link	v2.0
F3210	M2.1.6.03C019	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.14
F3215	M2.1.6.05C016	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.8
F4215	Refer to D4211(03_C011)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.4
F5100	MG.0.5.0.1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.0



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F5105	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
F510E	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F510W	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F5110	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
F5115	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
F511E	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F511W	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F520E	LM.1.6.16.0 3P2	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
F521E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0



--: not available on camera
Y: Support Function
N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F531E	Refer to F210A(LM.1.6.18P9_test port2)	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v2.0
F610A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
F611E	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F7110	MG.1.6.02C9	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.15
F7115	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.15
F7210	M2.1.6.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.13
F721A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
F7220	Refer to B8520(01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
F731E	LM.1.6.16.03	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F7320	Refer to B8520(01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
F7520	Refer to B8520(01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
M510E	LM.1.6.16.03	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
M510W	LM.1.6.16.03P2	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
M511E	LM.1.6.16.03P2	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
M511W	LM.1.6.16.03	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
P4320	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1520	Y/Y	1/1	Pan Tilt Zoom	Montion	None	v4.7
P4520	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Test by link	v4.6
P5110	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9



-: not available on camera
 Y: Support Function
 N: Not Support Function

Remarks:

**Supported by design: The covered model's spec is different from the delivered spec.
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P5111	Refer to P5116(M2.1.6.02)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	Pan Tilt	Montion	Supported by design	v2.15
P5115	G.0.6.01_C1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.9
P5116	M2.1.6.02	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	Pan Tilt	Montion	None	v2.15
P5210	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
P6210	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	V3.9
P6211	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	V3.9
P8220	01_C034	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v5.12
V1100	M2.1.6.03	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.19
V111T	LM.1.6.16.03	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0