



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N1011	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1012	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	None	Motion	Supported by design	v2.19
N1031	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1032	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3011	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3012	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3031	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3032	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3071	Refer to N3072(V1.1 3.0_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N3072	V1.13.0_ST D-1	H.264	1	Camera	1600x1200	Y/N	1/1	Pan Tilt	Motion	None	v4.1
N5012	V1.01_STD-1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.16
N5013	V1.04_STD-1	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
N5071	V1.02[BETA]_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.2
N6011	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6012	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6013	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6014	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6015	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N6016	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6031	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6032	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6033	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6034	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6035	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6036	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6037	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6038	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>N6072</b>	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
<b>N6073</b>	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
<b>N6074</b>	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
<b>N6075</b>	V1.05_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v2.4
<b>N6076</b>	Refer to N6075	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
<b>N6077</b>	Refer to N6075	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.4
<b>N6082</b>	Refer to N9085 (V1.05.0)	H.264	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v4.1
<b>N8011</b>	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N8012</b>	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>N8031</b>	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N8032</b>	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N8072</b>	V1.03_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.2
<b>N8072-C</b>	V1.04.0_ST D-1	H.264	1	Camera	1600x1200	N/N	-	-	Motion	None	v4.1
<b>N9012</b>	None	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N9018</b>	V1.01_STD-1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
<b>N9032</b>	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N9033</b>	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N9034</b>	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>N9071</b>	None	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.4
<b>N9073</b>	Refer to N3072(V1.1 3.0)	H.264	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>N9074</b>	Refer to N3072(V1.1 3.0)	H.264	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>N9082</b>	Refer to N9085 (V1.05.0)	H.264	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v4.1
<b>N9085</b>	V1.05.0	H.264	1	Camera	1600x1200	N/N	-	-	Motion	None	v4.1
<b>S4071</b>	V1.04_STD- 1	H.264 MJPEG	4	Video Server	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.9



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.1
<b>ACD2000Q</b>	v3.04.08	MJPEG MPEG4	4	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Tets by link	v2.15
<b>ACD2100</b>	A1D-220-V3.08.08-AC	MJPEG MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
<b>ACD2200</b>	None	MJPEG MPEG4	4	Video Server	720x480	Y/N	8/8	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>ACD2300</b>	None	MJPEG MPEG4	8	Video Server	720x480	Y/N	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>ACD2400</b>	AGD-R2N-V2.05.02-AC	MJPEG MPEG4	16	Video Server	720x480	Y/N	32/32	Pan Tilt Zoom	Motion	None	v1.0
<b>ACM1011</b>	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
<b>ACM1231</b>	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
<b>ACM1232</b>	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM1311	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM1431	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM1432	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM1511	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM3001	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM3011	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM3211	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACM3311	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACM3401	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM3411	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM3511	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM3601	A1D-220- V3.10.22-AC	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.2
ACM3603	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.2
ACM3701	A1D-220- V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.2
ACM3703	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.2
ACM4000	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
ACM4001	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.2
ACM4100	A1D-220- V3.09.14-AC	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM4200	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM4201	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v1.0
ACM5001	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
ACM5601	A1D-220- V3.08.08-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
ACM5711	A1D-220- V3.08.08-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
ACM5811	A1D-220- V3.12.13-AC	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.7
ACM7411	A1D-220- V3.09.14-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
ACM7511	A1D-220- V3.12.13-AC	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.7
ACM8201	A1D-220- V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ACM8211</b>	A1D-220-V3.09.14-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
<b>ACM8511</b>	A1D-220-V3.11.13-AC	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
<b>AMU9401</b>	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	None	v1.1
<b>AMU9711</b>	A1D-220-V3.10.22-NB	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Test by link	v1.1
<b>B210</b>	Refer to E416 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
<b>B27</b>	Refer to B47(V6.08.30)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	Supported by design	v3.12
<b>B410</b>	Refer to E416 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
<b>B47</b>	V6.08.30	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	None	v3.12
<b>B51</b>	V6.09.45	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v4.9



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>B53</b>	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.5
<b>B61</b>	V6.08.30	H.264 MJPEG	1	Camera	2592x1944	Y/N	2/2	Zoom	Motion	None	v3.12
<b>B67</b>	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/2	Zoom	Motion	None	v3.5
<b>B81</b>	Refer to B61(v6.08.30)	H.264 MJPEG	1	Camera	2592x1944	Y/N	2/2	Zoom	Motion	Supported by design	v3.12
<b>B94</b>	V6.06.16	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
<b>B95</b>	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.11
<b>B97</b>	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.4
<b>CAM5130</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.2
<b>CAM5140</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CAM5150</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.2
<b>CAM5200</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM5201</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM5221</b>	A1D-M2N-V2.08.11-AC	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.0
<b>CAM5300</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM5301</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM5321</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM5500</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM6100</b>	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.2



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CAM6200</b>	A1D-2.07.14-AC	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM6220</b>	A1D-2.07.14-AC	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM6500</b>	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM6510</b>	A1D-M2N-V2.08.11-AC	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
<b>CAM6520</b>	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM6600</b>	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM6610</b>	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM6620</b>	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM6630</b>	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CAM7100</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7120</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7200</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7220</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7300</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7301</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7320</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7321</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7322</b>	None	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D11</b>	V6.02.03	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v2.12
<b>D12</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>D21</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.14
<b>D22</b>	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
<b>D22FA</b>	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
<b>D31</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.14
<b>D32</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>D41</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>D42</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D51	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D52	v6.02.03	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.12
D54	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D55	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D61	V6.03.17	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.14
D62	Refer to E84(v6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
D64	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D65	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D71	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D72</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>D72A</b>	Refer to Generic (A1D-500-V6.05.23-AC)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1
<b>D81</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>D82</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>D82A</b>	Refer to Generic (A1D-500-V6.05.23-AC)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1
<b>E11</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E12</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>E13</b>	V6.02.03	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	None	v2.13
<b>E21</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E210</b>	Refer to E416 (V6.09.45)	H.264 MJPEG	1	Camera	1920x1080	N/N	0/0	-	Motion	Supported by design	v4.9
<b>E22</b>	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
<b>E22FA</b>	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
<b>E23</b>	Refer to E84(v6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
<b>E24</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E25</b>	Refer to D61(V6.03.17)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.14
<b>E26</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E31</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E32</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E33</b>	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
<b>E34</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E38</b>	V7.00.44	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.9
<b>E41</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E416</b>	V6.09.45	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.9
<b>E42</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E43</b>	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
<b>E44</b>	Refer to E84(v6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
<b>E45</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E46</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E46A</b>	v6.08.30	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.7
<b>E51</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E52</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E53</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E54</b>	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
<b>E55</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E56</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E61</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E618</b>	Refer to E816 (V6.09.45)	H.264 MJPEG	1	Camera	3648x2736	Y/N	1/1	Zoom	Motion	Supported by design	v4.9
<b>E62</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E63</b>	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
<b>E64</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E65</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E66</b>	Refer to D61(V6.03.17)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.14
<b>E67</b>	Refer to E84(v6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
<b>E71</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E72</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E73</b>	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
<b>E73A</b>	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
<b>E74</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E81</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E816</b>	V6.09.45	H.264 MJPEG	1	Camera	3648x2736	Y/N	1/1	Zoom	Motion	None	v4.9
<b>E82</b>	A1D-500-V6.07.24-AC	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v3.11
<b>E83</b>	Refer to E13(v6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v2.13
<b>E84</b>	V6.02.03	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.13
<b>E85</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E86</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E86A</b>	Refer to E46A(v6.08.30)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.7
<b>E87</b>	Refer to E34(v6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E91</b>	Refer to D11	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E92</b>	Refer to D52(V6.03.17)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E925</b>	A1D-500-V6.09.07-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v4.5
<b>E95</b>	V6.06.16	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.4
<b>E96</b>	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	N/N	-	-	Motion	None	v3.1
<b>E97</b>	V6.07.23	H.264 MJPEG	1	Camera	3648x2736	N/N	-	-	Motion	None	v3.7





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic Sever</b>	H1.03.01	H.264 MJPEG	16	Video Server	2592x1944	Y/N	16/16	Pan Tilt Zoom	Motion	None	v4.5
<b>I51</b>	Refer to I71(A1D-500-V6.06.16-AC)	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.2
<b>I71</b>	A1D-500-V6.07.24-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.10
<b>I92</b>	v6.08.30	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v3.13
<b>I94</b>	V6.06.16	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.5
<b>I96</b>	v6.08.30	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v4.7
<b>KCM3211</b>	A1D-311-V5.04.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Zoom	Motion	None	v2.0
<b>KCM3311</b>	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	N/N	-	-	Motion	None	v2.2
<b>KCM3911</b>	V5.10.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.15



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
KCM5111	A1D-311-V5.04.07-AC	H.264 MJPEG MPEG4	1	CAmera	2032x1920	Y/N	2/2	-	Motion	None	v1.19
KCM5211	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.2
KCM5211E	Refer to KCM5211	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Pan Tilt Zoom	None	Supported by design	v1.19
KCM5311	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.14
KCM5311E	Refer to KCM5311E	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.19
KCM5511	V5.12.12	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	None	v3.10
KCM5611	A1D-311-V5.12.12-AC	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v4.1
KCM7111	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	-	Motion	None	v1.13
KCM7211	A1D-311-V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.14



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
KCM7311	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/N	2/2	Zoom	Motion	None	v2.2
KCM7911	v5.10.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.15
KCM8111	V5.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.14
KCM8211	Refer to KCM8111(V5.10.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.14
Q110	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
Q112	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
Q115	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
Q19	Refer to B51 (V6.09.45)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.9
SED2100	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.2



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SED2120	A1D-M2N-V2.08.11-AC	MPEG4	1	Video Server	720x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
SED2140	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2310Q	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2320Q	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2400	None	MPEG4	2	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2420	A1D-220-V3.08.08-AC	MPEG4	2	Video Server	720x480	Y/N	-	-	Motion	None	v1.0
SED2600	None	MPEG4	8	Video Server	720x480	Y/N	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2610	None	MPEG4	8	Video Server	720x480	Y/N	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED26X0	None	MPEG4	8	Video Server	720x480	Y/N	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCD2100</b>	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	1/1	Pan Tilt Zoom	Motion	None	v1.7
<b>TCD2500</b>	A1D-310-V4.09.17-AC	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.14
<b>TCM1111</b>	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
<b>TCM1231</b>	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.2
<b>TCM1232</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.2
<b>TCM1511</b>	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.4
<b>TCM3001</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.7
<b>TCM3011</b>	A1D-310V4.07.10 AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.7
<b>TCM3111</b>	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCM3401	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.7
TCM3411	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.7
TCM3511	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.2
TCM4101	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.2
TCM4201	A1D-310-V4.08.05-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.7
TCM4301	A1D-310-V4.05.13-AC	H.264 MJPEG MPEG4	1	Cdamera	1280x1024	Y/n	-	-	Motion	Supported by design	v1.0
TCM4511	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM5001	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.7
TCM5111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCM5311</b>	A1D-310-V4.05.13-AC	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.0
<b>TCM5312</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v1.2
<b>TCM5601</b>	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	-	None	v1.2
<b>TCM5611</b>	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	-	None	v1.2
<b>TCM6630</b>	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.4
<b>TCM7011</b>	A1D-310V4.06.09 AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.7
<b>TCM7411</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.2
<b>TCM7511</b>	None	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.7
<b>TCM7811</b>	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TMU9811</b>	A1D-310-V4.07.10-NB	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v1.1
<b>TMU9911</b>	A1D-310-V4.07.10-NB	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v1.1
<b>V21</b>	H1.03.01	H.264 MJPEG	1	Video Server	960x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.5
<b>V23</b>	H1.03.01	H.264 MJPEG	4	Video Server	960x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v4.5
<b>V24</b>	H1.03.01	H.264 MJPEG	4	Video Server	960x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v4.5
<b>V32</b>	H2.02.31	H.264 MJPEG	16	Video Server	960x576	Y/N	16/16	Pan Tilt Zoom	Motion	None	v4.5





-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ADKID134 RT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKID204 VRT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKID207 RT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKID207 VRT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKIL134RT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
ADKIL207RT	Refer to Sunell_SN-IPC54/40ED N (v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>AD-AGB8025-SD4F</b>	Refer to AMU8030(eh20160719NSZ)	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>AD-TGB3020A W4FZ</b>	Refer to TSD3012(V1.2.1.50B16101314)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>ALD2060</b>	ah20191009 RP	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	None	Motion	None	v19.12
<b>AMB2060</b>	Refer to ALD2060(ah20191009 RP)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	None	Motion	None	v19.12
<b>AMH3025</b>	eh20160719 NSP	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v5.4
<b>AMU8030</b>	eh20160719 NSZ	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v5.4
<b>TSD3012</b>	V1.2.1.50B16101314	MJPEG H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v5.3
<b>TXB3020</b>	Refer to TSD3012(V1.2.1.50B16101314)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>ZH2030R-AW</b>	2.1.0.3.1.19_0.55.2	MJPEG H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Test by link	v5.6



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ADC-V520	0100h	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	None	v3.1
ADC-V620PT	0102b	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	0/0	Pan Tilt	Motion	None	v3.1
ADC-VS420	0100d	H.264 MPEG4 MJPEG	4	Video Sever	720x576	N/N	4/4	Pan Tilt Zoom	Motion	None	v3.1

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ADCi600-D131</b>	AD00-00-15-11	H.264 MJPEG	1	Cmaera	1280x720	Y/N	2/1	-	Motion	None	v2.11



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AM2816T	V6.M.2.1277 9	H.264 MJPEG MPEG4	1	Fisheye Camera	1536x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.2
AM2030D	refer to AM2590D(6. D.2.9659)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.7
AM2110D	6.B.2.7248	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v1.18
AM2120D	6.B.2.9031	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.7
AM2221D	Refer to AM2231D	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.18
AM2231D	6.C.2.7107	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.18
AM2331D	6.C.2.8943	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt	Motion	None	v2.7
AM2530D	Refer to AM2590D	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.7
AM2570D	Refer to AM2590D	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.7



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AM2590D	6.D.2.9659	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.7
AM2730D	Refer to AM2590D	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	None	H.264 MJPEG	4	Fisheye Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
Note:	<p>Support generic dewarp            Generic test model: AV5245 and AV12186            1. Fps would not meet setting due to camera performance.            2. Audio function possible doesn't work after connect/disconnect, and need to reboot camera to recover.</p>										
AV10005	65147	H.264 MJPEG	1	Camera	3648x2752	N/N	-	-	Motion	None	v1.4
AV10115	65225	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	None	v3.2
AV10225	Refer to AV3105(65525)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.2
AV10255	65209	H.264 MJPEG	1	Camera	3648x12572	N/N	1/1	-	Motion	Supported by design	v2.9
AV10255P MTIR	65228	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	Zoom	Motion	None	v3.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>AV10256P MTIR</b>	Refer to AV10265PM TIR(65528)	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	Zoom	Motion	Supported by design	v3.5
<b>AV1115</b>	65525	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.1
<b>AV1125</b>	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
<b>AV1145</b>	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
<b>AV12186</b>	65184	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	None	v2.14
<b>AV12186DN</b>	Refer to AV12186(65184)	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.7
<b>AV12366DN</b>	65188	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	None	v3.5
<b>AV1255</b>	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
<b>AV1300</b>	64328	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	None





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>AV1305</b>	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
<b>AV1310</b>	None	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.2
<b>AV1315</b>	65191	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.9
<b>AV1325</b>	65129	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.10
<b>AV1355</b>	65130	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.0
<b>AV1455</b>	Refer to AV1115(65255)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
<b>AV2000</b>	64328	MJPEG	1	Cmaera	1600x1184	N/N	-	-	Motion	Supported by design	v1.0
<b>AV20175DN</b>	65188	H.264 MJPEG	4	Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6
<b>AV20185</b>	65174	H.264 MJPEG	4	Camera	2592x1944	N/N	1/1	-	Motion	None	v1.15



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV20365	65170	H.264 MJPEG	4	Camera	2560x1920	N/N	1/1	-	Motion	None	v2.8
AV20375RS	65212	H264 MJPEG	4	Camera	2560x1920	N/N	1/1	Pan Tilt Zoom	Motion	None	v19.10
AV20585PM	65212	H264 MJPEG	4	Camera	2560x1600	N/N	1/1	Focus	Motion	None	v20.3
AV2105	64331	MJPEG	1	Cmaera	1600x1184	N/N	-	-	Motion	None	v1.0
AV2110	None	MJPEG	1	Camera	1600x1200	N/N	0/0	-	Motion	None	v1.2
AV2115	65225	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v3.1
AV2116	Refer to AV2115(65218)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.0
AV2125	65201	H.264 MJPEG	1	Camera	1920x1056	N/N	1/1	-	Motion	None	v1.14
AV2146	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV2225	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2226	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2245	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2246	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2255	65218	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v2.16
AV2256	Refer to AV2255(65219)	H.264 MJPEG	1	Camera	1920x1056	N/N	1/1	Zoom	Motion	Supported by design	v3.0
AV2455	65220	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.18
AV2456	Refer to AV2455(65220)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.0
AV2805	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV2815	65191	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.9
AV2825	65129	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.10
AV3100M	64327	MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v4.1
AV3105	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3110	None	MJPEG	1	Camera	2048x1536	N/N	0/0	-	Motion	Supported by design	v1.2
AV3115	65525	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v3.1
AV3116	65219	H264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.15
AV3125	65218	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v2.17
AV3130	61906	MJPEG	1	CAmera	2048x1536	N/N	-	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV3135	65153	H.264 MJPEG	1	Camera	1920x1536	N/N	1/1	-	Motion	None	v1.18
AV3145	Refer to AV3146(65219)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.0
AV3146	65219	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
AV3155	65225	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	None
AV3225	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3226	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3245	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3246	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.1
AV3255	Refer to AV3115(65218)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV3256	65219	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
AV3455	Refer to AV3105(65525)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.2
AV3456	65220	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.19
AV40185	65186	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	None	v2.17
AV5100	61906	MJPEG	1	Camera	2560x1600	N/N	-	-	Motion	None	v1.0
AV5105	64331	H.264 MJPEG	1	Camera	2560x1600	N/N	1/1	-	Motion	None	v1.0
AV5110	None	MJPEG	1	Camera	2560x1920	N/N	0/0	-	Motion	Supported by design	v1.2
AV5115	65225	H.264 MJPEG	1	Camera	2560x1600	N/N	1/1	-	Motion	None	v3.3
AV5125	65199	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v1.14



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV5155	65225	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	-	Motion	None	v1.0
AV5245	65221	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	None	v1.0
AV5245DN	65229	H.264 MJPEG	1	Fisheye Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6
AV5255	65218	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	None	v2.16
AV5455	65220	H.264 MJPEG	1	Camera	2560x1920	N/N	1/1	-	Motion	Test by link	v2.19
AV8180	65010	H.264 MJPEG	4	Camera	1600x1184	N/N	-	-	Motion	None	v1.0
AV8185	65813	H.264 MJPEG	4	Camera	1600x1184	N/N	-	-	Motion	None	v1.0
AV8185DN	65183	H.264 MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	Test by link	v2.16
AV8360	65010	H.264 MJPEG	4	Camera	1600x1184	N/N	-	-	Motion	None	v1.0







-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FB2027-1</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FB2027-2</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FB2027-3</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FB2028</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FB2028-T1</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FB2028-T2</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FB2028TM</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FB3027</b>	2.5.1057.60	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/0	-	Motion	None	v2.20
<b>FB3028</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FB3028-RT1</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FB3028-RT2</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FB3028-RTM</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FD2020</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FD3020</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FD3020-M</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FV2006</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FV2028</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FV3028</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FV3028-RT</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FV3028-RTM</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>FX2000</b>	2.5.1057.60	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v2.20
<b>FX3000-R</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>SF2121H-BHR-30</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>SF2121H-BHR-50</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20
<b>SF2121H-R</b>	Refer to FX2000(2.5.1057.60)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v9.10.1 190531	H.264 MJPEG	4	Camera	2592x1944	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v19.6
Note:	Only guarantee stream works fine.										
Generic Server	v9.10.1 190531	H264 MJPEG	1	Video Server	2592x1944	Y/N	4/4	Zoom Pan Tilt	Motion Record	None	v20.6
201A	4.4	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
205	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
206	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
206M	v1.0	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.0
206W	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
207	4.4	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
207MW	None	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
207W	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
209FD	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
209FD-R	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
209MFD	None	MPEG4 MJPEG	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	None	v1.0
209MFD-R	None	MPEG4 MJPEG	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
210	4.4	MPEG4 MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
2100	2.31	MJPEG	1	Camera	640x480	N/N	-	-	-	Test by link	v4.7
211	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
211A	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
211M	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
211W	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
212	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
212 PTZ-V	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
213	None	MJPEG MPEG4	1	Camera	704x576	Y/N	2/3	Pan Tilt Zoom	Motion	Supported by design	v1.0
214	4.49	MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.18
215	None	MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
215 PTZ-E	None	MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
216FD	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
216FD-V	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
216MFD	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
216MFD-V	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
221	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.0
223M	v1.0	MJPEG MPEG4	1	Camera	1600x1200	Y/N	2/1	-	Motion	Supported by design	v1.0
225FD	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.0
231D	None	MJPEG MPEG4	1	Camera	704x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
232D	None	MJPEG MPEG4	1	Camera	704x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
233D	None	MJPEG MPEG4	1	Camera	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
2400	None	MJPEG	4	Video Sever	704x576	N/N	4/1	-	Motion	Supported by design	v1.0
240Q	None	MJPEG	4	Video Sever	704x576	N/N	4/1	-	Motion	Supported by design	v1.0
240Q Blade	None	MJPEG	4	Video Sever	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241Q	None	MJPEG MPEG4	4	Video Sever	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241Q Blade	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	None	v1.9
241QA	4.30	MJPEG MPEG4	4	Video Sever	704x576	Y/N	4/4	-	Motion	None	v1.9
241S	None	MJPEG MPEG4	1	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241S Blade	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	None	v1.9





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
241SA	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	4/4	-	Motion	Supported by design	v1.9
242S	None	MJPEG MPEG4	1	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
243Q	None	MJPEG MPEG4	1	Video Server	704x576	N/N	1/1	-	Motion	Supported by design	v1.9
243Q Blade	None	MJPEG MPEG4	1	Video Server	704x576	N/N	1/1	-	Motion	Supported by design	v1.9
243SA	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	4/4	-	Motion	Supported by design	v1.9
2460	None	MJPEG	4	Video Server	704x576	N/N	4/1	-	Motion	Supported by design	v1.9
247S	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	1/1	-	Motion	Supported by design	v1.9
C3003-E	5.95.4.1	MJPEG H.264	1	Camera	16x16	N/N	-	-	-	None	v5.3
F41	5.85.3	MJPEG H.264	1	Camera	1920x1080	Y/N	4/4	-	Motion	Test by link	v4.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>F44</b>	5.85.3	MJPEG H.264	4	Video Sever	1920x1080	Y/N	4/4	-	Motion	Test by link	v4.9
<b>FA54</b>	9.30.1	H264 MJPEG	4	Video Server	1920x1080	Y/Y	4/0	None	Motion	Test by link	v19.10
<b>M1004-W</b>	5.40.5.1	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	None	v3.4
<b>M1011</b>	5.00	H264 MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
<b>M1011-W</b>	5.00	H264 MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
<b>M1013</b>	5.40.5.1	MJPEG H.264	1	Camera	800x600	N/N	-	-	Motion	None	v2.9
<b>M1014</b>	5.40.5	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	None	v2.6
<b>M1025</b>	5.40.5	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.7
<b>M1031-W</b>	5.00	H264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M1034-W</b>	5.40beta1	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	None	v2.6
<b>M1054</b>	5.15.1	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.3
<b>M1103</b>	5.08	MJPEG H.264	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.3
<b>M1104</b>	5.09	MJPEG H.264	1	Camera	1280x800	N/N	-	Zoom	Motion	None	v1.3
<b>M1113</b>	5.08	MJPEG H.264	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.3
<b>M1114</b>	None	MJPEG H.264	1	Camera	1280x800	N/N	-	Zoom	Motion	Supported by design	v1.2
<b>M1125</b>	5.75.3.3	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	-	Motion	Test by link	v4.15
<b>M1143-L</b>	5.40beta19	MJPEG H.264	1	Camera	800x600	N/N	1/1	-	Motion	None	v2.6
<b>M1144-L</b>	5.40.10.4	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M1354</b>	5.60.1	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v3.12
<b>M2014</b>	Refer to P1204(5.40.12)	MJPEG H.264	1	Camera	11280x720	N/N	1/1	-	Motion	Supported by design	v2.19
<b>M2025-LE</b>	8.40.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v18.12
<b>M3004</b>	5.50.5.1	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v3.12
<b>M3005</b>	5.40.5.3	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.7
<b>M3006</b>	5.40.13	MJPEG H.264	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.9
<b>M3007</b>	5.55.1.1	MJPEG H.264	1	Camera	2592x1944	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
<b>M3011</b>	5.01	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
<b>M3014</b>	None	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M3024-L</b>	5.40.5	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.20
<b>M3025</b>	5.50.5.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.12
<b>M3026</b>	Refer to M3024-L(5.40.5)	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v3.0
<b>M3027</b>	Refer to M3007(5.40.13.1)	MJPEG H.264	1	Camera	2592x1944	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v3.6
<b>M3037</b>	5.75.1	MJPEG H.264	1	Camera	2592x1944	Y/N	-	-	Motion	Test by link	v4.9
<b>M3044-V</b>	v6.15.1	MJPEG H.264	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v4.15
<b>M3045-V</b>	v6.15.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.15
<b>M3047-P</b>	7.15.2.2	H.264 MJPEG	1	Fisheye Camera	2048x2048	N/N	-	-	Motion	Test by link	v18.5
<b>M3057</b>	9.30.1.2	H264 MJPEG	1	Fisheye / Thermal Camera	2048x2048	Y/N	1/1	None	Motion	Test by link	v19.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M3105-LVE	8.40.1	H.264 MJPEG	1	Camera	1920x1080	N/N	0/0	-	Motion	Test by link	v18.12
M3113-R	None	MJPEG H.264	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.0
M3113VE	None	MJPEG H.264	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.0
M3114	5.12.1	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v1.15
M3114-R	5.12.1	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v1.15
M3114-VE	5.12	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v1.15
M3203	None	MJPEG H.264	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.2
M3204	None	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v1.2
M5013	5.25.2	MJPEG H.264	1	Camera	800x600	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v1.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M5014</b>	5.50.3.4	MJPEG H.264	1	Camera	1280x720	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v5.0
<b>M5525-E</b>	8.20.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v18.7
<b>M7001</b>	None	MJPEG H.264	1	Video Server	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.2
<b>M7010</b>	5.40.6.1	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.17
<b>M7014</b>	5.40.7.1	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.6
<b>M7016</b>	5.51.2.5	MJPEG H.264	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	Test by link	v5.3
<b>P1204</b>	5.40.12	MJPEG H.264	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.9
<b>P1214</b>	5.40.12	MJPEG H.264	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.17
<b>P1214-E</b>	5.40.12	MJPEG H.264	1	Camera	1280x720	N/N	1/1	-	Motion	Test by link	v4.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P1311	5.01	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
P1343	5.06	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
P1343-E	None	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1344	None	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
P1344-E	None	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1346	5.22	MJPEG H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.13
P1346-E	None	MJPEG H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1347	5.11	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v1.10
P1347-E	None	MJPEG H.264	1	CAmera	2060x1920	Y/N	1/1	-	Motion	Supported by design	v1.0





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>P1353-E</b>	Refer to P1354(5.40.14)	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.1
<b>P1354</b>	5.40.14	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v2.9
<b>P1355-E</b>	Refer to P1354(5.40.14)	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.1
<b>P1357</b>	5.40.19.1	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.1
<b>P1364</b>	6.30.1	MJPEG H.264	1	Camera	1280x960	Y/N	-	-	Motion	Test by link	v5.2
<b>P1365</b>	v5.75.3.3	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.14
<b>P1365 Mk II</b>	8.30.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v18.8
<b>P1367</b>	8.20.1.1	H.264 MJPEG	1	Camera	3072x1728	Y/N	1/1	Zoom	Motion	Test by link	v18.7
<b>P1405-LE</b>	5.80.1.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.14



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>P1425-E</b>	Refer to P1425-LE (5.80.1)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.6
<b>P1425-LE</b>	5.80.1	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Test by link	v4.4
<b>P1427-LE</b>	5.80.1	MJPEG H.264	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	Test by link	v4.6
<b>P1428-E</b>	5.55.5.1	MJPEG H.264	1	Camera	3840x2160	N/N	1/1	Zoom	Motion	Test by link	v3.11
<b>P1435-LE</b>	8.20.1	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Test by link	v18.6
<b>P3214-V</b>	5.55.3.2	MJPEG H.264	1	Camera	1280x960	N/N	4/4	Zoom	Motion	Test by link	v3.13
<b>P3215-V</b>	5.55.3.2	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v3.13
<b>P3224</b>	Refer to P3224-LV (5.73.3.1)	MJPEG H.264	1	Camera	1280x960	N/N	-	Zoom	Motion	Supported by design	v4.9
<b>P3224-LV</b>	5.73.3.1	MJPEG H.264	1	Camera	1280x960	N/N	-	Zoom	Motion	Test by link	v4.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>P3225</b>	Refer to P3225-LVE(5.75.3.1)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v4.8
<b>P3225-LV Mk II</b>	8.20.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v18.8
<b>P3225-LVE</b>	5.75.3.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v4.8
<b>P3301</b>	5.11	MJPEG H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>P3301-V</b>	None	MJPEG H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>P3304</b>	None	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v1.2
<b>P3304-V</b>	None	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v1.2
<b>P3343</b>	5.06	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>P3344</b>	5.06	MJPEG H.264	1	Camera	800x600	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P3346	5.20	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
P3353	5.40.17	H.264 MJPEG	1	Camera	800x600	Y/N	1/1	-	Motion	None	v2.17
P3354	5.40.10.2	H.264 MJPEG	1	Camera	1280x960	N/N	1/1	-	Motion	Test by link	v2.2
P3363	5.40.17.1	MJPEG H.264	1	Camera	800x600	Y/N	1/1	-	Motion	Test by link	v3.8
P3364	5.40.10.1	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v2.2
P3364-L	5.60.1.4	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Zoom	Motion	Test by link	v4.4
P3364-LV	Refer to P3364-L(5.60.1.4 )	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Zoom	Motion	Supported by design	v4.4
P3365	5.55.3.2	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Test by link	v4.3
P3365-V	Refer to P3365(5.55.3.2)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>P3365-VE</b>	Refer to P3365(5.5 5.3.2)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.3
<b>P3367</b>	5.40.3	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Test by link	v2.1
<b>P3384</b>	5.40.19	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v3.7
<b>P3905</b>	5.55.3	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.3
<b>P3905-R</b>	Refer to P3905(5.55.3)	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3
<b>P3905-RE</b>	Refer to P3905(5.55.3)	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3
<b>P3915</b>	5.55.3	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v4.3
<b>P3915-R</b>	Refer to P3915(5.55.3)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.3
<b>P5414</b>	5.55.1	MJPEG H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>P5415</b>	Refer to P5414(5.55.1)	MJPEG H.264	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>P5512</b>	5.25	MJPEG H.264	1	Camera	704x480	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
<b>P5512-E</b>	None	MJPEG H.264	1	Camera	704x480	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
<b>P5514</b>	5.85.1	MJPEG H.264	1	Camera	1280x720	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v4.6
<b>P5522</b>	5.25	MJPEG H.264	1	Camera	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v1.13
<b>P5522-E</b>	None	MJPEG H.264	1	Camera	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
<b>P5532</b>	5.15	MJPEG H.264	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.10
<b>P5532-E</b>	None	MJPEG H.264	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.10
<b>P5534</b>	5.15.1	MJPEG H.264	1	Camera	1280x720	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P5534-E	None	MJPEG H.264	1	Camera	1280x720	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.2
P5544	5.41.2.2	MJPEG H.264	1	Camera	1280x720	Y/N	4/4	Zoom	Motion	Test by link	v3.12
P5624	Refer to P5624-E(5.75.1)	MJPEG H.264	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v4.3
P5624-E	5.75.1	MJPEG H.264	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v4.3
P5635	Refer to P5635-E(5.75.1)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.3
P5635-E	6.20.1.4	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v5.13
P7210	5.50.2	MJPEG H.264	5	Video Sever	1536x1152	Y/N	4/4	Pan Tilt Zoom	Motion	None	v3.0
P7214	5.50.4.9	H.264 MJPEG	5	Video Server	D1	Y/N	4/4	Pan Tilt Zoom	Motion	None	v18.5
P7224	5.40.7	MJPEG H.264	4	Video Sever	720x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P8221	5.10.2	MJPEG H.264	1	Camera	2048x1536	Y/N	8/8	-	Motion	Test by link	v2.12
P8513	Refer to P8514	MJPEG H.264	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.2
P8514	5.21	MJPEG H.264	1	Camera	1280x800	Y/N	-	-	Motion	Test by link	v2.2
Q1602	5.40.3	MJPEG H.264	1	Camera	768x576	Y/N	1/1	-	Motion	Test by link	v2.1
Q1604	5.11.1	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v2.5
Q1614	5.55.1	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v3.8
Q1615	5.55.3	MJPEG H.264	1	Camera	1920x1200	Y/N	1/1	-	Motion	Test by link	v3.8
Q1635	5.80.1.2	MJPEG H.264	1	Camera	1920x1200	Y/N	2/0	-	Motion	Test by link	v4.7
Q1755	None	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.9





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q1755-E	None	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.9
Q1765-LE	5.55.1	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.9
Q1910	5.11	MJPEG H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.2
Q1910-E	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.2
Q1921	5.20.1	MJPEG H.264	1	Camera	768x576	Y/N	2/2	-	Motion	Test by link	v2.1
Q1922	Refer to Q1921	MJPEG H.264	1	Camera	768x576	Y/N	2/2	-	Motion	Supported by design	v2.1
Q1931-E	5.55.1	MJPEG H.264	1	Camera	768x576	Y/N	2/2	-	Motion	Test by link	v3.1
Q1941-E	8.50.1	H264 MJPEG	1	Camera	786x576	N/N	2/0	None	Motion	None	v20.3
Q2901-E	6.50.3.1	MJPEG H.264	1	Camera	720x576	Y/N	-	-	Motion	Test by link	v20.1



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q3505	5.80.1	MJPEG H.264	1	Camera	1920x1200	Y/N	-	Zoom	Motion	Test by link	v4.2
Q3505-V	Refer to Q3505(5.80.1)	MJPEG H.264	1	Camera	1920x1080	Y/N	-	Zoom	Motion	Supported by design	v4.6
Q3708-PVE	5.95.4.2	H.264 MJPEG	3	Camera	2560x1920	N/N	-	-	Motion	Test by link	v5.11
Q6000	Refer to Q6000-E(5.65.1)	MJPEG H.264	5	Video Sever	1920x1440	N/N	-	-	Motion	Supported by design	v4.4
Q6000-E	5.65.1	MJPEG H.264	5	Video Sever	1920x1440	N/N	-	-	Motion	Test by link	v4.3
Q6000-E-MkII	6.50.2.2	MJPEG H.264	5	Video Server	1920x1440	N/N	-	-	Motion	Test by link	v18.4
Q6032	None	MJPEG H.264	1	Camera	752x480	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q6032-E	5.05	MJPEG H.264	1	Camera	704x576	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q6034	5.15	MJPEG H.264	1	Camera	1280x800	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q6034-E	None	MJPEG H.264	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.9
Q6035	5.25	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v1.15
Q6035-E	None	MJPEG H.264	1	Camera	1920x1080	Y/n	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q6042	5.55.1	MJPEG H.264	1	Camera	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v3.1
Q6044	5.55.1	MJPEG H.264	1	Camera	1280x720	N/N	4/4	Pan Tilt Zoom	Motion	None	v2.20
Q6044-E	5.70.1.1	MJPEG H.264	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.4
Q6045	5.55.1	MJPEG H.264	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.20
Q6045-E	5.70.1.1	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.6
Q6045-E-MkII	6.50.2.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	None	v18.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q6055	7.30.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v18.6
Q6115-E	5.65.2	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.5
Q7401	None	MJPEG H.264	1	Camera	704x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
Q7404	5.02	MJPEG H.264	4	Camera	768x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q7406	5.11.1	MJPEG H.264	1	Video Sever	704x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.6
Q7411	5.40.13	MJPEG H.264	1	Video Sever	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.17
Q7414	5.25	MJPEG H.264	1	Video Sever	704x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.6
Q7424-R	5.40.10	MJPEG H.264	4	Video Sever	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.7
V5915	5.75.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v4.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>BIP-1000c</b>	None	H.264 MJPEG MPEG4	1	Camera	1024x768	N/N	1/1	-	Motion	Supported by design	v1.3
<b>BIP-1000c-dn</b>	None	H.264 MJPEG MPEG4	1	Camera	1024x768	N/N	1/1	-	Motion	Supported by design	v1.3
<b>BIP-1300c</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	1/1	-	Motion	Supported by design	v1.3
<b>BIP-1300c-dn</b>	BIP-1300cdn-1.6-2	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	1/1	-	Motion	None	v1.3
<b>BIP-1600c</b>	None	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.3
<b>BIP-1600c-dn</b>	None	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.3
<b>BIP-640c</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.3
<b>BIP-640c-dn</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.3
<b>BIP2-D1920c-dn</b>	3.8.0	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/N	1/1	-	Motion	Test by link	v2.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>BN1008FE</b>	v2.0.0703.1 002.6.1.125. 1.0	H.264 MJPEG	1	Camera	3072x2048	Y/N	1/1	-	Motion	None	v4.15
<b>BN1009/IR PTZ-2.0S</b>	v2.0.0701.1 002.6.1.114. 3.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	None	v4.15
<b>BN6009M2</b>	v2.0.0801.1 002.6.1.61.2 .0	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.15
<b>BN6009M2 WD</b>	v2.0.1001.1 002.6.1.56.2 .0	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.15
<b>BN6035M2</b>	v2.0.0801.1 002.6.1.61.2 .0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.15
<b>BN6035M4</b>	v2.0.0801.1 002.6.1.61.2 .0	H.264 MJPEG	1	Camera	2688x1520	Y/N	-	-	Motion	None	v4.15
<b>BN7029</b>	V2.0.1.0_16 0511	H.264	1	Camera	2592x1520	Y/N	1/1	-	Motion	None	v5.0
<b>BN7035</b>	V2.0.1.0_16 0511	H.264	1	Camera	2592x1520	N/N	-	-	Motion	None	v5.0
<b>BN7036</b>	V2.0.1.0_16 0511	H.264	1	Camera	2592x1520	Y/N	1/1	-	Motion	None	v5.0



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	5.90.0112 (12510590)	H.264	1	Fisheye Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.6
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> <li>H.264 only support IP mode of GOP structure. (Camera→Encoder Profile→Profile N→Expert Settings→GOP structure→IP) (NUUO Server limitation)</li> <li>Only support G.711 audio codec. (Camera performance limitation)</li> <li>After changing MJPEG resolution on web and getting camera setting on NUUO, resolution will return to previous setting. (Camera Firmware issue)</li> <li>Snapshot resolution is not correspond to existing profile. (Camera Firmware issue)</li> <li>Sometimes set multi-stream fail due to limitations of inter-streaming dependency.(NUUO Server limitation)</li> <li>Can't set tream3 quality value. (Camera Firmware issue)</li> <li>Some resolution can't set framerate (NIN-733 Stream2 only support fps 7.5 under 1280x720 )(Camera performance limitation)</li> <li>MJPEG framerate can't synchronize to web setting. (Camera performance limitation)</li> <li>Can't set framerate 1 under base frame rate 50/60 ips mode. (Camera performance limitation)</li> <li>NUUO not test ptz functions.</li> </ol>										
NBC-225-P	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-255-P	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-265-P	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-274-P	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
NBC-274-PM	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NBC-274-PT</b>	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NBC-455</b>	5.72.0028 (28500572)	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Test by link	v3.5
<b>NBN-40012</b>	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NBN-498</b>	5.72.0028 (28500572)	H.264	1	Camera	704x576	Y/N	2/1	None	Motion	Test by link	v3.5
<b>NBN-50022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NBN-71013-B</b>	5.92.0090(90500592)	H.264	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.8
<b>NBN-733</b>	Refer to NIN-733(5.90.0112)	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	Supported by design	v3.3
<b>NBN-832</b>	Refer to NDN-832(5.90.0112)	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v3.3
<b>NDC-225-P</b>	39500570	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.11





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NDC-225-PI</b>	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NDC-255-P</b>	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NDC-265-P</b>	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NDC-274-P</b>	15500552	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.7
<b>NDC-274-PT</b>	Refer to NDC-274-P(15500552)	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.7
<b>NDC-455</b>	Refer to NBC-455 (5.72.0028)	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Supported by design	v3.5
<b>NDI-50022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NDN-265-PIO</b>	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NDN-40012</b>	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NDN-498</b>	Refer to NBN-498(5.72.0028)	H.264	1	Camera	704x576	Y/N	2/1	None	Motion	Supported by design	v3.5
<b>NDN-50022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NDN-733</b>	Refer to NIN-733(5.90.0112)	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	Supported by design	v3.3
<b>NDN-832</b>	5.90.0112	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v3.3
<b>NIN-40012</b>	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NIN-733</b>	5.90.0112	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	None	v3.3
<b>NIN-832</b>	Refer to NDN-832(5.90.0112)	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v3.3
<b>NTC-255-PI</b>	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NTC-265-PI</b>	Refer to NDN-265-PIO(39500570)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NTI-40012</b>	5.90.0126	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.5
<b>NTI-50022</b>	5.90.0126	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
<b>NUC-50022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NUC-51022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NWC-455</b>	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
<b>NWC-495</b>	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
<b>NWD-455</b>	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
<b>NWD-495</b>	56500410	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	None	v2.11
<b>VG5-7028-C1PC4</b>	Refer to VG5-7130-CPT4(6.11.0021)	H.264	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VG5-7130-CPT4</b>	6.11.0021	H.264	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.8
<b>VG5-7130-EPC4</b>	Refer to VG5-7130-CPT4(6.11.0021)	H.264	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.8
<b>VIP X1 XFE</b>	39500570	H.264	1	Camera	704x480	Y/N	1/1	-	Motion	None	v2.11



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
130N	v3.1.0.9	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Zoom	Motion	None	v2.1
30xN	V3.2.2.8	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.4
50xA	v3.2.2.8	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Test by link	v3.3
CB-100A	v3.0.2.4	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.5
CB-100Ae	v3.0.2.4	MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.5
FB-100A	v3.0.2.3	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5
FB-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5
FD-100A	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5
FD-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FD-130Ae</b>	Refer to VD-130Ap	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.18
<b>FD-130Ap</b>	Refer to VD-130Ap	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.18
<b>Hydracam</b>	v3.2.3.4	H.264	3	Camera	1280x720	Y/N	2/2	-	-	None	v3.7
<b>IPC-C34000</b>	V1.04.10-181018	H265 H264	1	Camera	1920x1080	N/N	N/A	N/A	N/A	None	v19.9
<b>OB-100A</b>	v3.1.0.8	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	Zoom	Motion	None	v2.2
<b>OB-E200Nf</b>	v3.7.0.18.3u	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.9
<b>OSD-200A 20xp</b>	gk20140422 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.4
<b>OSD-200Np</b>	3.7.0.35	H264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v5.14
<b>OSD/PZ-040D</b>	v3.1.0.8	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>OSD/PZ-040E</b>	v3.1.0.8	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v2.2
<b>VD-130Ae</b>	Refer to VD-130Ap	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.18
<b>VD-130Ap</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.18
<b>VD-E200Nf</b>	Refer to OB-E200Nf(V3.7.0.18.3T)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.7
<b>VS-04A</b>	3.5.2.15	H.264 MJPEG	1	Camera	720x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v3.7
<b>W/VS-01A</b>	v3.1.0.6	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.2
<b>WCB-100A</b>	v2.3.5.6.1	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.1
<b>WCB-100Ae</b>	v3.0.2.4	MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.5
<b>WFB-100A</b>	V2.3.7.8	H.264 MJPEG MPEG4	1	cAMERA	1280X800	Y/N	1/0	-	Motion	None	v1.1



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WFB-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.5





Delighting You Always

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VB-H43</b>	1.2.0	H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v5.0
<b>VB-H651V</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v5.10
<b>VB-H651VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v5.10
<b>VB-H652LVE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v5.10
<b>VB-H751LE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v5.10
<b>VB-H760VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v5.10
<b>VB-H761LVE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Supported by design	v5.10
<b>VB-M50B</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-M640V</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VB-M640VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10
<b>VB-M641V</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	-	Motion	Supported by design	v5.10
<b>VB-M641VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	-	Motion	Supported by design	v5.10
<b>VB-M740E</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10
<b>VB-M741LE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	-	Motion	Supported by design	v5.10
<b>VB-R10VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-R11</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-R11VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-R12VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v5.10

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VB-R13</b>	1.1.0	H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v5.10
<b>VB-R13VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-S30D</b>	1.1.0	MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.9
<b>VB-S30VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-S31D</b>	Refer to VB-S30D(1.1.0)	MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.9
<b>VB-S800D</b>	1.3.0	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.16
<b>VB-S800VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v5.10
<b>VB-S805D</b>	Refer to VB-S905F(1.0.0)	MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.9
<b>VB-S900F</b>	Refer to VB-S800D(1.1.0)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.9



Delighting You Always

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VB-S905F</b>	1.0.0	MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.9
<b>VB-S910F</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Supported by design	v5.10

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS20HDI R3V</b>	v1.8.0801.1 001.93.0.66. 1.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.4
<b>DCS30HDI R30</b>	v1.8.0601.1 001.93.0.65. 1.0	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	cx20141008 NSA	MJPEG H.264	1	Fisheye Camera	1920x1080	Y/N	4/2	-	Motion	Supported by design	v4.0
Note:	<p style="text-align: center;">Support generic dewarp</p> <ol style="list-style-type: none"> <li>1. It can't stop pan &amp; tilt sometimes. (Camera performance limitation)</li> <li>2.It can't set zoom speed. (Camera Firmware issue)</li> <li>3.It should set one stream in MJPEG, the snapshot will work. (Camera Firmware issue)</li> <li>4.If set preset point too fast, it will set wrong point. (Camera performance limitation)</li> <li>5.The resolution setting doesn't sync with web. (Camera Firmware issue)</li> </ol>										
<b>B13H</b>	v1.1.0.0	MPEG4 MJPEG H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.0
<b>C10-W</b>	v1.1.0.0(buil d2)	MPEG4 MJPEG H.264	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.0
<b>D13HD</b>	v1.1.0.0	MPEG4 MJPEG H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.0
<b>W13H</b>	v1.1.0.0	MPEG4 MJPEG H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BL3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.2
BL3104	4.2.1.0(158 31)T	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	-	Motion	Test by link	v18.6
BL5103	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.3
BL5105	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
BL5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v4.3
BL7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.3
BL7304	VK1.0.27.3_ GZ	MJPEG H.264 H.265	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v5.8
BL7305	01_C020	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.5
DM3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DM3102V2	IPC_D1202-B0003P10D1806	H265 H264 MJPEG	1	Camera	1920x1080	N/N	N/N	N/N	Motion	Supported by design	V19.3
DM3102V3	V5.5.6 build 180502	H265 H264	1	Camera	1920x1080	N/N	N/N	None	Motion	None	v20.3
DM3104	4.2.1.0(15831)T	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	-	Motion	None	v18.5
DM3112	Refer to D4211 (02_C022)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.5
DM5103	01_C018	MJPEG H.264 H.265	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.3
DM5113	01_C014	MJPEG H.264 H.265	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.8
DM5115	01_C017	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.9
DM5115V2	02.03.0.6.14208	H.265 H.264 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	None	v18.9
DM5115V3	01.00.0.9.3079	H.265 H.264 MJPEG	1	Camera	2592x1944	N/N	-	-	Motion	None	v20.9





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DM5302	02_C022	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v4.3
DM7302	01_C020	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.3
DM7304	VK1.0.27.3_ GZ	MJPEG H.264 H.265	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v5.8
DM7305	01_C010	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.6
DMP-5102	01.00.0.8.34 92	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v21.2
FE5403	01_C020	MJPEG H.264 H.265	1	Camera	2048x1520	Y/N	1/1	-	Motion	Supported by design	v4.7
FE5405	01_C020	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.6
HN G Series	VT1.0.2	H.265 H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v21.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CIVS-IPC-2500</b>	v1.1.3R15	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	None	v1.0
<b>CIVS-IPC2-500W</b>	v1.1.3R03	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	None	v1.0
<b>PVC-300</b>	2.0.0.1	H.264 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IBE3815NVR</b>	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IBE3815PVR</b>	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IBE5810NCR</b>	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IBE5810PCR</b>	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IBP5030CR</b>	Refer to IGP1030(XNET.A1-2.01.13.0204)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IDC4000T</b>	T1-1.0.13.0424	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.16
<b>IDC4050F</b>	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IDC4050IR</b>	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IDC4050VF</b>	XNET.M1-3.00.13.1125	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.2



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IDC4050VR</b>	Refer to IGC2050F(X NET.M1-3.00.13.020 4)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IDP4000VD</b>	XNET.A1-1.1.9.1104	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.1
<b>IDP4000VR</b>	XNET.A1-1.1.9.1104	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.1
<b>IDP4030VR</b>	Refer to IGP1030(XNET.A1-2.01.13.020 4)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IDP5035VR</b>	Refer to IGP2035F(X NET.M2-3.00.13.020 4)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IGC2050F</b>	XNET.M1-3.00.13.020 4	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
<b>IGP1000</b>	None	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	None	v1.1
<b>IGP1030</b>	XNET.A1-2.01.13.020 4	H.264	1	Camera	1280x860	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
<b>IGP2035F</b>	XNET.M2-3.00.13.020 4	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IJB2000	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	-	-	-	Supported by design	v1.1
INS2000	XNET.A1- 2.01.13.090 2	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.2
IPM3063N	None	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
IPM3063P	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
IS1765x	Refer to ISM1063x	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
ISM1063N	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
ISM1063x	XNET.A1- 2.01.13.020 4	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	4/0	Pan Tilt Zoom	Motion	None	v2.13
ISS2765N W	None	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.1
ISS2765P W	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	-	-	-	Supported by design	v1.1



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ISS2965x</b>	Refer to ISMC1063x	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	4/0	Pan Tilt Zoom	Motion	Supported by design	None
<b>ISS4032Z2 8W</b>	Refer to IGP2035F(X NET.M2- 3.00.13.020 4)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>ISSM2063x</b>	Refer to ISMC1063x	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/n	4/0	Pan Tilt Zoom	Motion	Supported by design	None
<b>IVC5055VR</b>	Refer to IDC4050VF( XNET.M1- 3.00.13.112 5)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
<b>IVP4000VR</b>	XNET.A1- 1.1.9.1028	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	None	v1.1
<b>IVP4030VR</b>	Refer to IGP1030(XN ET.A1- 2.01.13.020 4)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IVP5035VR</b>	Refer to CNB IGP2035F(X NET.M2- 3.00.13.020 4)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IXC2050IR</b>	Refer to IGC2050F(X NET.M2- 2.00.12.102 6)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IXP3035VR</b>	Refer to IGP2035F(X NET.M2-3.00.13.0204)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>MPC1070PN</b>	1.0.46	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v3.4
<b>MVC2050VR</b>	3.4.2	H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.3
<b>NDE5055MF</b>	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>NDE5055VR</b>	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>NGE2055F</b>	XNET.N1-1.02.13.0204	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
<b>NVE5055MF</b>	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>NVE5055VR</b>	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>NXE3055MR</b>	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NXE3055V R</b>	Refer to NGE2055F(X NET.N1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	2.622.00000 00.31.R	H.264 H.265 MJPEG	1	Camera	2688x1520	Y/Y	7/2	Pan Tilt Zoom	Motion	None	v19.4
Note:	<p>Firmware must be 2.622.0000000.21.R, Build Date: 2018-01-12 or above then can use generic model.            Firmware must be 2.210.0006.0.T.A.2017, build : 2016-03-24 or above then can use generic model.</p> <ol style="list-style-type: none"> <li>The range of parameter on camera will be changed by other parameter, our parameter dialog can't synchornize with camera. (Camera Firmware issue)</li> <li>Image Parameters cannot be set normally. (Camera Firmware issue)</li> <li>Audio G.711A (16k) and G.711Mu (16k) works abnormal. (NUUO server limitation)</li> <li>PTZ cannot normally use Speed and AutoPan functions. (Camera Firmware issue)</li> <li>DO cannot normally work. (Camera Firmware issue)</li> <li>Camera with H.265 will have gray image. (NUUO server limitation)</li> </ol> <p>Firmware must be 2.210.BW03.0.T.A.2017.3N.NR, build : 2015-11-06 or above then can use generic model.</p> <ol style="list-style-type: none"> <li>Server dose not support G.726, AAC, and G.711A with 16k. (NUUO server limitation)</li> <li>Zoom, focus, and gotoPreset work abnormally. (Camera Firmware issue)</li> <li>Stream parameter setting may fail if the ranges of bitrate is not synchronized with the camera web. (Camera Firmware issue)</li> <li>The list of frame rate is not synchronized with the one on the camera web. (Camera Firmware issue)</li> </ol>										
DH-SD6AL230FN-HNI	2.420.0001. 0.R.3.3019.9 A.NR,build:2 016-01-22	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Test by link	v5.9
DH-SD6AL240-HNI	2.621.00000 00.1.R.D32. 4010.9A.NR, Build Date: 2017-08-23	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Test by link	v18.6
HCVR5104H	3.200.0005. 1.R, Build Date: 2014- 04-27	H.264	4	DVR	1280x720	Y/N	-	Pan Tilt Zoom	-	None	v3.4
HDB3300	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.  
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>HDBW3300</b>	V2.000 , Update 2011.10.22	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
<b>HF3110</b>	V2.000 , Update 2011.10.22	H.264 MJPEG	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
<b>HF3211</b>	V2.000 , Update 2011.10.22	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
<b>HF3300</b>	V2.000 , Update 2011.10.22	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.16
<b>IPC-5100</b>	Refer to IPC- HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-5200</b>	Refer to IPC- HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC- EBW81200</b>	2.400.0000. 4.R, build : 2015-08-06	MJPEG H.264	1	Camera	4000x3000	Y/N	2/1	-	Motion	None	v4.12
<b>IPC- EBW8600</b>	2.400.0000. 4.R, build : 2015-08-06	MJPEG H.264	1	Camera	3072x2048	Y/N	2/1	-	Motion	None	v4.12



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.  
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HD2100	2.212.0000.1.T, build : 2014-02-08	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	None	v3.1
IPC-HDB3101	Refer to IPC-HFW3101C( 2.103)	MJPEG H.264	1	Camera	1280x860	Y/N	2/1	-	Motion	Supported by design	v2.12
IPC-HDB5100	Refer to IPC-HFW5302C( 2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5100-DI	Refer to IPC-HFW5302C( 2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5200	Refer to IPC-HFW5302C( 2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5200-DI	Refer to IPC-HFW5302C( 2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5202	Refer to IPC-HFW5302C( 2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HDB5202-DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDB5300</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDB5300-DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDB5302</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDB5302-DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW2320 R-ZS</b>	2.600.0005.0.R,build:2016-12-19	MJPEG H.264	1	Camera	2048x1536	N/N	-	Zoom	Motion	Test by link	v5.9
<b>IPC-HDBW3101</b>	Refer to IPC-HFW3101C(2.103)	MJPEG H.264	1	Camera	1280x860	Y/N	2/1	-	Motion	Supported by design	v2.12
<b>IPC-HDBW3300</b>	v2.000	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	None	None	None	v1.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HDBW4421E</b>	Refer to IPC-HFW5421E-Z(2.400.000 0.30.R,build: 2015-12-15)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.14
<b>IPC-HDBW4421F-AS</b>	Refer to IPC-HFW5421E-Z(2.400.000 0.30.R,build: 2015-12-15)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.14
<b>IPC-HDBW5100</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5100-DI</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5121E-Z</b>	Refer to IPC-HFW5421E-Z(2.400.000 0.30.R,build: 2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HDBW5200</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5200-DI</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HDBW5202</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5202-DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5220 E-Z</b>	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build: 2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HDBW5221 E-Z</b>	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build: 2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HDBW5300</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5300-DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5302</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.  
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HDBW5302-DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5421E-Z</b>	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build: 2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HDBW5431E-Z</b>	2.460.0000.3.R, Build Date: 2017-01-05	H.264 H.265	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Test by link	v5.10
<b>IPC-HDW4421E</b>	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build: 2015-12-15)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.14
<b>IPC-HF5121E-Z</b>	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build: 2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HF5221E</b>	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build: 2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HF5421E</b>	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build: 2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HF81200E</b>	2.400.0000.7.R	H.264 MJPEG	1	Camera	4000x3000	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.11
<b>IPC-HFW1220S</b>	2.420.0000.11.R, build : 2015-07-07	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.12
<b>IPC-HFW3101C</b>	V2.103	MJPEG H.264	1	Camera	1280x960	Y/N	2/1	-	Motion	Test by link	v2.12
<b>IPC-HFW3200C</b>	2.212.0000.1.T, build : 2014-02-08	MJPEG H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v3.1
<b>IPC-HFW5100-IRA</b>	Refer to IPC-HFW5302C( 2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5100C</b>	Refer to IPC-HFW5302C( 2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5100D</b>	Refer to IPC-HFW5302C( 2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5100E-VF</b>	Refer to IPC-HFW5302C( 2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HFW5121E-Z</b>	Refer to IPC-HFW5421E-Z(2.400.000 0.30.R,build: 2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HFW5200-IRA</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5200C</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5200D</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5200E-VF</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5200E-Z</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5202C</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HFW5220E-Z</b>	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build:2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HFW5221E-Z</b>	Refer to IPC-HFW5421E-Z(2.400.0000.30.R,build:2016-06-04)	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HFW5300C</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5300E-VF</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5300E-Z</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5302C</b>	2.420.0005.0.R, build : 2014-12-05	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	None	v3.13
<b>IPC-HFW5421E-Z</b>	2.400.0000.30.R,build:2016-06-04	MJPEG H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	None	v4.16
<b>IPC-HFW5431E-Z</b>	2.622.00000.00.21.R, Build Date: 2018-01-12	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Test by link	v18.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-PDBW5831 P-B360</b>	2.800.00000 00.7.R.2107 08	H.264 H.265 MJPEG	4	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v22.1
<b>SD32203S-HN</b>	Refer to SD52C220S- HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD40212S-HN</b>	Refer to SD52C220S- HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD42212S-HN</b>	Refer to SD52C220S- HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD42C212S-HN</b>	Refer to SD52C220S- HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD50120S-HN</b>	Refer to SD52C220S- HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD50220S-HN</b>	Refer to SD52C220S- HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SD50230S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD52C120S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD52C220S-HN</b>	2.210.0003.0.R.A.2017, build : 2014-11-12	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.13
<b>SD52C230S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD59120S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD59212S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD59220S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SD59230S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD63120S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD63220S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD63230S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD6366E-HN</b>	2.213.0000.1.R, build : 2013-12-27	MJPEG H.264	1	Camera	704x576	Y/N	7/2	Pan Tilt Zoom	Motion	Test by link	v3.3
<b>SD65XX-HN</b>	2.102.0001.0.D	MJPEG H.264	1	Camera	1920x1028	Y/N	7/2	Pan Tilt Zoom	Motion	None	v2.5
<b>SD69XX-HN</b>	Refer to SD65XX-HN(2.102.00 01.0.D)	MJPEG H.264	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
<b>SD6A230-HN</b>	2.212.0000.3.R, build : 2014-02-08	MJPEG H.264	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	None	v3.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SD6AL230F-HNI</b>	Refer to DH-SD6AL240-HNI (FW: 2.621.00000 00.1.R.D32.4010.9A.NR, Build Date: 2017-08-23)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Supported by design	v18.6
<b>SD6C120S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD6C220S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD6C230S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD6C430U N-HN</b>	2.420.0000.5.R.301d.3N .NR, build : 2016-04-13	MJPEG H.264	1	Camera	2592x1520	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v5.3
<b>SDZW2030 S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Universal Model</b>	V1.01.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1280x800	Y/N	-	-	Motion	None	V2.14
<b>DCS-1100</b>	1	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
<b>DCS-1100L</b>	1.03_4130	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.6
<b>DCS-1130</b>	1	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
<b>DCS-1130L</b>	1.03_4130	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.6
<b>DCS-1201</b>	V0.00.01	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.13
<b>DCS-1301</b>	0.01.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1
<b>DCS-2102</b>	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
<b>DCS-2103</b>	1.20.00	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.16



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-2103B1</b>	Refer to DCS-2132LB (v2.00.05)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v4.6
<b>DCS-2120</b>	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	None	v1.0
<b>DCS-2121</b>	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
<b>DCS-2130</b>	Refer to DCS-2103(1.20.00)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>DCS-2132L</b>	1.00.06	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.7
<b>DCS-2132LB</b>	v2.00.05	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v4.5
<b>DCS-2136L</b>	v1.03.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v4.7
<b>DCS-2210</b>	V1.22	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6
<b>DCS-2210L</b>	Refer to DCS-2230L (v0.03.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.6





--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-2230</b>	Refer to DCS-2210(V1.22)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.4
<b>DCS-2230L</b>	v0.03.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6
<b>DCS-2310L</b>	1.03.08	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v4.16
<b>DCS-2310LB1</b>	0.03.00	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	V3.7
<b>DCS-2330L</b>	v1.00.01	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v4.8
<b>DCS-2332L</b>	V1.02.00	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v4.9
<b>DCS-2530L</b>	1.00.21	MJPEG H.264	1	Camera	1920x1080	Y/N	-	-	Motion	None	v5.1
<b>DCS-2630L</b>	v1.02.02	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.13
<b>DCS-3010</b>	v1.12.07	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v3.7



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-3110</b>	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.0
<b>DCS-3112</b>	V1.11.01	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	2/1	Pan Tilt	Motion	None	v4.6
<b>DCS-3220</b>	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
<b>DCS-3220G</b>	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
<b>DCS-3410</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	Pan Tilt	Motion	None	v1.0
<b>DCS-3411</b>	1.02_4125	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	Pan Tilt	Motion	None	v2.6
<b>DCS-3415</b>	1	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Zoom	Motion	None	v1.0
<b>DCS-3420</b>	1.03	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
<b>DCS-3430</b>	1.02_4125	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	Pan Tilt	Motion	None	v2.6



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-3511	v1.10.13	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.4
DCS-3530	Refer to DCS- 3511(v1.00. 06)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15
DCS-3710	1	MJPEG MPEG4	1	Camera	1280x960	Y/N	2/1	Pan Tilt	Motion	None	v2.6
DCS-3710B1	V0.02.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	2/1	Pan Tilt	Motion	None	v4.6
DCS-3713	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.6
DCS-3714	v1.00.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	2/1	Pan Tilt	Motion	None	v4.6
DCS-3715	v1.20	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.8
DCS-3716	v1.00.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	None	v4.7
DCS-4201	V1.00.02	MJPEG H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v4.2



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-4602EV</b>	v1.99.00 [HW: B]	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v18.3
<b>DCS-4603</b>	0.00.08	MJPEG H.264	1	Camera	2048x1536	N/N	1/1	Zoom	Motion	None	v5.9
<b>DCS-4605EV</b>	v1.00.02 [HW: A]	H264 H265 MJPEG	1	Camera	2592x1944	N/N	-	-	Motion	None	v18.2
<b>DCS-4622</b>	1.00.03	MJPEG H.264	1	Camera	1920x1536	Y/N	-	-	Motion	None	v5.0
<b>DCS-4633EV</b>	0.00.03	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v5.14
<b>DCS-4701E</b>	v2.00.05 [HW: B]	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v18.5
<b>DCS-4703E</b>	Refer to DCS-4603(0.00.08)	MJPEG H.264	1	Camera	2048x1536	N/N	1/1	Zoom	Motion	Supported by design	v5.9
<b>DCS-4705E</b>	v1.00.02 [HW: B]	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v18.7
<b>DCS-4802E</b>	v2.00.00 [HW: B]	H.264 H.265 MJPEG	1	Camera	1920 x 1080	N/N	-	-	Motion	None	v18.7



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-5000L	v1.02.01	MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	None	v4.12
DCS-5010L	Refer to DCS-5020L(1.01)	H.264 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	Supported by design	v2.15
DCS-5020L	1.01	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.15
DCS-5029L	Refer to DCS-5222LB(V2.0 1.05)	MJPEG H.264	1	Camera	1280x720	Y/N	1/1	Pan Tilt	Motion	Supported by design	v4.13
DCS-5030L	v1.01.06	MJPEG H.264	1	Camera	1280x720	Y/N	-	Pan Tilt	Motion	None	v4.13
DCS-5211L	1.1	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	Pan Tilt	Motion	None	v2.15
DCS-5220	200	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	None	v1.0
DCS-5220 Bx	2.00	MJPEG MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	None	v1.0
DCS-5220(TW)	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	None	v1.0



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-5222L	1.10	H.264 MPEG4	1	Camera	1280x720	Y/N	1/1	Pan Tilt	Motion	None	v2.15
DCS-5222LB	2.01.05	MJPEG H.264	1	Camera	1280x720	Y/N	1/1	Pan Tilt	Motion	None	v4.5
DCS-5222LB2	Refer to DCS-5222LB(V2.0 1.05)	MJPEG H.264	1	Camera	1280x720	Y/N	-	Pan Tilt	Motion	Supported by design	v3.8
DCS-5230	1.02_4317	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	None	v2.6
DCS-5230L	1.02_4317	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	None	v2.6
DCS-5605	1.01_4126	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-5610	None	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
DCS-5615	v1.00.02	MJPEG H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt	Motion	None	v2.19
DCS-5635	1.01_4126	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-6004L</b>	V1.02.03	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v5.4
<b>DCS-6005L</b>	Refer to DCS- 6004L(V1.02 .03)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v5.4
<b>DCS-6010L</b>	V1.12.02	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	Pan Tilt Zoom	Motion	None	v4.6
<b>DCS-6045L</b>	V1.00b3	H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.4
<b>DCS-6110</b>	1	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	-	Motion	None	v1.0
<b>DCS-6111</b>	1	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
<b>DCS-6112</b>	v2.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.6
<b>DCS- 6112B1</b>	V3.00.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6
<b>DCS-6112V</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.6



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-6113</b>	Refer to DCS-6112(2.10.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>DCS-6113B1</b>	v3.00.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.5
<b>DCS-6113V</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.6
<b>DCS-6113VB1</b>	Refer to DCS-6112B1(v3.00.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.3
<b>DCS-6115</b>	v0.09.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v4.7
<b>DCS-6116</b>	v1.00.09	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v4.10
<b>DCS-6210</b>	V1.00.06	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.7
<b>DCS-6212L</b>	0.01.00	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.10
<b>DCS-6314</b>	V1.01	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.4





--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-6315</b>	Refer to DCS-6115(0.09.00)	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v4.7
<b>DCS-6410</b>	1	MJPEG MPEG4	1	Camera	704x576	Y/N	2/1	Pan Tilt	Motion	None	v1.0
<b>DCS-6510</b>	v1.02	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v4.10
<b>DCS-6511</b>	Refer to DCS-7513(v2.0.23)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.5
<b>DCS-6513</b>	1.02.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.0
<b>DCS-6515</b>	Refer to DCS-7518(1.00.00)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v4.1
<b>DCS-6517</b>	Refer to DCS-7517(v2.00.00)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v5.7
<b>DCS-6616</b>	2.12.01	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	8/1	Pan Tilt Zoom	Motion	None	v5.11
<b>DCS-6620</b>	1.05	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.3



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-6620G	1.05	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.3
DCS-6815B1	0.01.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	8/1	Pan Tilt Zoom	Motion	None	v2.6
DCS-6817B1	v2.00.02	MJPEG H.264 H.265	1	Camera	720x576	Y/N	8/1	Pan Tilt Zoom	Motion	None	v2.12
DCS-6818B1	0.01.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	8/1	Pan Tilt Zoom	Motion	None	v2.6
DCS-6915	v1.00.10	H.264	1	Camera	1900x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.12
DCS-6915B1	Refer to DCS-6915(1.00.10)	MJPEG H.264	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.7
DCS-7000L	0.09.00	MJPEG H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v4.5
DCS-7010L	V1.05.03	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v4.3
DCS-7110	v1.20_20120517	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-7110A3</b>	V2.10.03	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	Pan Tilt	Motion	None	v3.9
<b>DCS-7110B1</b>	v3.00.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v4.4
<b>DCS-7410</b>	1	MJPEG MPEG4	1	Camera	704x576	Y/N	2/1	Pan Tilt	Motion	None	v1.10
<b>DCS-7413</b>	1.00.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.10
<b>DCS-7413B1</b>	v2.11.08	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6
<b>DCS-7510</b>	None	MJPEG MPEG4	1	Camera	704x576	Y/N	2/1	Pan Tilt	Motion	None	v1.0
<b>DCS-7513</b>	v2.0.23	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.5
<b>DCS-7517</b>	v1.11.00	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	Zoom	Motion	Test by link	v5.15
<b>DCS-7517B</b>	v2.00.00	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v5.7



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-7518	V1.00	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.12
DCS-900	1	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-910	1	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-920	None	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-930	1.00 build 2	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.8
DCS-930L	1.00 build 2	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.8
DCS-930LB	v2.15.06	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	Test by link	v5.15
DCS-931L	1.00_2.0.16-b28	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-932	1	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.9



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-932L	1	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.9
DCS-932LB	2.13.13	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v4.14
DCS-933L	1.00_2.0.16 -b28	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-935L	V1.00	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.5
DCS-936L	v1.02.00	H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v4.15
DCS-940L	1	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.18
DCS-942L	V1.20	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.13
DCS-942LB	V2.00_3815	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v4.5
DCS-950	None	MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-950G	None	MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
DCS-960L	v1.03.05	H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v4.13
DCS-G900	None	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-N2100	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-N2104	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-N2200	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	None	v2.9
DCS-N2204	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	None	v2.9
DCS-N3530	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	Motion	None	v2.9
DCS-N3531	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.9



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-N3534	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DCS-N4141	None	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N4532	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	-	Motion	None	v2.9
DCS-N4533	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	-	Motion	None	v2.9
DCS-N5424	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	None	Motion	None	v2.9
DCS-N5440	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N5441	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N5442	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N5444	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-N6240	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N6241	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-N6244	None	MJPEG MPEG4	1	Camera	720x576	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-P603	v1.02.02	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Test by link	v18.1
DCS-P703	Refer to DCS-P603 (FW: v1.02.02)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v18.1
DCS2120(T W)	0201tw	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
DVS-104	None	MJPEG	4	Camera	720x576	N/N	4/2	-	Motion	Supported by design	v1.0
DVS-210-1	1.00.01	MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0
DVS-301-1	1.00.01	H.264 MPEG4 MJPEG	1	Camera	720x480	Y/N	None	Pan Tilt Zoom	Motion	None	v1.0





-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DVS-N1010	None	MPEG4 MJPEG	4	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3010	None	MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3011	None	MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3014	None	MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3040	None	MPEG4 MJPEG	4	Video Server	720x576	N/N	4/4	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3041	None	MPEG4 MJPEG	4	Video Server	688x544	N/N	4/4	Pan Tilt Zoom	Motion	None	v2.9
DVS-N3044	None	MPEG4 MJPEG	4	Video Server	688x544	N/N	4/4	Pan Tilt Zoom	Motion	None	v2.9



**--: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-4721</b>	VE1.0.22.2	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.1
<b>DCS-H30-51D/S</b>	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>DCS-H41-11D/SI</b>	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>DCS-H41-11D/SO</b>	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>DCS-H42-21D/SA</b>	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>DCS-H42-21D/SM</b>	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>DCS-H50-21D/S</b>	1.0.0X0	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.4
<b>DCS-H70-21D</b>	2.0.9A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.15
<b>DCS-H70-21D/A</b>	2.0.9A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/n	1/1	-	Motion	None	v2.20



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-H70-21D/M</b>	Refer to DCS-H70-21D/A(2.0.9 A5S2)	H.264 MJPEG	1	Camera	1920x1080	Y/n	1/1	-	Motion	Supported by design	v2.20
<b>DCS-H70-21D/SA1</b>	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>DCS-H70-21D/SM1</b>	Refer to DCS-H50-21D/S(1.0.0 X0)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>DCS-H70-22D</b>	2.0.9A5S2	MJPEG H.264	1	CAmera	1920x1080	Y/N	1/1	-	Motion	None	v3.1
<b>DCS-H_Series</b>	None	MJPEG H.264	1	Fisheye Camera	2592x1944	Y/N	4/2	-	Motion	Supported by design	v3.6
<b>DCS-N20M-10H2</b>	Refer to DCS-V70M-21H(v1.0.30 )	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N30M-51H2</b>	Refer to DCS-V70M-21H(v1.0.30 )	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N31M-21H3</b>	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-N40M-22H3</b>	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-N40M-32H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N40M-33H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N40M-53H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N40M-81H3</b>	VC1.0.10	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.11
<b>DCS-N62-40H2</b>	V1.0.40	H.264 MJPEG	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.11
<b>DCS-N70M-20H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	Supported by design	v2.17
<b>DCS-N70M-21H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N70M-21H3</b>	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-N70M-50H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-V30M-50H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
<b>DCS-V30M-51H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
<b>DCS-V30M-51H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v2.17
<b>DCS-V40M-12H</b>	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-V40M-32H</b>	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-V40M-32H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	Supported by design	v2.17
<b>DCS-V40M-33H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	Supported by design	v2.17
<b>DCS-V70M-11H</b>	Refer to DCS-V70M-21H2 (VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-V70M-20H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	Supported by design	v2.17



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-V70M-21H</b>	v1.0.30	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.17
<b>DCS-V70M-21H2</b>	VB1.0.29	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.18
<b>DCS-V70M-50H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.17
<b>DCS-V90R-10F/A0</b>	V4.02.R11.0 0001905.10 010.230800 0	H.264	1	Camera	1280x960	N/N	-	Pan Tilt Zoom	Motion	None	v18.7
<b>DCS-V_Series</b>	None	MJPEG H.264	1	Fisheye Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v3.6



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	z120141215 NSZ z120141111 NSX z120141027 NSA	H.264 MJPEG	1	Fisheye Camera	2048x2048	Y/N	1/1	-	Motion	Test by link	v3.12
Note:	<p align="center">           Support generic dewarp            Generic support model: W1-BA100, W2-BAZ40, W5-CDWK0, NH073, NH063            Parameter setting will fail when multi-stream is allowed and resolution is higher than 1080p.            PT function are not test on software.            The maximum resolution is depends on camera.            Camera (Z series) firmware must be z120141215NSZ or above then can use generic model.            Camera (W series) firmware must be z120130417NSA or above then can use generic model.            Camera (X series) firmware must be z120141027NSA or above then can use generic model.         </p>										
<b>NA063</b>	z120120523 NSA	H.264 MJPEG	1	Camera	2596x1944	Y/N	1/1	-	Motion	None	v2.9
<b>NA083</b>	z120131016 NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v2.20
<b>NH061-CCD</b>	d20100310N S	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
<b>NH221-CCD</b>	d20100310N S	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
<b>NH720-20N1</b>	pm2012022 2NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NH720-20N8</b>	Refer to NH820-20N8(z120131126NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>NH820-20N1</b>	pm20120222NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.0
<b>NH820-20N8</b>	z120131126NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.0
<b>NV053</b>	pm20120222NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0
<b>NV063</b>	pm20120222NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0
<b>NV103</b>	pm20120222NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0
<b>NV223</b>	z120130417NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.15
<b>V1-A</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v1.19
<b>V1-B</b>	d20100630NS	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v1.19





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
V2-A	d20101215NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.19
V2-B	d20100826NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.19
V6-A	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.19
V6-B	d20100630NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GLC-1401</b>	1.42	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>GLC-1601</b>	1.43	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	Motion	None	v1.0
<b>GLC-1602H</b>	1.43	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	Motion	None	v1.0
<b>GLC-1610H</b>	None	H.264 MJPEG	1	Camera	720x480	Y/N	1/0	-	Motion	Supported by design	v1.7
<b>GLC-1701/IR</b>	1.45	MPEG4 MJPEG	1	Camera	720x480	N/N	1/0	-	Motion	Supported by design	v1.7
<b>GXB-1710M-IR</b>	Refer to GXC-1710M(1.0.5 Bets)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.2
<b>GXB-1720M-IR</b>	Refer to GXC-1720M(1.05)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
<b>GXC-1605M</b>	Refer to GC-1606M-IR(2.03)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v2.8
<b>GXC-1606M-IR</b>	2.03	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v2.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GXC-1710M</b>	2.11	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.13
<b>GXC-1720M</b>	1.05	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.8
<b>GXD-1610M-IR</b>	Refer to GC-1606M-IR(2.03)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v2.8
<b>GXD-1710M-IR</b>	Refer to GXC-1710M(2.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.2
<b>GXD-1720M-IR</b>	Refer to GXC-1720M(1.05)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
<b>PXB-1080Z03</b>	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
<b>PXB-2080MIR</b>	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
<b>PXB-2080Z03</b>	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
<b>PXB-2180Z03</b>	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PXC-2080CS</b>	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
<b>PXC-2080Z03</b>	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
<b>PXD-1010F02</b>	vr20121016 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.10
<b>PXD-1020F02</b>	Refer to PXD-1020F02(vr20121016NSA )	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.10
<b>PXD-2030PTZ1080</b>	vr20140416 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v3.8
<b>PXD-2080MIR</b>	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
<b>PXD-2080Z03</b>	Refer toPXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.0
<b>PXD-2080Z03IR</b>	4.23-49-ds	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EV8180A	1.1.4	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
EV8180Q-XD	1.1.4	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.11
EV8580A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8581A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8582U-BL	1.1.6 (build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.18
EV8780A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8781A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8782A	Refer to EV8180A(1.1.4)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
EV8782Q-BD	Refer to EV8180Q-XD(1.1.4)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>N50A-ML</b>	Refer to N71U-ML(1.1.6 build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
<b>N50U-ML</b>	Refer to N71U-ML(1.1.6 build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
<b>N51U-ML</b>	Refer to N71U-ML(1.1.6 build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
<b>N71U-ML</b>	1.1.6 (build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.18



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	1.2.5B11	H.264 MJPEG MPEG4	1	Fisheye Camera	720x480	Y/N	1/1	-	Motion	None	v4.1
Note:	<p>Support generic dewarp</p> <p>1. Not support CBR mode.(Camera Firmware issue)</p> <p>2. It will lose parameters of stream2 and stream3 if you disable stream2 and stream3 on camera web. (Camera performace limitation)</p>										
EAN2150	CCD-cameraFw-100811P	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.5
EAN2218	ev20111116NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.5
EAN2350	ev20111116NSA	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.5
EAN3120	v1.0.10	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
EAN3200	1.0.9	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EAN3220</b>	v1.0.10	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
<b>EAN3300</b>	v1.0.10	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.5
<b>EAN800A</b>	1.2.5	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	None	v1.1
<b>EAN800AW</b>	None	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.1
<b>EAN850A</b>	1.2.5	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	None	v1.1
<b>EAN900</b>	1.2.5	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.1
<b>EDN1220</b>	1.0.8	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.18
<b>EDN1320</b>	1.0.8	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v2.18
<b>EDN2210</b>	ev201211002 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.9





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EDN2245	EDN2245	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
EDN2260	1.3.0.d	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.4
EDN3160	1.0.18	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.6
EDN3240	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.14
EDN3260	1.0.18	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.6
EDN3340	Refer to EHN3340(1.2.4)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.6
EDN800	1.2.5	H.264 MPEG4 MJPEG	1	Camera	704x576	N/N	1/1	-	Motion	None	v1.1
EDN850H	1.2.5	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	None	v1.1
EHN3160	1.0.18	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.6



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EHN3200</b>	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.12
<b>EHN3260</b>	1.2.5B2	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.8
<b>EHN3340</b>	1.2.4	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.5
<b>EHN3361</b>	Refer to EZN3340(1.2.5B2)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>EMN2220</b>	0.8.7-B10	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.13
<b>EMN2320</b>	1.0.1	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v2.14
<b>EPN2218</b>	ev20111116 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.5
<b>EPN3100</b>	v1.0.4	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.1
<b>EPN3600</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EPN4122	1.0.4 B7	H.264 MJPEG	1	Camera	1280x960	Y/N	2/2	Pan Tilt	Motion	None	v2.6
EPN4220	1.0.16	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.5
EPN4220P	Refer to EPN4220(1.0.16)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
EPN4230	Refer to EPN4220(1.0.16)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
EQN2200	1.0.27	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.14
EQN2201	1.0.27	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.14
ETN2110	v3.2.1.4	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	None	v2.14
ETN2260	1.0.1_F1	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	Pan Tilt	Motion	None	v3.6
EVS200A	v1.1.34	H.264 MJPEG MPEG4	2	Video Server	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EVS200AW</b>	v1.2.8	H.264 MJPEG MPEG4	2	Video Server	720x5576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.1
<b>EVS410</b>	1.0.21	H.264 MJPEG	1	Camera	704x480	Y/N	4/1	-	Motion	None	v2.16
<b>EZN3160</b>	v1.0.10	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
<b>EZN3240</b>	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.12
<b>EZN3260</b>	1.2.4	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.3
<b>EZN3340</b>	1.2.5B2	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.6
<b>EZN3361</b>	Refer to EZN3340(1. 2.5B2)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
<b>EZN850</b>	v1.2.5	H.264 MJPEG MPEG4	1	Camera	704x576	N/N	1/1	Zoom	Motion	None	v1.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM-B3000	1.02.09	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	2/1	Pan Tilt	Motion	None	v2.13
ACM-PT500	2.03.16	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Pan Tilt	Motion	None	v3.7
ACM-R2001	1.02.09	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.11
ACM-R3002	Refer to ACM- V3103(2.03. 23A)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
ACM-R3006	1.02.05T	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	None	v2.13
ACM-V3001	1.02.09	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.12
ACM-V3002	Refer to ACM- V3103(2.03. 23A)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
ACM-V3103	2.03.23A	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	None	v3.13
AT- HK4A26LP R-LZS	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/N	1/1	Zoom	Motion	Supported by design	v.5.15



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>AT-HK4A26LP R-Z</b>	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/N	1/1	Zoom	Motion	Supported by design	v.5.15
<b>AT-HK4A26LP R-ZHS</b>	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/N	1/1	Zoom	Motion	Supported by design	v.5.15
<b>AT-HKTCG225</b>	v5.4.5	H.264 MPEG4	1	Camera	1920x1080P	Y/N	1/1	Zoom	Motion	Supported by design	v.5.15
<b>C3000</b>	v3.2.2.3	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.14
<b>C3000-W</b>	v3.2.2.3	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.14
<b>CDB-2KM552</b>	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.3
<b>CDB-2KM552S</b>	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
<b>CDB-3VM835</b>	Refer to TCP-HDVB835(VJ 2.0.02)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12
<b>CDB-4KM552</b>	Refer to TCP-KM465(VK2.0.11.0_F)	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.11



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDB-4KU852</b>	Refer to TCP-4KU808(VH2.0.0.12)	MJPEG H.264	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.12
<b>CDB-4VM551</b>	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
<b>CDB-5KM551</b>	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-5VM551G</b>	VH2.0.14.2_F	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v5.2
<b>CDB-720F</b>	None	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.6
<b>CDB-720F/IR</b>	V1.0.20_F	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.6
<b>CDB-720V</b>	VB1.0.26_F	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.6
<b>CDB-720VIR</b>	VB1.0.26_F	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.6
<b>CDB-720VIR-H</b>	VE2.0.14.2_F	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v3.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDB-HD280</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-HFD720</b>	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v4.1
<b>CDB-HFD728</b>	Refer to CDB-720VIR-H(VE2.0.14.2_F)	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v3.5
<b>CDB-HFD828</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-HFD828W</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-KFD228</b>	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
<b>CDB-KFD236</b>	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
<b>CDB-MD602</b>	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
<b>CDB-MD605</b>	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDB-MV1080F</b>	VB1.0.32_F	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.14
<b>CDB-MV1080F-H</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-MV720F</b>	VB1.0.28_F	MPEG4 MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.11
<b>CDB-MV720F-H</b>	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
<b>CDB-T5</b>	A1D-500-V6.07.24-NB	MJPEG H.264	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	None	v3.11
<b>CDV-10KV313</b>	Refer to TCP-10KB313(A1D-500-V6.11.30-NB)	H.264 MJPEG	1	Camera	3648x2736	Y/N	1/1	-	Motion	Supported by design	v5.4
<b>CDV-2KM502</b>	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.3
<b>CDV-2KM502S</b>	Refer to TCP-KM265 (FW: VKD2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
<b>CDV-2M360</b>	VB1.0.32_F	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.15



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDV-3F828</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDV-3V930</b>	None	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CDV-3V930U</b>	None	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>CDV-3VM301</b>	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.5
<b>CDV-3VM501</b>	Refer to TCP-MH802(1.0.46)	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v3.5
<b>CDV-3VM800</b>	VC1.0.06_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.14
<b>CDV-3VM800-H</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDV-3VM800-H1</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDV-3VM800H</b>	Refer to TCP-KM265(VKD 2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDV-3VM800Z3</b>	Refer to TCP-HDVB800Z3(VC2.0.22.4)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.11
<b>CDV-3VM800Z4 2</b>	VE2.0.23.10_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v4.16
<b>CDV-3VM835</b>	Refer to TCP-HDVB835(VJ2.0.02)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	V4.6
<b>CDV-3VWD960</b>	V1.0.16_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5
<b>CDV-3VWD960H</b>	None	MJPEG H.264	1	Camera	720x576	Y/N	1/	-	Motion	Supported by design	v1.5
<b>CDV-4F936</b>	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
<b>CDV-4KM502</b>	Refer to TCP-KM465(VK2.0.11.0_F)	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.11
<b>CDV-4KM502Z4 2</b>	VK2.0.28.6_F	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.4
<b>CDV-4KM502Z4 2X</b>	VK2.0.28.6_F	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	Supported by design	v18.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDV-4KU801</b>	Refer to TCP-4KU808(VH2.0.0.12)	MJPEG H.264	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.12
<b>CDV-4VM501</b>	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
<b>CDV-4VM501Z42</b>	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
<b>CDV-5KM501</b>	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDV-5KM501Z35</b>	VK2.0.23.0	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v5.0
<b>CDV-5VM501</b>	Refer to TCP-VM559(VC2.0.26.6_F)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.3
<b>CDV-5VM501G</b>	Refer to CDB-5VM551G(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2592x1944	1/1	1/1	-	Motion	Supported by design	v5.2
<b>CDV-5VM501Z3</b>	VC2.0.26.4	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v3.12
<b>CDV-5VM501Z42</b>	Refer to TCP-VM559Z42(VC2.0.26.6)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v4.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDV-8KP108</b>	VKU1.2.4.59	H.265 H.264 MJPEG	1	Camera	2880x2160	Y/N	1/1	-	Motion	Supported by design	v19.1
<b>CDV-DT5</b>	A1D-500-V6.08.25-NB	MJPEG H.264	None	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v3.11
<b>CDV-DT910IR</b>	A1D-500-V6.10.24-NB	MJPEG H.264	1	Fisheye Camera	3648x2736	Y/N	-	-	Motion	None	v4.13
<b>CDV-DT95IR</b>	Refer to CDV-DT5(V6.08.25-NB)	MJPEG H.264	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.3
<b>CDV-MD602</b>	VG2.0.20_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.3
<b>CDV-MD605</b>	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
<b>CDV-MFB2000D</b>	2.03.16	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
<b>CDV-MV1080F-H</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDV-P360</b>	V1.0.40_F	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v2.11



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDV-P360-5</b>	VC2.0.26.4	MJPEG H.264	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	None	v4.1
<b>CDV-VM2008T</b>	01_C021	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v4.12
<b>EDH-02H</b>	V1.0.20_F	MJPEG H.264	1	Camera	720x576	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.10
<b>EP-201</b>	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>EP-221</b>	None	MJPEG MPEG4	1	Camera	720x480	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>EP-221DN</b>	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>EP-601</b>	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>EP-601HW</b>	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.5
<b>EP-908</b>	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EP-908HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.5
EP-936	None	MJPEG MPEG4	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
EP-936HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.5
EP-HTQ935	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.5
EP-Q2018H-IP	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.5
EP-Q2018HW-IP	V1.0.8_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5
EP-Q2026H-IP	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.5
EP-Q2026HW-IP	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.5
EP-Q2036H-IP	None	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EP-Q2036HW-IP</b>	V1.0.46_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.7
<b>MD-D1200</b>	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>MD-D1322</b>	V1.0.23.09_F	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.6
<b>MD-D1612</b>	V1.0.16_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.5
<b>MD-D3622Q-H</b>	VD1.0.12_04_F	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.0
<b>SP-HK2020C-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2020CM-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2028Q-AIP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4





-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SP-HK2033Q-AIP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2033Q-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK204MP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2050R-LA</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2107IR-IP</b>	Refer to SP-HK8020IR-(IPVK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>SP-HK3033Q-AIP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
<b>SP-HK3033Q-IP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SP-HK3036Q-IP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16
<b>SP-HK3036R-AIP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16
<b>SP-HK3036R-IP</b>	NVSS-V8.1.1.2015 0921	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	None	v4.16
<b>SP-HK3303R-IP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
<b>SP-HK5220R-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK5233R-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK6230SR-AIP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SP-HK6233R-AIP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK6240SR-AIP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK6333R-AIP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
<b>SP-HK6340R-AIP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	MJPEG H.264	1	Camera	2048x1536	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
<b>SP-HK8020IR-IP</b>	VK1.0.24.0_F	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	None	v5.10
<b>SP-HK8030IR-IP</b>	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>SP-HK8120H-IP</b>	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>SP-HK8120Q-IP</b>	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SP-HP2013C-IP	onvif_v2.4.2_20150327	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.1
SP-HP2020C-IP	onvif_v2.4.0_20141027	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.1
SP-HP2020CM-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2020Q-IP	Refer to SP-HP2330Q-IP(onvif_v2.3.1_20130922)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
SP-HP2030CM-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2030Q-IP	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2030SR-IP	onvif_v2.5.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	None	v4.12
SP-HP2040SR-IP	Refer to SP-HP2030SR-IP(onvif_v2.5.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SP-HP2313C-IP</b>	Refer to SP-HP2313C-IP(onvif_v2.4.2_20150327)	MJPEG H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP2320C-IP</b>	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP2330C-IP</b>	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP2330Q-IP</b>	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP2336Q-IP</b>	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP2530AR-IP</b>	NVSS_V8.0.5.20150609	MJPEG H.264	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	None	v4.15
<b>SP-HP2620CP-IP</b>	Refer to SP-HP2020C-IP (onvif_v2.4.0_20141027)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP4833-IP</b>	A1D-500-V6.09.44-NB	H.264 MJPEG	1	Camera	2688x1520	Y/N	4/2	Pan Tilt Zoom	Motion	None	v4.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SP-PTIR736A-IP</b>	Refer to EP-Q2036HW-IP(V1.0.46_F)	H.264 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.4
<b>SP-PTIR736B-IP</b>	Refer to EP-Q2036HW-IP(V1.0.46_F)	H.264 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.4
<b>SP-PTIR737-IP</b>	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5
<b>SP-PTIR737-LA-IP</b>	None	H.264 MJPEG	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.10
<b>TCMA-99</b>	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.5
<b>TCMP-99</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.5
<b>TCP-10KB313</b>	A1D-500-V6.11.30-NB	H.264 MJPEG	1	Camera	3648x2736	Y/N	1/1	-	Motion	None	v5.4
<b>TCP-1200AV</b>	V1.0.26_F	MJPEG H.264	1	Camera	640x480	Y/N	-	-	Motion	None	v1.12
<b>TCP-1300AM</b>	V1.0.26_F	MJPEG H.264	1	Camera	1280x1024	Y/N	-	-	Motion	None	v1.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-2200AM-H</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-2700AM</b>	V1.0.30_F	MJPEG H.264	1	Camera	1600x1200	Y/N	-	-	-	None	v3.3
<b>TCP-2700AM-W</b>	Refer to CDB-720VIR-H(VE2.0.14.4)	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v3.5
<b>TCP-2800AM</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-336AM</b>	VB1.0.40_F	H.264 MJPEG MPEG4	1	Camera	2032x1536	Y/N	1/1	-	Motion	None	v2.20
<b>TCP-4KU808</b>	VH2.0.0.12_F	MJPEG H.264	1	Camera	3840x2160	Y/N	1/1	-	Motion	None	v4.12
<b>TCP-670DNU</b>	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
<b>TCP-680DNU</b>	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
<b>TCP-690</b>	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-690DN	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
TCP-690U	V3.2.60_F	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	None	v1.0
TCP-B365K	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-BF108	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
TCP-BF1080	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-BF128	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v4.1
TCP-BF208	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-BF428	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
TCP-BF728IR	Refer to CDB-720VIR-H(VE2.0.14.2_F)	MJPEG H.264	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v3.5





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-BF828IR</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB110</b>	Refer to TCP-HDVB720-H(VE2.0.20.8)	MJPEG H.264	1	Cmaera	1280x800	N/N	1/1	-	Motion	Supported by design	v4.1
<b>TCP-HDVB180</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB720-H</b>	VE2.0.20.8_F(Same as VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	None	v4.1
<b>TCP-HDVB720P</b>	V1.0.20_F	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.6
<b>TCP-HDVB800-H</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB800-H1</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB800H</b>	Refer to TCP-KM265(VKD 2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.7
<b>TCP-HDVB800Z3</b>	VC2.0.22.4_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v3.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-HDVB800Z42</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB801</b>	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	None	v2.6
<b>TCP-HDVB835</b>	VJ2.0.02_F	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.12
<b>TCP-HFB1080D</b>	2.03.10	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.19
<b>TCP-HFB720</b>	VB1.0.28_F	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v2.11
<b>TCP-HFB720-H</b>	Refer to TCP-HDVB720-H (VE2.0.20.8)	MJPEG H.264	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
<b>TCP-HP1080</b>	VC1.0.06_F	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.14
<b>TCP-HP1080-H</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HP1080H</b>	Refer to TCP-KM265(VKD 2.1.24.2_F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-HP1080WI	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	None	v2.6
TCP-HP930	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
TCP-HP930U	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.0
TCP-HVB3100D	Refer to ACM-V3103(2.03.23A)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
TCP-HVB3105D	Refer to ACM-V3103(2.03.23A)	MJPEG H.264	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	Supported by design	v3.13
TCP-IPWD690	None	MJPEG MPEG4	1	Camera	720x480	Y/N	2/2	-	Motion	Supported by design	v1.5
TCP-IPWD700DN	V1.0.16_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5
TCP-IR590-WD30	V1.0.20_F	MJPEG H.264	1	Camera	720x576	Y/N	1/1	None	Motion	None	v1.10
TCP-IR590-WD50	Refer to TCP-IR590-WD30(V1.0.20_F)	MJPEG H.264	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-IRH4080-70</b>	VKD2.1.28_F	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v19.6
<b>TCP-IRH5030C</b>	V1.0.20_F	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.10
<b>TCP-IRH5040C</b>	Refer to TCP-MH802(1.0.46)	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v3.5
<b>TCP-IRH5080-50</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-IRH5080-70</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-IRH5080W-50</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-IRH5080W-70</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-IRV540</b>	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	-	Motion	Supported by design	v1.5
<b>TCP-IRV560</b>	None	MJPEG MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-KB436</b>	FW VK2.0.28.6_ F	H.265 H.264 MJPEG	1	Camera	2592x1519	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
<b>TCP-KM265</b>	VKD2.1.24.2_ F	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v18.3
<b>TCP-KM265S</b>	Refer to TCP-KM265 (FW: VKD2.1.24.2_ F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
<b>TCP-KM465</b>	VK2.0.11.0_ F	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	None	v4.11
<b>TCP-KM470Z10</b>	VK2.0.26.0_ F	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v5.6
<b>TCP-KM559</b>	Refer to CDV- 5KM501Z35( VK2.0.23.0_ F)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-KM559Z35</b>	Refer to CDV- 5KM501Z35( VK2.0.23.0_ F)	MJPEG H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-KZ262S</b>	Refer to TCP-KM265 (FW: VKD2.1.24.2_ F)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.6
<b>TCP-KZ462</b>	Refer to TCP- KM465(VK2. 0.11.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.11



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-M360K	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.0
TCP-M912DN	V1.2.28_F	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	None	v1.0
TCP-MB602	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
TCP-MB605	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
TCP-MB685	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
TCP-MH802	None	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v3.5
TCP-MH859	Refer to TCP-VM559 (VC2.0.26.6_F)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v4.3
TCP-MH859G	Refer to CDB-5VM551G(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v5.2
TCP-MZ602	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-MZ605</b>	Refer to CDV-MD602(VG2.0.20_F)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.3
<b>TCP-VM2008T</b>	01_C021	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v4.12
<b>TCP-VM201</b>	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.5
<b>TCP-VM2210</b>	3.1.0.0	MJPEG MPEG4 H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	None	v4.12
<b>TCP-VM2818</b>	Refer to TCP-VM2210(3.1.0.0)	MJPEG MPEG4 H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v4.13
<b>TCP-VM2833</b>	Refer to TCP-VM2210(3.1.0.0)	MJPEG MPEG4 H.264	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v4.13
<b>TCP-VM359</b>	VC1.0.16_F	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.14
<b>TCP-VM469</b>	Refer to TCP-VM469Z42(VH2.0.14.2_F)	MJPEG H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Supported by design	v5.1
<b>TCP-VM469Z42</b>	VH2.0.14.2_F.B6	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	Zoom	Motion	None	v5.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-VM501</b>	Refer to TCP-MH802(1.0.46)	MJPEG H.264	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v3.5
<b>TCP-VM559</b>	VC2.0.26.6_F	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v4.3
<b>TCP-VM559G</b>	Refer to CDV-5VM501Z3(V E2.0.26.4)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.12
<b>TCP-VM559Z3</b>	Refer to CDB-5VM551G(V H2.0.14.2_F)	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v5.2
<b>TCP-VM559Z42</b>	VC2.0.26.6	MJPEG H.264	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v4.4
<b>WB-8211SD</b>	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/4	-	Motion	Supported by design	v1.0
<b>WB-8211SDU</b>	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	2/4	-	Motion	Supported by design	v1.0
<b>WB-8411</b>	None	MPEG4 MJPEG	4	Camera	720x480	Y/N	4/1	-	Motion	Supported by design	v1.0
<b>WB-8412</b>	V2.2.26_F	MPEG4 MJPEG	4	Video Server	688x448	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.0





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WB-H811</b>	V1.0.44_F	MJPEG H.264	1	Video Sever	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.9
<b>WB-H814</b>	V1.0.82_F	MJPEG H.264	4	Video Sever	720x576	Y/N	4/4	Pan Tilt Zoom	Motion	None	v3.10
<b>WB-HB01</b>	VH2.0.18.0_F	MJPEG H.264	1	Video Server	960x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v5.7
<b>WB-HB04</b>	V1.0.0.8.F	MJPEG H.264	4	Video Sever	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v5.8
<b>WB-HB08</b>	V1.0.0.10_F	H.264 MJPEG	1	Video Server	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v18.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FC-309</b>	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-313</b>	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-324</b>	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-324S</b>	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-334</b>	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-334S</b>	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-348-NTSC</b>	BU 1.2	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	None	v3.10
<b>FC-363</b>	Refer to FC-348-NTSC (BU1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	1/1	Zoom	Motion	Supported by design	v3.10
<b>FC-618-R-NTSC</b>	BU 1.2	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	None	v3.10



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FC-632S</b>	Refer to FC-618-NTSC (BU 1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-645S</b>	Refer to FC-618-NTSC (BU 1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-669S</b>	Refer to FC-618-NTSC (BU 1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-690S</b>	Refer to FC-618-NTSC (BU 1.2)	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACD-3VM501	Refer to ACDV-3VM501(V1.0.26 )	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v2.6
ACDV-3VM501	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v2.6
AEP-Q2018H-IP	None	H.264 MJPEG	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
AEP-Q2026HW-IP	None	H.264 MJPEG	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
AEP-Q2036HW-IP	1.14.0.1	H.264 MJPEG	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.14
ASP-PTIR737-IP	None	H.264 MJPEG	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
ASP-PTIR737-LA-IP	None	H.264 MJPEG	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ATCP-IRH5030C	None	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.14
ATCP-IRH5040C	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802DN	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802DN/WI	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14
ATCP-MH802WI	None	H.264 MJPEG	1	Camera	1600x1200	N/N	1/1	-	Motion	Supported by design	v1.14
ATCP-VM501	None	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.14



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>AWB-H811</b>	None	H.264 MJPEG	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.17
<b>AWB-H814</b>	None	H.264 MJPEG	1	Camera	720x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.17
<b>B0100</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v1.14
<b>B0202</b>	V3.2.0.0	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0
<b>B1100</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v1.14
<b>C1100</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.14
<b>C1100-W</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.14



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>C2002</b>	Refer to C2200(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>C2002-W</b>	Refer to C2200(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>C2100</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.14
<b>C2200</b>	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
<b>C2200-W</b>	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
<b>D0100</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.14
<b>D1100</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v1.14



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D2000-FD3</b>	Refer to M40202-DB03(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>D2000-VD3</b>	Refer to M4202-DB02(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>D2000-VP2</b>	Refer to M7202-DB03(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>D2100</b>	1.14.0.1	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.14
<b>FBS-1300BL</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300BX</b>	AgWT8130104N20_1405282B	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
<b>FBS-1300ID</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5





--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FBS-1300IDR</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300MID</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300MVD</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300VD</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300VDR</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBU-200LWD</b>	Refer to FVD-200(v3.3)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FBU-201LWD</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBU-300LWD</b>	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBU-301LWD</b>	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBX-200</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
<b>FBX-200CL</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBX-200LWD</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FBX-300LWD</b>	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBX-300WD</b>	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
<b>FDM-200</b>	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
<b>FDM-200LWD</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FDM-300LWD</b>	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FDM-300WD</b>	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
<b>FVD-200</b>	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FVD-200LWD</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/N	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FVD-300LWD</b>	AgWT83000 36N06 V32 1401214F	H.264	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.3
<b>FVD-300WD</b>	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
<b>GE-100-VS</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.17
<b>IPB-1080BL</b>	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>IPB-1080BM</b>	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>IPB-1080E</b>	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPB-1080EL</b>	Refer to IPD-1080CD (VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.13
<b>IPB-1080F</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPB-1080F28</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPB-1080WDR</b>	Forenix_root fs_VG1.0.20_TG_20150129_101057	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1
<b>IPB-2265U-M</b>	IPC_G6103-B0011P11D1809	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v19.3
<b>IPB-2265UF-E</b>	IPC_G6103-B0009P30D1803	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v19.3
<b>IPB-4065BM</b>	VK1.0.13.3_TG	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	None	v4.10



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPB-4065DN</b>	Refer to IPB-4065BM(VK1.0.11.4)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.9
<b>IPB-8000BM</b>	VH1.0.0.11_TG	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	-	Motion	None	v4.11
<b>IPD-1080CD</b>	VC1.0.22.6_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.6
<b>IPD-1080E</b>	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12
<b>IPD-1080KF</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPD-1080MF</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPD-1080WDR</b>	Forenix_rootfs_VG1.0.20_TG_20150129_101057	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPD-4065CD</b>	Refer to IPB-4065BM(VK1.0.11.4)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.9
<b>IPD-8000CD</b>	Refer to IPB-8000BM(For enix_8139_VH1.0.0.11_TG)	MJPEG H.264	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.11
<b>IPM-1080F</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPM-1080RF</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPT-1080F</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPV-1080CD</b>	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>IPV-1080E</b>	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPV-1080F</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPV-1080WDR</b>	Refer to IPD-1080WDR(Forenix_roofs_VG1.0.20_TG_20150129_101057)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1
<b>IPV-2365UF-E</b>	IPC_G6103-B0009P30D1803	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v19.3
<b>IPV-4065CD</b>	Refer to IPB-4065BM(VK1.0.11.4)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.9
<b>IPV-6065CDS-M</b>	Refer to NPV-6065CDS-M(VKU1.2.23.10_TG)	H265 H264 MJPEG	1	Camera	3072x2160	Y/N	1/1	Zoom	motion	Supported by design	v19.12
<b>IPV-8000CD</b>	Refer to IPB-8000BM(Forenix_8139_VH1.0.0.11_TG)	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.11





--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPX-1080DN</b>	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>IPX-1080E</b>	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.12
<b>IPX-1080WDR</b>	Refer to IPD-1080WDR(Forenix_rootfs_VG1.0.20_TG_20150129_101057)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1
<b>IPX-4065DN</b>	Refer to IPB-4065BM(VK1.0.11.4)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/N	1/1	-	Motion	Supported by design	v4.9
<b>IPX-8000DN</b>	Refer to IPB-8000BM(Forenix_8139_VH1.0.0.11_TG)	H.264 MJPEG	1	Camera	3840x2160	Y/N	1/1	-	Motion	Supported by design	v4.11
<b>IPZB-1000R</b>	3.0.0.4	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.8



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ISPD-2018</b>	Refer to ISPD-2020(Forenix_VC1.0.301204_TG_20150310_112618)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>ISPD-2020</b>	VC1.0.301204_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>ISPD-2065-20X</b>	VK1.0.15.1_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.13
<b>ISPDII-1312WD</b>	AgWT8131312N20_1404185F	H.264	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
<b>ISPDII-3018WD</b>	AgWT8303018N20_1405085E	H.264	1	Camera	2048x1536	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
<b>ISPDIII-3010</b>	0.1.4960M	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.8
<b>M0202-BH01</b>	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M0202-BH02</b>	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
<b>M0202-BH03</b>	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
<b>M4202-DB02</b>	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
<b>M4202-DB03</b>	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
<b>M7202-DB03</b>	Refer to B0202(v3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.9
<b>NISeries</b>	Forenix_KD_VT2.0.0.5_TG_20210721_142115	H.265 H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v21.10
<b>NPA-2065BM-10X</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPA-2065BM-M</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v20.9
<b>NPA-2065CD-M</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
<b>NPB-1080BLX</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPB-1080BMX</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPB-1080BMX-M</b>	VE1.0.24.2_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v4.16
<b>NPB-1080F28X</b>	Refer to NPD-1080MFX(VMB1.0.28_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v18.12
<b>NPB-2065BL</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPB-2065BL-M</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPB-2065BM</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPB-2065BM-M</b>	VQ1.0.23.0_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v5.8
<b>NPB-2065F</b>	Refer to NPB-2065BL-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.8
<b>NPB-2065F28</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPB-4065BL-M</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
<b>NPB-4065BM</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v20.9



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPB-4065BM-M</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
<b>NPB-4065F28</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
<b>NPB-6065BMS-M</b>	Refer to NPV-6065CDS-M(VKU1.2.2.3.10_TG)	H.264 H.265 MJPEG	1	Camera	3072x2160	Y/Y	1/1	Zoom	Motion	Supported by design	v20.12
<b>NPB-720</b>	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7
<b>NPB-720A</b>	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7
<b>NPB-720BM</b>	VB1.0.26_TG	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Test by link	v2.6
<b>NPB-720U</b>	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPB-8065BM-M</b>	VKU1.2.4.30	MJPEG H.264 H.265	1	Camera	3840x2160	Y/N	1/1	Zoom	Motion	None	v18.2
<b>NPC-4215</b>	0821T1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.13
<b>NPD-1080CDX</b>	Refer to NPB-1080BMX-M(Ve1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPD-1080MFX</b>	VMB1.0.28_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v18.11
<b>NPD-2065CD</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPD-2065CD-M</b>	VKD1.1.1.18_TG	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v18.8
<b>NPD-2065KF</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPD-2065MF</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPD-4065CD</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
<b>NPD-4065CD-M</b>	VK1.0.27.0_TG	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.8
<b>NPD-4320</b>	0821T1	H.265 H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.12
<b>NPD-720K</b>	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7
<b>NPD-720R</b>	Refer to NPB-720BM(VB1.0.26_TG)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.7
<b>NPE-2065BM-10X</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9





--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPE-2065BM-30X</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
<b>NPE-2065BM-M</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
<b>NPF-4520</b>	0821T1	H.265 H.264 MJPEG	1	Fisheye Camera	2560x1920	Y/N	1/1	-	Motion	None	v5.12
<b>NPF-6065R-360</b>	VKU1.2.23.10_TG	H265 H264 MJPEG	1	Fisheye Camera	2880x2160	Y/N	1/1	None	Motion	None	v19.9
<b>NPV-1080CDX</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPV-1080CDX-M</b>	VE1.0.24.4_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v5.2
<b>NPV-2065CD</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPV-2065CD-M</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPV-4065CD</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v20.9
<b>NPV-4065CD-M</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v20.9
<b>NPV-6065CDS-M</b>	VKU1.2.23.1_0_TG	H265 H264 MJPEG	1	Camera	3072x2160	Y/Y	1/1	Zoom	Motion	None	v19.10
<b>NPX-1080DNX</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPX-2065DN</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPX-4065DN</b>	Refer to NPD-4065CD-M(VK1.0.27.0_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v20.9



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NRSeries</b>	Forenix_VMC 1.0.0.14_TG _20210723_ 140134	H.265 H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v21.8
<b>NSPD-2065-10X</b>	VK1.0.28.5_ 1718	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	Pan Tilt Zoom	Motion	None	v18.7
<b>NSPD-2065-20X</b>	VK1.0.22.0_ TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	None	v4.16
<b>NSPD-2065-30X</b>	Refer to NSPD-2065- 20X(VK1.0.2 2.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
<b>NSPD-4065-10X</b>	Refer to NSPD-2065- 20X(VK1.0.2 2.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
<b>NSPD-8220-OH</b>	0821T1	H264,H26 5,MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan/Tilt/Z oom	Motion	None	v5.13
<b>NSPDII-2065-20X</b>	4.2.44	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v20.7



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NVS-AH01</b>	VH1.0.0.16	MJPEG H.264	1	Video Server	960x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v5.2
<b>NVS-AH01X</b>	VK1.0.27.2_TG	H265 H.264 MJPEG	1	Video Server	1920x1080	Y/N	1/1	None	Motion	None	v19.9
<b>NVS-AH04</b>	V1.0.0.8_TG	H.264 MJPEG	4	Video Server	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v5.11
<b>NVS-AH08</b>	V1.0.0.18	H.264 MJPEG	8	Video Server	1920x1080	Y/N	2/1	-	Motion	Supported by design	v19.1
<b>NWC-495</b>	Refer to NWD-495(56500410)	MJPEG H.264	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
<b>T2000-FB1</b>	Refer to M0202-BH01(v3.2.0.0)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>T2000-FB2</b>	Refer to M0202-BH02(v3.2.0.0)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**NISeries:**

**NIPX-2065DN, NIPD-2065CD, NIPD-2065CD-M, NIPV-2065CD-M,  
 NIPB-2065BM, NIPB-2065BM-M, NIPD-4065CD, NIPD-4065CD-M,  
 NIPV-4065CD, NIPV-4065CD-M, NIPB-4065BM, NIPB-4065BM-M,  
 NIPV-2065CD, NIPX-2065DN**

**NRSeries:**

**NRPD-2065MF, NRPB-2065BM, NRPD-2065CD, NRPV-2065CD,  
 NRPB-2065F28, AI-2065BM**

**For AI event:**

**Only support NRSeries / NISeries 2 model, and used Firmware needs to be used with:  
 VMC1.A.0.6 or VMC1.A.0.2\_TG**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>T2000-VB3</b>	Refer to M0202-BH03(v3.2.0.0)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>VQ2100</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>VQ2200</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.15
<b>VQ2210C</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15
<b>VQ2300</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>VQ2310</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TVC-M1245E-2M-P</b>	V4.0.g	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v3.1
<b>TVC-MP2B-S</b>	e20120223B NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>A3101LE</b>	2.14.09.16	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v3.13
<b>A3102LE</b>	4.11.23.51	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v3.11
<b>A3253LE</b>	4.8.26.24	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.13
<b>A3263LE</b>	A3263LE	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.9
<b>A4102</b>	4.11.23.24F	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v3.11
<b>B3202LE</b>	v1.8.0801.1 001.101.0.6 6.1.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v3.13
<b>C1201L</b>	V1.0.40	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.10
<b>C3203LE</b>	2.3.3073.74	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.10
<b>GNS</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	4/4	-	Motion	Supported by design	v3.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GCI-C0735P</b>	None	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	4/1	Pan Tilt Zoom	Motion	Supported by design	v1.13
<b>GCI-C0745P</b>	720110412N S	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	4/1	Pan Tilt Zoom	Motion	None	v1.13
<b>GCI-G1536F</b>	gr20140530 NSA	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	None	v3.6
<b>GCI-H0503B</b>	720110422N S	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.13
<b>GCI-H0522V</b>	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.13
<b>GCI-H0602B</b>	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.13
<b>GCI-H2505B</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
<b>GCI-K0322V</b>	720110413N S	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.13
<b>GCI-K0503B</b>	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.13





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GCI-K0512W</b>	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v1.13
<b>GCI-K0523T</b>	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.13
<b>GCI-K0589T(H)</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
<b>GCI-K0779P</b>	gr20130621 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.16
<b>GCI-K1523VS</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
<b>GCI-K1526V</b>	gr20120522 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.4
<b>GCI-K1526VS</b>	Refer to GCI- K2505B(gr2 0130417NSX )	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>GCI-K1585V</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
<b>GCI-K1586</b>	gr20130621 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.16



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GCI-K1586V</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
<b>GCI-K1812W</b>	gr20120711 NSA	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
<b>GCI-K2505B</b>	gr20130417 NSX	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	AS65_ALL001_V1.00.07	H.264 MPEG MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v3.8
Note:	<p align="center">           1.Camera reboot (60 seconds) after parameter configuration.            2.Not support 16 KHz sampling rate audio in.            3.No support Camera search.            4.Camera can not connect when 2nd resorution set to 854*480.         </p>										
<b>GDN-D1300IR</b>	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264	1	Camera	1280x1024	Y/M	1/1	-	Motion	Supported by design	v2.5
<b>GDN-D2300</b>	Refer to GDN-H2300IR(V0.02.04)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
<b>GDN-D2300V</b>	Refer to GDN-H2300IR(V0.02.04)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
<b>GDN-D3200IR</b>	Refer to GDN-D3200V(AS65_ALL001_V0.02.00)	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>GDN-D3200V</b>	AS65_ALL001_V0.02.00	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GDN-DV1300IR</b>	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264	1	Camera	1280x1024	Y/M	1/1	-	Motion	Supported by design	v2.5
<b>GDN-F2300</b>	Refer to GDN-H2300IR(V0.02.04)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
<b>GDN-H2300IR</b>	V0.02.04	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.2
<b>GDN-MD2000V</b>	V5.2.0build 141120	H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v5.0

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	1.21.11_20181203_R251	H.265 H.264 MJPEG	1	Camera	2560x1920	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v19.10
<b>PNM-9000QB</b>	2.01.01_20210324_R224	H.265 H.264 MJPEG	4	Video Server	1920x1080	Y/-	44562	-	Motion	None	v22.1
<b>QNO-8080R</b>	-	H.265 H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	None	v21.8
<b>SPE-1610</b>	1.10_190603	H264 MJPEG	16	Video Server	1280x720	Y/N	16/4	Zoom	Motion	Test by link	v19.12
<b>XNO-6085R</b>	-	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v21.8
<b>XNO-9082R</b>	-	H.265 H.264 MJPEG	1	Camera	3840x2160	Y/Y	2/2	Zoom	Motion	None	v21.8
<b>XNP-6320H</b>	1.21.11_20181203_R251	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v19.7



--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v5.5.8 build 190531 V5.5.0 build 171030 V5.0.9 build 141009	H.264 H.265 MPEG4 MJPEG	1	Camera / Fisheye Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v19.6
Note:	1. V5.5.0 build 171030 is the version of firmware of IPCam. 2. V5.0.9 build 141009 is the version of firmware of fisheye.  IPCam model: 1. DO alarm is abnormal. (NUUO server limitation)										
Generic Server	V3.1.2 build 141219	H.264 MJPEG MPEG4	16	Video Server	2560x1920	Y/N	2/2	Pan Tilt	Motion	None	v4.0
DS-2CD2012-I	v5.0.2 build130805	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.18
DS-2CD2012F-I	V5.3.0 build 150616	H.264	1	Camera	1280x960	N/N	-	-	Motion	None	v4.4
DS-2CD2032-I	V5.3.0 build 150513	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Test by link	v4.6
DS-2CD2112-I	Refer to DS-2CD2012-I(v5.0.2build 130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2142FWD-I	Refer to DS-2CD2142FW D-IWS(V5.4.1 build 160525)	H.264	1	Camera	2688x1520	Y/N	1/1	-	Motion	Test by link	v5.2



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD2142FWD-IWS	V5.3.8 build 151224	H.264	1	Camera	2688x1520	Y/N	1/1	-	Motion	Test by link	v4.13
DS-2CD2212-I3	Refer to DS-2CD2012-I(v5.0.2build 130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2212-I5	Refer to DS-2CD2012-I(v5.0.2build 130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2312-I	Refer to DS-2CD2012-I(v5.0.2build 130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2342WD-I	Refer to DS-2CD2142FW D-IWS(v5.4.1 build 160525)	H.264	1	Camera	2688x1520	Y/N	1/1	-	Motion	Test by link	v5.2
DS-2CD2432F-IW	V5.3.0 build 150513	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.14
DS-2CD2612F-I	Refer to DS-2CD2012-I(v5.0.2build 130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2612F-IS	v5.0.2 build130805	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v2.19



--: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Bitrate list can not sync with camera web.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD2620F-I	Refer to DS-2CD2620F-IZS(V5.4.3 build 160705)	H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Supported by design	v5.3
DS-2CD2620F-IS	Refer to DS-2CD2620F-IZS(V5.4.3 build 160705)	H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Supported by design	v5.3
DS-2CD2620F-IZ	Refer to DS-2CD2620F-IZS(V5.4.3 build 160705)	H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Supported by design	v5.3
DS-2CD2620F-IZS	V5.4.3 build 160705	H.264	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Test by link	v5.3
DS-2CD2632F-IS	Refer to DS-2CD2732F-IS(v5.0.2 build130805 )	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.19
DS-2CD2642F-WD-IZS	V5.3.3	H.264	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	None	v4.14
DS-2CD2712F-I	Refer to DS-2CD2012-I(v5.0.2build 130805)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2712F-IS	Refer to DS-2CD2612F-IS(v5.0.2 build130805 )	H.264 MJPEG	1	Camera	1290x960	Y/N	1/1	-	Motion	Supported by design	v2.19





--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DS-2CD2732F-IS</b>	V5.0.2 130805	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.19
<b>DS-2CD2942F-I</b>	Refer to DS-2CD2942F-IWS(V5.4.0 build 160603)	H.264	1	Camera	2560x1440	Y/N	1/1	-	Motion	Supported by design	v4.16
<b>DS-2CD2942F-IWS</b>	V5.4.0 build 160603	H.264	1	Camera	2560x1440	Y/N	1/1	-	Motion	Test by link	v4.16
<b>DS-2CD4065F-P</b>	V5.3.4 build 150812	H.264	1	Camera	3072x2048	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v4.6
<b>DS-2CD40C5F-AP</b>	V5.3.0 build 150513	H.264	1	Camera	4000x3000	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.14
<b>DS-2CD4124F-IZ</b>	Refer to DS-2CD4224F-IZH(V5.3.5 Build 151218)	H.264 MPEG\$	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.11
<b>DS-2CD4125F-WD-IZ</b>	Refer to DS-2CD4A25FW-D-IZHS(v5.3.5 build 151218)	H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v4.12
<b>DS-2CD4132F-WD-IZ</b>	Refer to DS-2CD4332FW-D-PTZ(V5.3.5 build 151218)	H.264	1	Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.13



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DS-2CD4224F-IZH</b>	V5.3.5 build 151218	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.11
<b>DS-2CD4332F WD</b>	V5.3.0 build 150513	H.264 MPEG4	1	Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v4.8
<b>DS-2CD4332F WD-PTZ</b>	V5.3.5 build 151218	H.264	1	Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v4.13
<b>DS-2CD4565F-IZH</b>	V5.3.4 build 150812	H.264	1	Camera	3072x2048	Y/N	1/1	Zoom	Motion	None	v4.14
<b>DS-2CD4625F WD-IZS</b>	V5.3.4	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v4.11
<b>DS-2CD4A25F WD-IZ</b>	V5.3.0 build 150617	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.10
<b>DS-2CD4A25F WD-IZHS</b>	V5.3.5 build 151218	H.264	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Test by link	v4.11
<b>DS-2CD6026F HWD-A</b>	V5.1.0 build 131202	H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v4.5
<b>DS-2CD6332F WD-I</b>	V5.4.14 build 160427	H.264	1	Camera	1536x1536	Y/N	-	-	Motion	Test by link	v4.16



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DS-2CD6332F WD-IS</b>	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
<b>DS-2CD6332F WD-IV</b>	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
<b>DS-2CD6332F WD-IVS</b>	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
<b>DS-2CD6362F-I</b>	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
<b>DS-2CD6362F-IS</b>	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
<b>DS-2CD6362F-IV</b>	Refer to Fine_DS-2CD6362F-IVS (V5.0.9 build 141009)	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	Supported by design	v3.13
<b>DS-2CD6362F-IVS</b>	V5.0.9 build 141009	H.264 MJPEG	1	Fisheye Camera	3072x2048	Y/N	1/1	-	Motion	None	v4.2
<b>DS-2CD702NF-E</b>	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**  
**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**  
**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD702PF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD712NF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD712PF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD7133-E	V3.0 110117	H.264	1	Camera	640x480	N/N	-	-	Motion	None	v1.9
DS-2CD7153-E	v5.0.8 build 130930	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	-	-	Motion	Test by link	v2.19
DS-2CD7253F-EIZ	V5.0.2 Build 130709	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	-	Zoom	Motion	None	v2.20
DS-2CD732F-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD733F-E	V2.0 100716	H.264	1	Camera	640x480	Y/N	2/2	Pan Tilt	Motion	None	v1.2
DS-2CD752MF-E	None	H.264	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	None	v1.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD752MF-FB	V2.0 110426	H.264	1	Camera	1600x1200	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD754F-E	Refer to 2CD754FWD-EI (V3.2 120105)	H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Supported by design	v2.0
DS-2CD754F-EI	Refer to 2CD754FWD-EI (V3.2 120105)	H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Supported by design	v2.0
DS-2CD754FWD-EI	V3.2 120105	H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Test by link	v2.0
DS-2CD762MF-FB	Refer to DS-2CD852MF-E(20100320)	H.264	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v2.18
DS-2CD792NF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD792PF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD793PFWD-E	V2.0 100628	H.264	1	Camera	704x576	Y/N	2/2	Pan Tilt	Motion	None	v2.4
DS-2CD802N-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD802N-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802N-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802NF	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD802NF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD802NF-W	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD802P-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802P-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802P-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802PF	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18



--: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD802PF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD802PF-W	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812N-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812N-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812N-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812NF	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812NF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812NF-W	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812P-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD812P-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812P-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812PF	v2.0 build 090522	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.18
DS-2CD812PF-E	Refer to DS-2CD812PF (FW v2.0 build 090522)	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD812PF-W	Refer to DS-2CD812PF (FW v2.0 build 090522)	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD8253F-EI	v4.0.3 build121123	H.264 MPEG4	1	Camera	1600x1200	N/N	-	-	Motion	None	v2.8
DS-2CD8254F-EIS	V3.2 120105	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD8264FWD-EIS	v4.0.3 build121123	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v2.8
DS-2CD832F	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5





--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD832F-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD852MF-E	None	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.2
DS-2CD853F-E	v3.2 120105	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v2.2
DS-2CD854F-E	V3.2 120105	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD862MF-E	None	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.2
DS-2CD863PF-E	V2.0 100628	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v3.2
DS-2CD864FWD-E	v4.0.3 build121123	H.264 MPEG4	1	Camera	1280x960	Y/N	1/1	Pan Tilt	Motion	None	v2.8
DS-2CD883F-E	V3.2 120105	H.264 MJPEG MPEG4	1	Camera	2560x1920	Y/N	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD892N-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD892N-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892N-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892P-IR1	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892P-IR3	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892P-IR5	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892PF	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892PF-E	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CD892PF-W	None	H.264	1	Camera	704x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.18
DS-2CS2132F	Refer to DS-2CD2032-I(V5.3.0 build 150513)	H.264	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v4.6



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DE5220I-AE	V5.3.9 build 150910	H.264	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Test by link	v5.4
DS-2DE7174-AE	Refer to DS-2DE7184-A(V5.3.9 build 150910)	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v4.10
DS-2DE7176-A	Refer to DS-2DE7176-D(V5.3.9 build 150910)	H.264	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.14
DS-2DE7176-D	V5.3.9 build 150910	H.264	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	Test by link	v4.14
DS-2DE7184-A	V5.3.9 build 150910	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v4.10
DS-2DE7230I W-AE	V5.4.8 build 170210	H.264 H.265	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Test by link	v5.10
DS-2DF1-572	V4.1.2 build 121205	H.264	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DS-2DF6236V-AEL	V5.3.2 build 150519	H.264	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	None	v4.14
DS-2DF8223I-AEL	V5.2.8 build 150124	H.264 MPEG4	1	Camera	1920x1080	Y/N	7/2	Pan Tilt	Motion	None	v4.5



--: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Bitrate list can not sync with camera web.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2PT3326IZ-DE3	V5.4.12 build 180530	H.265 H.264	4	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v18.12
DS-6101HFI-IP	V2.0 101112	H.264	1	Camera	704c576	N/N	1/1	-	Motion	None	v2.12
DS-6601HFHI	v1.0.2 build 121107	H.264	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.7
DS-6716HWI	V1.2.5 build 150522	H.264 MJPEG MPEG4	16	Vedio Sever	960x480	Y/N	16/4	Pan Tilt Zoom	Motion	None	v4.11
DS-8116HQHI-SH	V3.1.2 build 141219	H.264	16	Video Server	960x576	Y/N	16/4	Pan Tilt Zoom	Motion	None	v4.0



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**

**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACUIX	1.5.6	MPEG4	1	Camera	704x576	N/N	-	Pan Tilt Zoom	-	None	v1.6
H3D1F	40.0.6	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.18
H3D2F	40.0.6	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Zoom	Motion	None	v2.18
HCD554IP	5.4.5	MPEG4	1	Camera	704x576	Y/N	0/1	-	-	None	v1.6
HCD5MIH	13.1.2	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.5
HD3MDIH	11.0.3	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.5
HD3MDIP	7.0.7	MPEG4	1	Camera	704x576	Y/N	0/1	-	-	None	v1.6
HD4MDIH	12.0.3	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.5
HDZ20HD	Refer to HDZ20HDX( H20120808N SA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HDZ20HDE	Refer to HDZ20HDX(H20120808NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDEX	Refer to HDZ20HDX(H20120808NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDX	H20120808NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.10
HNVE1	6.3.4	MPEG4	1	Camera	704x576	Y/N	0/0	-	-	None	v1.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	VT2.0.2.22	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	V22.7
<b>HLC-15EM</b>	Refer to HLC-7AED(VE1.0.24)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.5
<b>HLC-7AED</b>	VE1.0.24	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.5
<b>HLV-1MED</b>	Refer to HLC-7AED(VE1.0.24)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.5
<b>HLV-1WED</b>	Refer to HLC-7AED(VE1.0.24)	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.5



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NBL3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0
NBL5103	01_C006	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Support by design	v4.3
NBL5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Support by design	v4.0
NBL7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Support by design	v4.2
NBL7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	2/2	Pan Tilt Zoom	Motion	Support by design	v4.5
NDM3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Support by design	v4.0
NDM3112	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Support by design	v4.5
NDM5103	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Support by design	v4.3
NDM5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Support by design	v4.0



# IPCam

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NDM7302</b>	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Support by design	v4.2
<b>NDM7305</b>	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	2/2	Pan Tilt Zoom	Motion	Support by design	v4.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v1.9.0601.1 001.3.0.36.0 .0	H.264 MJPEG	1	Camera	2592x1944	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.19
Note:	<p>1. Focus function is not test on NUUO product.            2. The maximum resolution is depends on camera.            3. Some framerate and bitrate cannot setup due to Onvif restriction. (ONVIF linitation)</p>										
NCOA22F	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NCOA32FD	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NCOA52F	v1.8.1001.8 5.0.8317	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
NDOA22F- W	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NDOA32FD-W</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIAA202F</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIDA212F-W</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIDA312F D-W</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIDA512F-W</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIPA2H22-C</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIPA2H22-W</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIRA222F</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NIRA232F</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIRA332FD</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NITA212F</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NITA312FD</b>	Refer to NCOA52F (v1.8.1001.8 5.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EXCA100IP 2</b>	v1.8.1001.3.5.25	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.8
<b>EXCA215IP 2</b>	Refer to EXCA100IP2 (v1.8.1001.3.5.25)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
<b>EXCA234IP 2</b>	Refer to EXCA100IP2 (v1.8.1001.3.5.25)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
<b>EXCA234IP 2WDR</b>	Refer to EXCA100IP2 (v1.8.1001.3.5.25)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
<b>EXCA336IP 2</b>	Refer to EXCA100IP2 (v1.8.1001.3.5.25)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VN-H137</b>	4.02.378	H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.7
<b>VN-H157</b>	Refer to VN-H57(4.00.575)	H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v2.7
<b>VN-H237</b>	Refer to VN-H137(4.02.378)	H.264	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.7
<b>VN-H257</b>	Refer to VN-H57(4.00.575)	H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v2.7
<b>VN-H37</b>	Refer to VN-H137(4.02.378)	H.264	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.7
<b>VN-H57</b>	4.00.575	H.264	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.7
<b>VN-H657</b>	2.01.827 SPL2841	H.264 MJPEG	1	Camera	1920x1080	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.13
<b>VN-T16</b>	j.2.2.2232	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.13
<b>VN-T216</b>	Refer to VN-T16(j.2.2.2232)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.13



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VN-V685</b>	3.04	MPEG4	1	Camera	640x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.7
<b>VN-V686</b>	Refer to VN-V685(3.04)	MPEG4	1	Camera	640x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
JS-B0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.6
JS-B0100-W	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.6
JS-B0131	None	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.6
JS-B1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.6
JS-B1100-R30	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.6
JS-B1204-R25	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.6
JS-C1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6
JS-C2100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6
JS-D0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
JS-D1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6
JS-D1130	None	MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v2.6
JS-D1204	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.6
JS- ISD0200X1 8	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
JS- OSD0200X 20	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
JS-WGP- 100-CB	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.6
JV- OSD0200X 20	V6.04.01- CGBO24200- 140808	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC2211-FN-PIR</b>	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
<b>IPC2211-FN-SIR</b>	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
<b>IPC2233-FN-PIR40</b>	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
<b>IPC2233-FN-SIR40</b>	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
<b>IPC2251-HNB-SIR80-Z6048(VER .A)</b>	7.1.6.808 Mar 9 2018 07:56:05	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v18.6
<b>IPC2253-HNB-PIR30</b>	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1
<b>IPC2453-FNB-PIR40</b>	7.2.1.90	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v19.1



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>LDW2010</b>	260.0.0.120 8100	H.264 MJPEG	1	Camera	2040x1536	Y/N	1/1	-	Motion	None	v2.8
<b>LNB3100</b>	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
<b>LNB5100</b>	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
<b>LND3100</b>	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
<b>LND5100</b>	1796.0.0.12 08060	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
<b>LND7210</b>	Refer to LNV7210R(2 219.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.7
<b>LND7210R</b>	Refer to LNV7210R(2 219.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.7
<b>LND7300</b>	1801.0.0130 3220	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.15
<b>LNP2800</b>	Refer to LNP3700T	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>LNP2800I</b>	Refer to LNP3700T	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
<b>LNP2810T</b>	1890.0.0.13 02150	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v2.15
<b>LNP3020</b>	1891.0.0.14 11270	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v4.3
<b>LNP3700</b>	Refer to LNP3700T	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
<b>LNP3700T</b>	1286.0.0.12 05140	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.5
<b>LNU5100R</b>	1954.0.0.13 03120	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.15
<b>LNU7210R</b>	Refer to LNV7210R(2 219.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.7
<b>LNV5100</b>	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
<b>LNV5100R</b>	1972.0.0.13 03110	H.264 JPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Test by link	v2.15



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LNV5110	Refer to LND5100	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LNV7210	Refer to LNV7210R(219.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.7
LNV7210R	2219.0.0.14 05190	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v3.4
LNV7300	Refer to LND7300(1913.0.013042 20)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.15
LSW2010	Refer to LDW2010(260.0.0.12081 00)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LSW900	Refer to LVW701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LSW901	Refer to LVW701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LVS201	385.0.0.120 8200	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	None	v2.8
LVS301	Refer to LVS311(129.1.0.1110260 )	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LVS311	129.1.0.111 0260	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v2.8
LVW700	Refer to LVW701(4.1. 1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LVW701	4.1.1.11102 60	H.264 MJPEG	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.8
LVW900	Refer to LVW701(4.1. 1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LVW901	Refer to LVW701(4.1. 1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v2.8
LW130W	4097.0.0.12 03131	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.5
LW332	1026.0.0.11 10260	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.4
LW335	Refer to LW332	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LW342	Refer to LW342	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.5



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LW345	767.0.0.120 7113	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v2.5
LW352	1030.0.0.11 11160	H.264 MJPEG	1	Camera	2040x1536	Y/N	1/1	-	Motion	None	v2.8
LW355	Refer to LW352(1030 .0.0.111116 0)	H.264 MJPEG	1	Camera	2040x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
LW6324	Refer to LW332	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LW6354	Refer to LW332	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
LW6424	Refer to LW345	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.5
LW6454	Refer to LW345	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.5
LW9226	774.0.0.121 115	H.264 MJPEG	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.8
LW9226I	Refer to LW9226(774 .0.0.121128 9)	H.264 MJPEG	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LW9228	Refer to LW9226(774 .0.0.121128 9)	H.264 MJPEG	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW9228I	Refer to LW9226(774 .0.0.121128 9)	H.264 MJPEG	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW9422	1632.0.0.12 05030	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.5





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPD112ESX</b>	0.0.60	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v1.9
<b>IPD2322</b>	1.4.31p	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.7
<b>IPD552EX</b>	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	-	Motion	None	v1.9
<b>IPG1022</b>	1.0.426	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.18
<b>IPR320</b>	1.0.426	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v1.18
<b>IPR458</b>	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	-	Motion	None	v1.9
<b>IPS125</b>	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v1.9
<b>LD2222</b>	1.4.31p	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.7



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-0010	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
FCS-0020	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
FCS-0030	Refer to WCS-0030(V1.0.0.35)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v1.1
FCS-0031	1.0.0.35	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.3
FCS-0040	Refer to WCS-0040(1.0.02)	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	-	-	-	Supported by design	v1.8
FCS-1030 V2.0	None	H.263	1	Camera	720x576	Y/N	0/0	-	Motion	Supported by design	v1.0
FCS-1040	0102a	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
FCS-1060	0202a	MPEG4	1	Camera	720x576	Y/N	0/0	Pan Tilt	Motion	None	v1.0
FCS-1070	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-1081	None	MPEG4 MJPEG	1	Camera	640x480	N/N	0/0	-	Motion	Supported by design	v1.0
FCS-1081A	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	0/0	-	Motion	Supported by design	v1.0
FCS-1091	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/2	-	-	Supported by design	v1.0
FCS-1101	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	0/0	-	Motion	Supported by design	v1.0
FCS-1121	v1.0.0.6	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.1
FCS-1132	Refer to FCS-5052(v1.0.0.2)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.11
FCS-1141	L20100312NS	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
FCS-1151	0100a	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.1
FCS-3000	0101a	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-3021	None	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
FCS-3031	v1.0.01	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	-	None	v1.1
FCS-3052	Refer to FCS-5052(v1.0.0.2)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.11
FCS-3061	1.0.0.34	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.1
FCS-3062	1.0.0.6	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.2
FCS-3071	L20100315NS	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v1.1
FCS-3071-V2	le20120905NSA	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.6
FCS-3081	L20101222NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.8
FCS-3081-V3	le20120806NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FCS-3091</b>	2.0.0629	MJPEG MPEG4	1	Camera	1600x1200	Y/N	4/1	-	-	None	v1.19
<b>FCS-3101</b>	1.0.1.3-08-07	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.17
<b>FCS-4010</b>	None	MJPEG MPEG4	1	Camera	720x576	Y/N	4/1	-	-	None	v1.0
<b>FCS-4041</b>	le20130117 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.10
<b>FCS-4042</b>	Le20140113 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.2
<b>FCS-4101</b>	1.0.1.3-08-07	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt	Motion	None	v2.17
<b>FCS-4x00</b>	None	MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
<b>FCS-5011</b>	0100c	MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.0
<b>FCS-5030</b>	0100a2	MJPEG MPEG4	1	Camera	720x576	Y/n	1/1	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FCS-5041</b>	v1.0.0.46	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v1.8
<b>FCS-5042</b>	2.0.0.1	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/0	Zoom	Motion	None	v3.2
<b>FCS-5051</b>	L20101222Ns	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.8
<b>FCS-5051-V2</b>	2.3.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
<b>FCS-5052</b>	v1.0.0.2	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.11
<b>FCS-5061</b>	le20130117NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v2.17
<b>FCS-5062</b>	v1.0.0.2	H.264 MPEG4 MJPEG	1	Camera	2952x1944	Y/N	1/1	-	Motion	None	v2.11
<b>FCS-6010</b>	v1.0.0.9	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.18
<b>FCS-7011</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/n	1/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FCS_1131-V2</b>	le20120806 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
<b>SDK8</b>	Refer to ACTi_Generi c (CFA-V6.07.23-L1)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.9
<b>WCS-0010</b>	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
<b>WCS-0020</b>	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
<b>WCS-0030</b>	V1.0.0.35	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	-	Motion	None	v1.1
<b>WCS-0040</b>	1.0.02	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.8
<b>WCS-0050</b>	v1.0.0.36	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.18
<b>WCS-1090</b>	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/2	-	-	Supported by design	v1.0
<b>WCS-2030 V3.0</b>	None	H.263	1	Camera	720x576	Y/N	0/0	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WCS-2040</b>	0101b	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
<b>WCS-2060</b>	None	H.263	1	Camera	720x576	Y/N	0/0	-	Motion	Supported by design	v1.0
<b>WCS-2070</b>	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>WCS-6020</b>	1.1.4.1	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v2.12
<b>WCS-6050</b>	1.0.4.2	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Pan Tilt	Motion	None	v2.12





--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>MS-C2872-FIPB</b>	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
<b>MS-C2872-FPB</b>	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
<b>MS-C2872-RFIPB</b>	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
<b>MS-C2872-RFPB</b>	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
<b>MS-C2962-RFIPB</b>	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v18.11
<b>MS-C2972-FIPB</b>	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
<b>MS-C2972-FPB</b>	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
<b>MS-C2972-RFIPB</b>	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>MS-C2972-RFPB</b>	Refer to MS-C2962-RFIPB(41.7.0.66-nuuo-a2)	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.12
<b>MS-C2973-PB</b>	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v18.11
<b>MS-C2975-PB</b>	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v18.11
<b>MS-C2983-PB</b>	41.7.0.66-nuuo-a2	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v18.11



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO302DN	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO310DN W	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO322DN W	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/IR	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/IR/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO351DN W/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO351DN W/IR/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO352DN W	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO352DN W/IR	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO370W	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
HD-PRO370W OUT	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
HD-PRO392DN W/V	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v3.8
HD-PRO392DN W/V/IR	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
HD-PRO410DN W/H	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO410DN W/H-POE	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO518DN	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.8



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO610DN W	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO692DN W/V/IR	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO710DN W	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO750DN W	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO750DN W/IR	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO810DN W/H	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO810DN W/H/M	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
HD-PRO890	None	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO890/OUT	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO890DN	None	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NCD-2003PR</b>	51110.2.126 2.100	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.20
<b>NMX-2003P</b>	51110.2.126 2.100	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NCB855PRO</b>	Refer to NCR875PRO(AP_01-00-62-18_MS03)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.9
<b>NCC800</b>	AP_01-00-60-25B_MS03	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.9
<b>NCR858</b>	Refer to NCR878(AP_01-00-62-18_MS05)	H.264 MJPEG MPEG4	1	Camera	2592x1944	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NCR870</b>	AP_01-00-62-18_MS00-01N	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.1
<b>NCR875PRO</b>	AP_01-00-60-25A_MS03	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.7
<b>NCR878</b>	AP_01-00-62-18_MS05	H.264 MJPEG MPEG4	1	Camera	2592x1944	Y/N	2/1	-	Motion	None	v2.20
<b>NDF820</b>	Refer to NCR870(AP_01-00-62-18_MS00-01N)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
<b>NDF821</b>	Refer to NDR891(AP_01-00-60-25A_MS02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NDF821PRO</b>	Refer to NCR875PRO(AP_01-00-60-25A_MS03)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NDF831</b>	Refer to NDR891(AP_01-00-60-25A_MS02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NDF831PRO</b>	Refer to NCR875PRO(AP_01-00-60-25A_MS03)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NDR891</b>	AP_01-00-60-25A_MS02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.7
<b>NDR891PRO</b>	Refer to NCR875PRO(AP_01-00-60-25A_MS03)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NIC950HPRO</b>	A1D-310-V4.12.09-NB	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	0/0	Pan Tilt Zoom	Motion	None	v2.9
<b>NIC990</b>	M.0.2.9	H.264	1	Camera	1920x1080	Y/N	6/1	Pan Tilt Zoom	Motion	None	v2.7



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**For All Model:**

- 1. For display mode, plesae set on the Mobotix web setting page first.**
- 2. No Support Audio from Camera when video format is MJPEG.**
- 3. Using ExtIO, plesae set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v2.19
<b>C25</b>	Refer to i25 (4.3.2.77)	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.6
<b>D12D-IT</b>	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
<b>D12D-Sec</b>	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Supported by design	v1.0
<b>D14D-Sec</b>	MX-V4.1.0.2	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Test by link	v2.2
<b>D15D-Sec</b>	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v3.3
<b>D15D-Sec-Dnight</b>	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v2.19
<b>D15D-Sec-Night-Pano</b>	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
<b>D22M-Basic</b>	None	MJPEG MxPEG	1	Camera	640x480	Y/N	0/0	-	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**For All Model:**

- 1. For display mode, plesae set on the Mobotix web setting page first.**
- 2. No Support Audio from Camera when video format is MJPEG.**
- 3. Using ExtIO, plesae set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D22M-IT</b>	MX-V3.4.0.9	MJPEG MxPEG	1	Camera	640x480	Y/N	2/2	-	Motion	None	v1.0
<b>D22M-Sec</b>	None	MJPEG	1	Camera	2048x1536	Y/N	0/0	-	Motion	Supported by design	v1.0
<b>D24M-Basic</b>	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.1
<b>D24M-IT</b>	None	MJPEG MxPEG	1	Camera	640x480	Y/N	2/2	-	Motion	Supported by design	v1.1
<b>D24M-Sec</b>	MX-V4.0.1.15	MJPEG MxPEG	1	Camera	1280x960	Y/N	2/2	-	Motion	None	v1.1
<b>D25</b>	Refer to i25 (4.3.2.77)	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.7
<b>M10D</b>	M10-V2.2.2.17	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v3.13
<b>M12D-IT</b>	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
<b>M12D-Sec</b>	MX-V3.4.0.9	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**For All Model:**

1. For display mode, plesae set on the Mobotix web setting page first.
2. No Support Audio from Camera when video format is MJPEG.
3. Using ExtIO, plesae set on the Mobotix web setting page first.

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M12D-Web</b>	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Supported by design	v1.0
<b>M15D-Sec</b>	4.3.4.5	MJPEG MxPEG	1	Camera	3072x2048	Y/N	2/2	-	Motion	None	v4.11
<b>M15D-Sec-Dnight</b>	Refer to M15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	3072x2048	Y/N	2/2	-	Motion	Supported by design	v2.19
<b>M15D-Sec-Pano</b>	4.3.4.5	MJPEG MxPEG	1	Camera	3072x2048	Y/N	2/2	-	Motion	None	v4.11
<b>M15M-Sec</b>	Refer to M15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	3072x2048	Y/N	2/2	-	Motion	Supported by design	v2.19
<b>M22M-IT</b>	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
<b>M22M-Sec</b>	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Supported by design	v1.0
<b>M24M-Sec</b>	MX-V4.0.4.28	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Test by link	v2.3
<b>M25M</b>	Refer to i25(4.3.2.77)	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.5



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**For All Model:**

- 1. For display mode, plesae set on the Mobotix web setting page first.**
- 2. No Support Audio from Camera when video format is MJPEG.**
- 3. Using ExtIO, plesae set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>P25</b>	Refer to i25 (4.3.2.77)	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.7
<b>Q22M-Basic</b>	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
<b>Q22M-Sec</b>	MX-V3.4.5.10	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v1.0
<b>Q24M-Basic</b>	None	MJPEG MxPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
<b>Q24M-Sec</b>	MX-V4.0.1.7	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v1.2
<b>Q25</b>	4.3.2.77	MJPEG MxPEG	1	Camera	2592x1944	Y/N	1/0	-	Motion	Supported by design	v4.7
<b>Q25M-Secure</b>	MX-V4.1.10.35 (2014-02-21)	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.7
<b>S14D-Sec</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
<b>S14D-Sec-Night</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**For All Model:**

- 1. For display mode, plesae set on the Mobotix web setting page first.**
- 2. No Support Audio from Camera when video format is MJPEG.**
- 3. Using ExtIO, plesae set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>S14M-Sec</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
<b>S15D-Sec</b>	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v3.3
<b>S15M-Sec</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
<b>S15M-Sec-Night</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
<b>T24M-Sec</b>	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	7/3	-	Motion	Supported by design	v1.17
<b>T25M-Secure</b>	MX-V4.1.10.35 (2014-02-21)	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.7
<b>i25</b>	4.3.2.77	MJPEG MxPEG	1	Camera	2592x1944	Y/N	-	-	Motion	None	v4.4



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>INC-2000BX</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
<b>INC-2036BF</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
<b>INC-2036DF</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
<b>INC-2036DM</b>	v2.0.0801.1002.139.0.132.0.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v5.8
<b>INC-2622BV</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
<b>INC-2812BV</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8
<b>INC-2812DV</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v5.8



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HMNC100	00910	H.264	1	Camera	1280x720	N/N	-	-	-	None	v3.8
HMNC500	00910	H.264	1	Camera	1280x720	Y/N	-	-	-	None	v3.9



## NetworkCamera

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AT-HK4A26LP R-ZS	V5.4.5	H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v5.12

-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ENV-HBU5V-50R-20</b>	IPC_G6103-B0009P30D1803C06	H.265 H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v21.2

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>BL-3102</b>	V4.4.1205.1 004.260.0.2. 6.1	H.265 H.264	1	Camera	2592x1520	N/N	-	-	Motion	None	V22.7
<b>BL-7314</b>	v3.6.1303.1 004.260.0.8. 1.1	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	V22.7
<b>BL3122</b>	BL3122_AF_ V0_BU_SMW -H5 V3.0.4.1	H.264 H.265	1	Camera	1920x1080	Y/Y	1/1	-	Motion	-	v21.5
<b>DM-3102</b>	V4.4.1205.1 004.260.0.2. 6.1	H.265 H.264	1	Camera	2592x1520	N/N	-	-	Motion	None	V22.7
<b>DM-7314</b>	v3.6.1303.1 004.260.0.8. 2.1	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	V22.7
<b>DM3122</b>	DM3122_AF_ _V0_BU_SM W-H5 V3.0.4.1	H.264 H.265	1	Camera	1920x1080	Y/Y	1/1	-	Motion	-	v21.5

OEM

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N24320	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	Y/N	1/1	-	Motion	Supported by design	v4.7
N24520	01_C013	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.6
N36210	02_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.0
N36220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v4.12
N36520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
N74320	01_C014	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.8
N74520	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.9
N76220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v4.8
N76520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10

# OEM

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N78520	01_C010	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>AXIS</b>	P3301	5.11	H.264	1	Camera	704x576	Y/N	1/1	-	Motion	None	v1.2
<b>Basler</b>	BIP2-1600-25c-dn	3.14.1	H.264 MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v3.9
Note:	<ol style="list-style-type: none"> <li>1. The I/O number is 0 in onvif/onvif. (Camera Firmware issue)</li> <li>2. Only one stream profile in onvif/onvif (Camera Firmware issue)</li> <li>3. Not support MPEG4 in onvif/onvif (Camera Firmware issue)</li> <li>4. Not support motion. (Camera Firmware issue)</li> <li>5. Not support audio but software shows enable/disabe audio option. (Camera Firmware issue)</li> <li>6. The list of camera Resolution isn't synchronized with the one on camera's web. (Camera Firmware issue)</li> <li>7. Cannot connect video when FPS &gt;= 2. (Camera Firmware issue)</li> <li>8. The list of camera Framerate isn't synchronized with the one on camera's web.</li> <li>9. Not support http but software shows http option at protocol setting. (NUUO software limitation)</li> <li>10. Cannot connect video streaming if RTSP port is changed (Camera Firmware issue)</li> </ol>											
<b>Bosch</b>	NWC-0455	19500410	H.264 MJPEG	1	Camera	704x576	N/N	-	-	-	None	v1.5
Note:	<p>ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software. To confirm the compatibility, it is recommended to execute testing prior to any further usage. The above product has been verified by NUUO.</p>											
<b>Canon</b>	VB-H41	Ver. 1.0.0 (Build Number 2453:50)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	-	None	v3.6



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Note:	<p>1. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation)            2. Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation)            3. Snaphost does not support. (NUUO server limitation)</p>											
<b>Dlink</b>	DCS-C43W-20F/B02	V4.02.R1 1.000005 23.12010	H.264	1	Camera	1280x720	N/N	-	-	Moiton	None	v3.5
Note:	<p>1. Some resolution of 2nd stream cannot to be set. (Camera Firmware issue)            2. 3rd stream cannot use. (Camera Firmware issue)            3. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation)            4. Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation)            5. Camera can't support connection via HTTP.</p>											
<b>Histream</b>	HH9803C-L16	v2.3.1.4. 0.22	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<p>Note:</p> <ol style="list-style-type: none"> <li>1. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation)</li> <li>2. MPEG-4 cannot use. (Camera Firmware issue)</li> <li>3.The value of MJPEG quality isn't synchronized with camera's web. (Camera Firmware issue)</li> </ol>												
<b>Jestor</b>	JV-OSD0200-X20	V6.03.05-CGBO24200-1228	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	-	None	v3.8
<b>LILIN</b>	IPS518	1.2.02	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.13
<p>Note:</p> <ol style="list-style-type: none"> <li>1. The range of bitrate and frame rate may be different from what camera web shows. (Camera Firmware issue)</li> <li>2. Image setting, digital input, talk and motion detection do not function. (Camera Firmware issue)</li> <li>3. Zoom and focus do not function normally. (Camera Firmware issue)</li> <li>4. Video settings may not be synchronized to camera web. (Camera Firmware issue)</li> <li>5. Audio is not available under TCP and UDP. (Camera performance limitation)</li> <li>6. Autodetection and camera search do not function. (Generic model)</li> <li>7. The camera supports 4 streams, while only 3 streams can be displayed. (NUUO server limitation)</li> <li>8. Some frame rates and bit rates cannot be set. (ONVIF limitation)</li> <li>9. Due to Onvif restriction, dependency between frame rate and bitrate is not shown. (ONVIF limitation)</li> <li>10. Not support function flip and mirror. (ONVIF limitation)</li> </ol>												
<b>ONVIF</b>	ONVIF	V1.01 V1.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.14





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Note:	<p>1. Due to Onvif restriction, some frame rates and bit rates cannot be set. (ONVIF limitation)            2. Dependency between frame rate and bit rate cannot be shown. (ONVIF limitation)            3. The bit rate mode cannot be switched among constant bit rate (CBR), variable bit rate (VBR) and average bit rate (AVR). (ONVIF limitation)            4. The pin index of DI and DO may be different from camera spec since the indexing rule is unknown. (ONVIF limitation)            5. The maximum numbers of DI and DO are 4. (NUUO software limitation)            6. Talk function is not supported if the camera does not support backchannel. (ONVIF limitation)            7. May not support http but software shows the http option at protocol setting. (NUUO software limitation)</p>											
<b>Qihan</b>	QH-NV431	v2.3.8.1	H.264	1	Camera	1920x1080	Y/N	1/0	-	-	None	v3.4
Note:	<p>1. Due to Onvif restriction, some bit rates cannot be set.            2. 2nd or 3rd stream cannot be connected when 1st stream under high bitrate.</p>											
<b>Stanley</b>	1310-F	NSD-1.0.9.58	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	-	None	v3.4
<b>TVT</b>	TD9422M	3.4.0.beta6	H.264	1	Camera	1920x1080	Y/N	-	-	-	None	v3.5



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.O2**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
	<p>Note:</p> <ol style="list-style-type: none"> <li>1. Camera only support H.264, but it responds that it can support H.264 and Mjpeg. (Camera Firmware issue)</li> <li>2. Camera can't respond vaild status of motion detection. (Camera Firmware issue)</li> <li>3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue)</li> <li>4. Camera can't support audio with a-law. (ONVIF limitation)</li> <li>5. Camera can't support snapshot. (Camera Firmware issue)</li> <li>6. Camera can't support connction via HTTP.</li> </ol>											
<b>Tyco</b>	ADVEIPSD 37AH	V1.04_ST D-1	H.264	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.4
	<p>Note:</p> <ol style="list-style-type: none"> <li>1. Due to Onvif restriction, some frame rate and bit rates cannot be set.</li> <li>2. Camera web MJPEG has no quality options.</li> </ol>											
<b>Wapa</b>	BL-C7HA108 0IL-T18	V6.03.05-CGBO242 00-1210	H.264 MJPEg	1	Camera	1920x1080	N/N	-	-	-	None	v3.4



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.O2**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
------------	-------------	-----------------	--------------	----------	-------------	----------------	--------------	--------	-----	--------------	---------	--------------------

Note:

1. Due to Onvif restriction, some bit rates cannot be set. (ONVIF limitation)
2. Framerate setting has no effect on streaming. (Camera Firmware issue)

**--: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

<b>Device Name</b>	<b>Tested Firmware</b>	<b>Video Format</b>	<b>Video Ch</b>	<b>Device Type</b>	<b>Max Resolution</b>	<b>Audio-in/out</b>	<b>I/O Ch</b>	<b>PTZ</b>	<b>Edge Feature</b>	<b>Remarks</b>	<b>DevicePack Version</b>
<b>EVO-12-NID</b>	1.3.87-554	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v21.5



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP36MDOM 3MPX	1.0.0.5 20160727	H.264	1	Camera	2048x1536	Y/N	-	-	Motion	None	v5.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v1.80	H.265 H.264	1	Camera	2048x1536	Y/N	3/1	Pan Tilt Zoom	Motion	None	v18.5
Note:	1. Tested by WV-S6131 (FW: 1.80)										
BB-HCE481	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM100	1.3	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.2
BB-HCM110	1.3	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.2
BB-HCM311	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM331	1.3	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-HCM371	1.3	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0
BB-HCM381	1.3	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
BB-HCM403	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM511	1.3	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM515	3.11R01	MJPEG MPEG4	1	Camera	1280x1024	Y/N	2/1	-	Motion	None	v1.0
BB-HCM527	None	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM531	3.11R01	MJPEG MPEG4	1	Camera	1280x1024	Y/N	2/1	-	Motion	None	v1.0
BB-HCM547	3.60R00	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	Test by link	v1.3
BB-HCM580	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.2

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-HCM581	1.3	MJPEG MPEG4	1	Camera	640x480	Y/N	2/1	-	Motion	None	v1.0
BB-HCM701	4.30R00	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.3
BB-HCM705	4.11R01	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/0	-	Motion	None	v1.1
BB-HCM715	v4.03R00	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.1
BB-HCM735	1.05-03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.1
BB-HCS301	1.3	MPEG4 MJPEG	1	Camera	640x480	YN	2/1	-	Motion	None	v1.0
BB-SC364	4.32	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v5.6
BB-SC382	Refer to BB-SC384B(V4.63)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
BB-SC384B	V4.63	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v5.4



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>BB-ST162</b>	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.17
<b>BB-SW172</b>	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.17
<b>BB-SW374</b>	Refer to BB-SC364(4.32)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
<b>BL-C1</b>	None	MJPEG	1	Camera	640x480	N/N	0/0	-	Motion	Supported by design	v1.0
<b>BL-C10</b>	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
<b>BL-C101</b>	3.52R00	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.0
<b>BL-C111</b>	3.10R01	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
<b>BL-C121</b>	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
<b>BL-C131</b>	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>BL-C140</b>	3.51	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.2
<b>BL-C160</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
<b>BL-C20</b>	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
<b>BL-C210</b>	4.31R00	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.7
<b>BL-C230</b>	None	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.7
<b>BL-C30</b>	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.7
<b>BL-VP101</b>	1.67	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Test by link	v2.16
<b>BL-VP104</b>	1.81	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v2.16
<b>BL-VP104W</b>	Refer to BL_VP104(1.81)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.17

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>BL-VT164</b>	1.66	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.16
<b>BL-VT164W</b>	Refer to BL- VT164(1.66)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.17
<b>DG-GXE100</b>	2.02	H.264	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	None	v4.0
<b>DG-GXE500</b>	1.6	H.264	4	Video Server	720x480	Y/N	3/2	Pan Tilt Zoom	Motion	Test by link	v4.0
<b>DG-NF282</b>	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>DG-NF302</b>	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
<b>DG-NP240</b>	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
<b>DG-NP244</b>	None	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
<b>DG-NP304</b>	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DG-NS202	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NS202A	2.6	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NS950	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NS954	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NW960	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NW964	1.5	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-SC385	Refert to WV-SC385(1.61)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.18
DG-SF132	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
DG-SF334	1.03 1.05	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v2.8

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DG-SP102</b>	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
<b>DG-SW155</b>	Refer to WV-SW155/M	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v2.8
<b>K-EF134L</b>	V2.42	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v4.1
<b>K-EW114L</b>	2.420.PS00.0.T, build:2014-09-19	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Test by link	v4.1
<b>KX-HCM110</b>	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
<b>KX-HCM280A</b>	None	MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>WJ-GXE100</b>	2.50	H.264 MJPEG	1	Video Server	720x480	N/N	N/N	Zoom	Motion	None	v19.6
<b>WJ-GXE500</b>	2.50	H.264 MPE4	4	Video Server	720x480	N/N	N/N	Zoom	Motion	None	v19.7
<b>WJ-NT304</b>	1.04	MJPEG	4	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WJ-NT314</b>	None	MJPEG	4	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>WT-ST162</b>	1.81	H.264 MJPEG	1	Camera	800x600	Y/N	3/1	Pan Tilt Zoom	Motion	Test by link	v2.17
<b>WV-NF284</b>	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
<b>WV-NF302</b>	1.4	MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.0
<b>WV-NM100</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.14
<b>WV-NP1000</b>	None	MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.0
<b>WV-NP1004</b>	1.21	MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.0
<b>WV-NP240</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>WV-NP244</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-NP304</b>	1.5	MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.0
<b>WV-NP472</b>	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
<b>WV-NP502</b>	1.03 1.05	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	-	-	Motion	None	v1.7
<b>WV-NS202</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
<b>WV-NS202A</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
<b>WV-NS324</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>WV-NS950</b>	1.5	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>WV-NS954</b>	1.06	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.0
<b>WV-NW484</b>	1.6	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.7

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-NW502S</b>	1	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v1.0
<b>WV-NW960</b>	1.5	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>WV-NW964</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>WV-S2110RJ</b>	v1.80	H.265 H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	-	None	v18.4
<b>WV-S2111L</b>	v1.80	H.265 H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	None	v18.4
<b>WV-S6110</b>	v1.35	H.265 H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v18.3
<b>WV-S6111</b>	4.11	H265 H264 MJPEG	1	Camera	1280x720	Y/N	3/0	Pan Tilt Zoom	Motion	None	v19.12
<b>WV-S6130</b>	v1.80	H.265 H.264	1	Camera	2048x1536	Y/N	3/1	Pan Tilt Zoom	Motion	None	v18.5
<b>WV-S6131</b>	v1.80	H.265 H.264	1	Camera	2048x1536	Y/N	3/1	Pan Tilt Zoom	Motion	None	v18.5



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-SC384</b>	1.46	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motiuon	Supported by design	v2.0
<b>WV-SC385</b>	2.50	H264 MJPEG MPEG4	1	Camera	1280x720	Y/N	3/1	Pan Tilt Zoom	Motion	None	v20.3
<b>WV-SC386</b>	1.44	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1
<b>WV-SC588</b>	2.43	H.264	1	Camera	1920x1080	Y/N	3/1	Pan Tilt Zoom	Motion	None	v5.9
<b>WV-SC588A</b>	Refer to WV-SC588(2.43)	H.264	1	Camera	1920x1080	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.9
<b>WV-SF132</b>	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
<b>WV-SF135</b>	Refer to WV-SW155/M	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.17
<b>WV-SF332</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v1.7
<b>WV-SF335</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.7

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-SF336</b>	1.03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.7
<b>WV-SF342</b>	Refer to WV-SF332	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.17
<b>WV-SF346</b>	Refer to WV-SF336	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v1.11
<b>WV-SF438</b>	1.04	H.264 MJPEG	1	Camera	2048X1536	Y/N	3/1	-	Motion	None	v2.17
<b>WV-SF539</b>	None	H.264	1	Camera	1920x1080	Y/N	3/1	-	Motion	None	v4.0
<b>WV-SFN310</b>	V1.71	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	None	v3.13
<b>WV-SFN310J</b>	Refer to WV-SFN310(V1.71)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	Supported by design	v3.13
<b>WV-SFN311</b>	Refer to WV-SFN310(V1.71)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	Supported by design	v3.13
<b>WV-SFV481</b>	1.12	H.264	1	Fisheye Camera	2992x2992	Y/N	3/1	-	Motiion	None	v4.2

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-SFV611L</b>	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
<b>WV-SFV631L</b>	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
<b>WV-SFV631LT</b>	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
<b>WV-SFV781L</b>	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
<b>WV-SP102</b>	1.81	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Test by link	v2.17
<b>WV-SP105</b>	1.61	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.10
<b>WV-SP302</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.7
<b>WV-SP305</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.7
<b>WV-SP306</b>	1.03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.7

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-SP508</b>	1.05	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.1
<b>WV-SP509</b>	1.07	H.264 MJPEG	1	Camera	2048x1536	Y/N	3/1	-	Motion	None	v2.1
<b>WV-SPN311</b>	1.71	H.264	1	Camera	1280x720	Y/N	3/1	-	Motion / Record	None	v4.0
<b>WV-SPN531</b>	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
<b>WV-SPN631</b>	2.41	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	None	v4.14
<b>WV-SPW611L</b>	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
<b>WV-SPW631L</b>	Refer to WV-SPN631(2.41)	H.264	1	Camera	2048x1536	Y/N	3/1	-	Motion / Record	Supported by design	v4.14
<b>WV-ST162</b>	None	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	-	Motion	Test by link	v2.17
<b>WV-ST165</b>	1.44	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-SW152</b>	Refer to WV-Sw155/M	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.19
<b>WV-SW155</b>	2.02	H.264	1	Camera	1280x720	N/N	3/1	-	Motion / Record	Supported by design	v4.0
<b>WV-SW155/M</b>	1.03	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.17
<b>WV-SW158</b>	1.55	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v3.11
<b>WV-SW172</b>	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.17
<b>WV-SW174W</b>	1.81	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v3.1
<b>WV-SW175</b>	Refer to ST165	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.1
<b>WV-SW314</b>	Refer to SW316/L	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v2.1
<b>WV-SW316</b>	1.46	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v2.1

-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-SW352</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.13
<b>WV-SW355</b>	1.01	H.264 MJPEG MPEG4	1	Camera	800x600	Y/N	1/1	-	Motion	Test by link	v1.13
<b>WV-SW395</b>	Refer to SC358(1.01)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v2.7
<b>WV-SW396</b>	1.44	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v2.0
<b>WV-SW458</b>	V1.60	H.264	1	Fisheye Camera	1920x1080	Y/N	3/1	-	Motion	None	v4.0
<b>WV-SW558</b>	Refer to SP509	H.264 MJPEG	1	Camera	2048x1536	N/N	3/1	-	Motion	Supported by design	v2.1
<b>WV-SW559</b>	Refer to SP509	H.264 MJPEG	1	Camera	2048x1536	Y/N	3/1	-	Motion	Supported by design	v2.1
<b>WV-SW598</b>	2.07	H.264	1	Camera	1920x1080	Y/N	3/2	-	Motion	Test by link	v4.2



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D5118</b>	1.6.13.9310 -A1.4657	H.264 MJPEG	1	Camera	1280x960	N/N	1/1	Pan Tilt Zoom	Motion	None	v1.13
<b>D5220</b>	1.8.3.8- 20121119.9 320-A1.8614	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v2.20
<b>IBP322-1R</b>	01.16.37	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v22.1
<b>IBPS110-ER</b>	03.29.59	H.264 MJPEG	1	Camera	800x600	Y/N	1/1	Zoom	Motion	Test by link	v4.15
<b>IL10</b>	1.8.2.4.8310 -03.9119	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v2.20
<b>IM10</b>	1.8.2.18- 20121109- 1.8272- 01.8503	H.265 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v2.20
<b>IMPS110-1</b>	03.29.59	H.264 MJPEG	1	Camera	800x600	Y/N	1/1	Zoom	Motion	Test by link	v4.15
<b>P2230L-ESR</b>	0000-A1.1- 01028	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Test by link	v22.1

-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PBY-H626A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H7926A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H7926AM</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H7982</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H7982M</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H79882</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H7A26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H7A82</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H7A855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PBY-H7B82</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H7B82M</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-H7B882</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HB26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HB855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HC26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HC855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HD26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HD855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10

-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PBY-HH26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HH855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HK26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HK855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HL26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HL26AM</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HL82</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HL882</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HMi855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10

-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PBY-HNi855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HP82</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HQ26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HQ855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HS26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HS855</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-HV26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-Hi26A</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-Hi26AM</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10

-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PBY-Hi82</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-Hi82M</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>PBY-Hi882</b>	Refer to YUC-H7A26A(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10

# Probe

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PIC-H2010	v1.0.4_20121029	H.264	1	Camera	1920x1088	Y/N	1/1	-	Motion	None	v2.9
PID-H1300	v1.0.1_20121005	H.264	1	Camera	1080x720	Y/N	1/1	-	Motion	None	v2.9
PIN-H1310	v1.0.0_20120627	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.4
PMI-H2000	v1.0.2_20120906	H.264	1	Camera	1920x1088	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DAI-310IPEH04</b>	3.4.2	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Test by link	v4.10
<b>DAI-310IPEHVF</b>	Refer to DAI-310IPEH04(3.4.2)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
<b>DI-310IPEHVF</b>	Refer to DAI-310IPEH04(3.4.2)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
<b>I3-310IPEH04</b>	Refer to DAI-310IPEH04(3.4.2)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
<b>I4-310IPEHVF</b>	Refer to DAI-310IPEH04(3.4.2)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>QSS2224SR 5-DPF40-B</b>	Refer to QSS3634ER 3-DPZ28 (FW: IPC_G6102- B5018P10D1 711)	H.265 H.264 MJPEG	1	Camera	2592x1520	N/N	-	-	Motion / Record	Supported by design	v18.5
<b>QSS2324EB R-DPZ28</b>	IPC_Q1201- B5022P10D1 711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.7
<b>QSS314SR- DVPF28</b>	IPC_G6102- B5018P21D1 711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	-	Motion	None	v18.6
<b>QSS3234SR 3-DVZ28</b>	IPC_Q1201- B5022P10D1 711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.7
<b>QSS3614SR 3-DPF28M</b>	Refer to QSS314SR- DVPF28 (FW: IPC_G6102- B5018P21D1 711)	H.265 H.264 MJPEG	1	Camera	2560x1440	Y/N	-	-	Motion	Supported by design	v18.6
<b>QSS3634ER 3-DPZ28</b>	IPC_G6102- B5018P10D1 711	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	-	Zoom	Motion	None	v18.4



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmwar e	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v1.8.0601 .1001.11 0.0.36.1. 0	2592x194 4	1	Fisheye Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.8
Note:	Support generic dewarp 1. Audio in with Raw PCM codec are not supported.(Camera Firmware issue) 2. Home function are not supported. (Camera Firmware issue) 3. The streaming has broken under MJPEG format.(Camera Firmware issue) 4. Due to Onvif restriction, some frame rate and bit rates cannot be set.(Camera performance limitation)										





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	2.420.BW01.0.R, Build Date: 2017-08-25	H.264 H.265 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v22.3
<b>SNC-100PBIA</b>	2.400.BW00.0.T, build : 2015-10-22	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v4.10
<b>SNC-200PDIA</b>	2.210.BW00.8.R	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.10
<b>SNC-211FDIA</b>	Refer to SNC-200PDIA(V2.210.BW00.8.R.20151124)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.12
<b>SNC-211RSIA</b>	2.210.BW01.0.R.A.2017.3N.NR, build : 2015-04-09	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.1
<b>SNC-231RZNA</b>	2.400.BW06.0.R.T1.484, build : 2016-01-13	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	None	v4.11
<b>SNC-311FBIF</b>	V2.420.BW00.0.T.20150213	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.0
<b>SNC-311FEIF</b>	V2.420.BW00.0.T.20150213	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-311RBIA	V2.420.BW0 0.0.T.20150 213	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	None	v4.0
SNC-311RDIA	V2.420.BW0 0.0.T.20150 213	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	-	Motion	None	v4.0
SNC-311RINA	V2.420.BW0 0.0.T.20150 213	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	-	Motion	None	v4.0
SNC-3302	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.20
SNC-3303	v1.0.3.454	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	None	v3.3
SNC-3305	1.0.2.386	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	None	v2.19
SNC-331DLNN	V2.400.BW0 0.0.R	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.4
SNC-3322	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.20
SNC-3342	v1.0.0.11	H.264 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v2.4



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-3901MDN	3.5	H.264 MJPEG MPEG4	1	camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.4
SNC-3903M	v0.9.6.6	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	None	v1.11
SNC-4302	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.20
SNC-431FBIF	2.400.BW00.0.R, build: 2016-03-24	H.264 MJPEG	1	Camera	2688x1296	N/N	-	-	Motion	Test by link	v4.15
SNC-431FEIF	Refer to SNC-431FBIF(2.400.BW00.0.R, build: 2016-03-24)	H.264 MJPEG	1	Camera	2688x1296	N/N	-	-	Motion	Supported by design	v4.16
SNC-431RBIA	Refer to SNC-100PBIA(2.400.BW00.0.T, build : 2015-10-22)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v4.12
SNC-431RDIA	Refer to SNC-100PBIA(2.400.BW00.0.T, build : 2015-10-22)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v4.12
SNC-431RLNN	Refer to SNC-331DLNN(V2.400.BW00.0.R, build : 2015-7-27)	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.12



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-4323IR</b>	Refer to SNC-6323IRH(1.0.3.454)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.3
<b>SNC-441FBIFe</b>	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
<b>SNC-441FDIF</b>	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
<b>SNC-441FEIF</b>	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
<b>SNC-441FINF</b>	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
<b>SNC-441RBIAe</b>	2.622.00BW000.0.R, Build Date: 2018-05-04	H.265 H.264 MJPEG	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Test by link	v18.9
<b>SNC-441RDIAe</b>	2.622.00BW000.0.R, Build Date: 2018-05-04	H.265 H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	Zoom	Motion	Test by link	v18.7



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-441RLNN	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
SNC-5211MIR	3.1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.3
SNC-5211R/W	1.5	MJPEG MPEG4	1	Camera	720x576	Y/n	1/1	-	Motion	None	v1.0
SNC-5312IR	Refer to SNC-6312IRH(v1.0.2.386)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.19
SNC-5315IR	Refer to SNC-6315IRH(v1.0.2.386)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v2.19
SNC-5321MIR	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.11
SNC-5323IRH	Refer to SNC-6323IRH(1.0.3.454)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.3
SNC-5651R/W	1.5	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Zoom	Motion	None	v1.1
SNC-6163ID	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.11



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-620/W</b>	v1.0.1.5	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Test by link	v1.1
<b>SNC-6201M</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.3
<b>SNC-6202</b>	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.20
<b>SNC-6212IR</b>	Refer to SNC-6312IRH(v1.0.2.386)	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v2.19
<b>SNC-6221MIR</b>	5.2.2	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.13
<b>SNC-6223MIR</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.10
<b>SNC-6301M</b>	5.2.2	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.13
<b>SNC-6302</b>	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.20
<b>SNC-6303</b>	Refer to SNC-3303(1.0.3.454)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.3



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-6303M	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.11
SNC-6312IRH	1.0.2.386	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.19
SNC-6315IRH	1.0.2.386	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v2.19
SNC-6323IRH	v1.0.3.454	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v3.3
SNC-6332	v1.0.0.10	H.264 MJPEG	1	Camera	1600x1200	Y/N	4/1	-	-	None	2.1
SNC-670ID/W	1.0.1.5	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.1
SNC-831DBIA	2.400.BW00. 8.R, build : 2016-08-15	H.264 MJPEG	1	Camera	4000x3000	Y/N	2/1	Zoom	Motion	Supported by design	v18.2
SNC-8322I/HO	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.20
SNC-841DBIAe	Refer to SNC- 441RBIAe(2. 460.BW01.1 3.R, Build Date: 2017- 09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-841DDIAe</b>	Refer to SNC-441RBIAe(2.460.BW01.13.R, Build Date: 2017-09-14)	H.265 H.264	1	Camera	2688x1520	Y/N	2/1	Zoom	Motion	Supported by design	v18.12
<b>SNC-90DN/W</b>	1.5	MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.1
<b>SNC-P3601M</b>	5.2.2	H.264 MJPEG MPEG4	1	Cmaera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.4
<b>SNC-P3603M</b>	None	H.264 MJPEG MPEG4	1	Cmaera	1280x1024	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.11
<b>SVS-1100</b>	1.1.8	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.13
<b>SVS-3001</b>	None	H.264 MJPEG	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.19





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PNV-9080R</b>	4.00_200617	H.264 H.265 MJPEG	1	Camera	4096x2160	Y/Y	1/1	-	Motion	Test by link	v20.12
<b>QND-6070R</b>	1.00_160804	H.264 H.265	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.9
<b>QNO-7080R</b>	1.00_160819	H.264 H.265	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v5.9
<b>QNV-7080R</b>	1.00_160819	H.264 H.265	1	Camera	2592x1520	Y/N	1/1	-	Motion	Test by link	v5.9
<b>SNB-1000</b>	1.07_110407	H.264 MPEG4 MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	None	v1.18
<b>SNB-1001</b>	1.00_111226	H.264 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	Test by link	v2.2
<b>SNB-2000</b>	None	H.264 MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	-	-	Supported by design	v1.2
<b>SNB-3000</b>	None	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.2
<b>SNB-3002</b>	Refer to SND-3082/F(2.10_130416)	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.16



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNB-5000	3_24_14070 1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v4.14
SNB-5000A	Refer to SND- 5080/F(3.10 .130416)	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.16
SNB-5001	1.00_12052 1	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8
SNB-5003	1.12_13103 1	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.0
SNB-5004	1.12_13103 1	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.0
SNB-6003	Refer to SND- 6083(FW 1.00_13041 2)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.16
SNB-6004	SNV-6084R- V3.01_1408 04	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v3.10
SNB-7000	Refer to SND-7080	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v1.13
SNB-7001	Refer to SND- 7011(1.00_1 20601)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v2.7



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNB-7002</b>	1.06_13040 2	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.16
<b>SNB-7004</b>	3.00_14091 5	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v5.0
<b>SNC-B2315</b>	2.01	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	Motion	None	v1.0
<b>SNC-B2331</b>	v1.00_0908 10	H.264 MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	-	Motion	None	v1.0
<b>SNC-B2335</b>	v1.10_1001 29	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	Motion	None	v1.0
<b>SNC-B5368</b>	v1.00_0910 01	H.264 MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	-	Motion	None	v1.0
<b>SNC-B5395</b>	2.1	MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	Motion	None	v1.0
<b>SNC-B5399</b>	v1.10_0911 20	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	Motion	None	v1.0
<b>SNC-C6225</b>	1.01	MPEG4 MJPEG	1	Camera	720x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-C7225	1.01	MPEG4 MJPEG	1	Camera	720x576	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
SNC-C7478	v1.01_090625	MPEG4 MJPEG	1	Camera	720x576	Y/N	8/4	Pan Tilt Zoom	Motion	None	v1.0
SNC-M300	v2.11_090729	MPEG4 MJPEG	1	Camera	2048x1536	N/N	2/2	-	Motion	None	v1.0
SND-1010	1.07_110407	H.264 MPEG4 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.18
SND-1011	1.00_111226	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Test by link	v2.2
SND-1080	1.00_111226	H.264 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	Test by link	v2.2
SND-3080	None	H.264 MPEG4 MJPEG	1	Camera	720x576	N/N	2/2	-	-	Supported by design	v1.2
SND-3082	Refer to SND-3082/F(2.10_130416)	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.18
SND-3082/F	2.10_130416	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	1/1	-	Motion	None	2.16



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SND-5010</b>	1.00_120626	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.10
<b>SND-5011</b>	1.00_120521	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8
<b>SND-5061</b>	1.00_120521	H.264 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	None	v2.8
<b>SND-5080</b>	3.10_130416	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/n	1/1	-	Motion	None	v2.16
<b>SND-5083</b>	Refer to SNB-5003(1.12_131031)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.0
<b>SND-5084</b>	Refer to SNB-5004(1.12_13103)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>SND-6011R</b>	1.11_131011	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Test by link	v3.2
<b>SND-6083</b>	1.00_130316	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
<b>SND-6084</b>	SNV-6084R-V3.01_140804	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Test by link	v3.10



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SND-6084R</b>	Refer to SNB-6004(1.00_130316)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
<b>SND-7011</b>	1.00_120601	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	None	v2.7
<b>SND-7061</b>	Refer to SND-7011(1.00_120601)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v2.7
<b>SND-7080</b>	1.00_110319	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v1.18
<b>SND-7082</b>	1.00_120824	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.7
<b>SND-7082/F</b>	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>SND-7084</b>	Refer to SND-7084R(0.51_140116)	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.6
<b>SND-7084R</b>	0.51_140116	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.6
<b>SND-L6013R</b>	Refer to SNO-L6083R(1.00_150403)	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.8



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNF-7010V</b>	1.00_130806	H.264 MJPEG	1	Fisheye Camera	2048x1536	Y/N	-	-	Motion	None	v2.18
<b>SNF-8010</b>	1.00_140719	H.264	1	Fisheye Camera	2560x2048	Y/N	1/1	-	Motion	Test by link	v4.7
<b>SNO-1080R</b>	1.00_120125	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Test by link	v2.2
<b>SNO-5080R</b>	3.10_130416	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v2.16
<b>SNO-6011R</b>	Refer to SND-6011R(1.11_131011)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v3.5
<b>SNO-6084</b>	Refer to SND-6083(1.00_130412)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.1
<b>SNO-6084R</b>	Refer to SNB-6004(1.00_130316)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
<b>SNO-7080R</b>	2.00_121004	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	Test by link	v3.2
<b>SNO-7082R</b>	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.16



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNO-7084R</b>	3.00_14091 5	H.264	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	Test by link	v4.11
<b>SNO-8081R</b>	1.00_15102 0	H.264 H.265	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Test by link	v5.9
<b>SNO-L6013R</b>	1.00_15040 3	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.8
<b>SNO-L6083R</b>	1.00_15040 3	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.7
<b>SNP-3120V</b>	1.22_11060 3	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.18
<b>SNP-3301</b>	1.21_11030 1	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.13
<b>SNP-3302/H</b>	Refer to SNP- 3371/H/TH	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.1
<b>SNP-3370</b>	1.21_11031 0	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.18
<b>SNP-3430H</b>	1.07_11032 4	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	8/4	Pan Tilt Zoom	Motion	None	v1.18





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNP-5200/H	1.00_110309	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.18
SNP-5300	1.10_130523	H.264 MJPEG	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v2.17
SNP-6200	V1.00_120302	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.6
SNP-6200H	Refer to SNP-6200P(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200HP	Refer to SNP-6200P(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200P	Refer to SNP-6200P(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200RH	3.02_140722	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.11
SNP-6230RH	1.03_160719	H.264	1	Camera	1920x1080	Y/N	4/3	Pan Tilt Zoom	Motion	Test by link	v5.9
SNP-6320H	1.01_141007	H.264	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.10



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNP-7080</b>	1.00_11031 9	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v1.18
<b>SNP3371/ H/TH</b>	1.01_11110 4	H.264 MJPEG	1	Video Server	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v2.0
<b>SNV-1080</b>	Refer to SNO- 1080R(1.00_ 120125)	H.264 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	Supported by design	v2.2
<b>SNV-1080R</b>	Refer to SNO- 1080R(1.00_ 120125)	H.264 MJPEG	1	Camera	640x480	Y/N	1/0	-	Motion	Supported by design	v2.2
<b>SNV-3080</b>	None	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.2
<b>SNV-3082</b>	Refer to SND- 3082/F(2.10_ 130416)	H.264 MPEG4 MJPEG	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.16
<b>SNV-3120</b>	1.20_10122 1	H.264 MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	Zoom	Motion	None	V1.11
<b>SNV-5010</b>	2.00_11060 8	H.264 MPEG4 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.18
<b>SNV-5080</b>	Refer to SND- 5080/F(3.10 .130416)	H.264 MPEG4 MJPEG	1	Camera	H.264 MPEG4 MJPEG	Y/N	1/1	-	Motion	Supported by design	v2.16



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNV-5080R	3.10_130416	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.16
SNV-5084	Refer to SNB-5004(1.12_13103)	H.264	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
SNV-6012M	1.00_130704	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Test by link	v3.1
SNV-6084	Refer to SND-7084R(0.51_140116)	H.264	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.16
SNV-6084R	Refer to SNB-6004(1.00_130316)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
SNV-7080	1.00_110319	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v1.12
SNV-7082	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.16
SNV-7084	Refer to SND-7084R(0.51_140116)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.6
SNV-7084R	Refer to SND-7084R(0.51_140116)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v4.6



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNV-L6083R</b>	1.00_15040 3	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.8
<b>SNZ-5200</b>	1.02_11060 3	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.18
<b>SPE-100</b>	v1.19_1103 17_3	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.19
<b>SPE-400</b>	1.40_12020 1	H.264 MPEG4 MJPEG	4	Video Server	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v2.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FBN-D101N</b>	None	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.8
<b>FBN-D101P</b>	None	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.8
<b>PSN-1012N</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
<b>PSN-1012P</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
<b>PSSN-1012N</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
<b>PSSN-1012P</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
<b>RIN-0012N</b>	None	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
<b>RIN-0012P</b>	None	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-21XX</b>	BgWT81300 35N03 V23 1208152A	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.6
<b>SNC-22XX</b>	BgWT82027 15N03 V23 1208153A	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.6
<b>SNC-23XX</b>	BgWT83000 36N03 V23 1208154A	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.6

# SONY

-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	1.7.0	H.264 MJPEG	1	Fisheye Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.17
Note:	Support generic dewarp For G6 model only. In certain scenarios i.e. under high frame rate and resolution with multiple stream condition, camera might have limitation by bandwidth specification. For further information, please visit Sony A&E Portal: <a href="https://www.security.sony.biz/ssp/ae/homeDisplay.do">https://www.security.sony.biz/ssp/ae/homeDisplay.do</a>										
SNC CH210/S	1.78.00	H.264 MPEG4 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.11
SNC-CH110	1.22.00	H.264 MPEG4 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v1.8
SNC-CH120	1.8	H.264 MPEG4 MJPEG	1	Camera	1280x1024	N/N	1/0	-	Motion	Test by link	v2.18
SNC-CH140	1.07.00	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/2	-	Motion	None	v1.3
SNC-CH160	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	Zoom	Motion	None	v3.7

# SONY

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-CH180	1.10.03	H.264 MPEG4 MJPEG	1	Camera	1280x720	Y/N	1/2	-	Motion	None	v1.3
SNC-CH210/B	1.78.00	H.264 MPEG4 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.11
SNC-CH220	1.21.02	H.264 MPEG4 MJPEG	1	Camera	1920x1440	N/N	1/1	-	Motion	None	v1.8
SNC-CH240	1.10.01	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/N	1/2	-	Motion	None	v1.3
SNC-CH260	1.78.00	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/N	1/1	Zoom	Motion	None	v2.11
SNC-CH280	1.26.01	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/N	1/2	Zoom	Motion	None	v1.9
SNC-CM120	1.00	MPEG4 MJPEG	1	Camera	1280x960	Y/N	1/2	-	Motion	None	v1.0
SNC-CS10	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
SNC-CS11	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0



# SONY

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-CS20	None	MPEG4 MJPEG	1	Camera	768x576	Y/N	1/2	-	Motion	Supported by design	v1.0
SNC-CS3	None	MJPEG	1	Camera	736x480	N/N	1/2	-	-	Supported by design	v1.0
SNC-CS50	2.21	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/2	-	Motion	None	v1.0
SNC-CX600W	1.7.0	H.264 MJPEG	1	Camera	1280x1024	Y/N	-	-	Motion	None	v2.17
SNC-DF50	1.11	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	None	v1.0
SNC-DF70	1.17	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	None	v1.0
SNC-DF80	1.11	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	None	v1.0
SNC-DF85	None	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	Supported by design	v1.0
SNC-DH110	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.7

# SONY

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-DH110T	Refer to SNC-DH110	H.264 MPEG4 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH120	1.78.00	H.264 MPEG4 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.11
SNC-DH140	1.07.00	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/2	-	Motion	None	v1.3
SNC-DH160	1.11.00	H.264 MPEG4 MJPEG	1	Camera	1280x1024	N/N	1/0	-	Motion	None	v1.7
SNC-DH180	1.10.02	H.264 MPEG4 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v1.2
SNC-DH210	None	H.264 MPEG4 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.10
SNC-DH210T	1.27.00	H.264 MPEG4 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.9
SNC-DH220	1.82.01	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.7
SNC-DH220T	1.82.01	H.264 MPEG4 MJPEG	2	Camera	1920x1440	Y/N	1/1	Zoom	Motion	Supported by design	v1.10

# SONY

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-DH240	1.10.02	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/n	1/2	-	Motion	None	v1.3
SNC-DH260	1.30.00	H.264 MPEG4 MJPEG	1	Camera	1920x1440	N/N	1/1	Zoom	Motion	None	v1.9
SNC-DH280	1.26.01	H.264 MPEG4 MJPEG	1	Camera	1920x1440	Y/N	1/2	Zoom	Motion	Test by link	v1.9
SNC-DM110	1.01	MPEG4 MJPEG	1	Camera	1280x960	Y/N	1/2	-	Motion	None	v1.0
SNC-DS10	1.01	MPEG4 MJPEG	1	Camera	768x576	Y/N	1/2	-	Motion	None	v1.0
SNC-DS60	1.00	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/2	-	Motion	None	v1.0
SNC-EB600	Refer to SNC- EB600B(1.9. 2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v3.0
SNC-EB600B	1.9.2	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v3.0
SNC-EB602R	Refer to SNC- EB632R(2.2. 1)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v3.9

**SONY**

-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:****Supported by design: The covered model's spec is different from the delivered spec.****Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.****For Edge IVS event:****Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-EB630	1.9.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.20
SNC-EB630B	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EB632R	2.2.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.9
SNC-EM600	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM601	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM602R	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM630	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM631	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM632R	1.9.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.1

**SONY**

-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:****Supported by design: The covered model's spec is different from the delivered spec.****Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.****For Edge IVS event:****Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-EP520</b>	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.14
<b>SNC-EP550</b>	Refer to SNC-ER550	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.18
<b>SNC-EP580</b>	1.42.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.18
<b>SNC-ER520</b>	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.14
<b>SNC-ER521</b>	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.14
<b>SNC-ER550</b>	1.51.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.19
<b>SNC-ER580</b>	Refer to SNC- EP580(1.42. 00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v2.0
<b>SNC-ER585</b>	1.78.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/n	2/1	Pan Tilt Zoom	Motion	Test by link	v2.15
<b>SNC- HM662</b>	1.2.0	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.12

**SONY**

-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:****Supported by design: The covered model's spec is different from the delivered spec.****Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.****For Edge IVS event:****Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-P1</b>	1.28	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
<b>SNC-P5</b>	1.11	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.0
<b>SNC-RH124</b>	1.84.00	H.264 MJPEG	1	Camera	1280x720	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.7
<b>SNC-RH164</b>	1.10.01	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.3
<b>SNC-RS44N</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
<b>SNC-RS44P</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
<b>SNC-RS46N</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
<b>SNC-RS46P</b>	1.10.02	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.3
<b>SNC-RS84N</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3

**SONY**

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-RS84P</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
<b>SNC-RS86N</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
<b>SNC-RS86P</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.3
<b>SNC-RX530</b>	3.00	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
<b>SNC-RX550</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>SNC-RX570</b>	3.01	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
<b>SNC-RZ25</b>	1.29	MPEG4 MJPEG	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
<b>SNC-RZ30</b>	3.14	MJPEG	1	Camera	736x480	N/N	3/2	Pan Tilt Zoom	-	None	v1.0
<b>SNC-RZ50</b>	2.21	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0

# SONY

-: not available on camera

Y: Support Function

N: Not Support Function

Remarks:

Supported by design: The covered model's spec is different from the delivered spec.

Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.

For Edge IVS event:

Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-VB600	1.2.0	H.264 MJPEG	1	Camera	1280x1024	N/N	2/2	-	Motion	Test by link	v2.8
SNC-VB600B	1.7.0	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	None	v2.17
SNC-VB630	2.2.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v3.10
SNC-VB635	1.11.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v3.1
SNC-VM600	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v3.0
SNC-VM600B	Refer to SNC-VB600B(1.7.0)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v2.17
SNC-VM601	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v3.0
SNC-VM601B	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v3.3
SNC-VM602R	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/N	2/2	-	Motion	Supported by design	v3.0



**SONY**

-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-VM630</b>	Referto SNC-VM632R(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v3.0
<b>SNC-VM631</b>	Referto SNC-VM632R(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v3.0
<b>SNC-VM632R</b>	1.9.2	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v3.0
<b>SNC-WR600</b>	1.11.0	H.264 MJPEG	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.2
<b>SNC-WR602</b>	Referto SNC-WR600(1.11.0)	H.264 MJPEG	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.2
<b>SNC-WR630</b>	1.11.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.1
<b>SNC-WR632</b>	Refer to SNC-WR630(1.11.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.1
<b>SNC-XM631</b>	2.2.1	H.264 MJPEG	1	Camera	1920x1080	N/N	2/2	-	Motion	None	v3.9
<b>SNC-XM632</b>	1.12.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.2

**SONY**

-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:****Supported by design: The covered model's spec is different from the delivered spec.****Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.****For Edge IVS event:****Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-XM636</b>	Refer to SNC-XM632(1.12.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.2
<b>SNC-XM637</b>	Refer to SNC-XM632(1.12.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.2
<b>SNC-Z20</b>	1.06	MJPEG	1	Camera	736x480	N/N	1/2	Pan Tilt Zoom	-	None	None
<b>SNC-ZB550</b>	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.11
<b>SNT-EP104</b>	None	H.264 MJPEG MPEG4	4	Video Server	720x480	N/N	-	-	Motion	Supported by design	v1.5
<b>SNT-EP154</b>	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	N/N	-	-	Motion	None	v1.3
<b>SNT-EX101</b>	None	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.5
<b>SNT-EX101E</b>	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.3
<b>SNT-EX104</b>	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.2

**SONY**

**-: not available on camera  
Y: Support Function  
N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

<b>Device Name</b>	<b>Tested Firmware</b>	<b>Video Format</b>	<b>Video Ch</b>	<b>Device Type</b>	<b>Max Resolution</b>	<b>Audio-in/out</b>	<b>I/O Ch</b>	<b>PTZ</b>	<b>Edge Feature</b>	<b>Remarks</b>	<b>DevicePack Version</b>
<b>SNT-EX154</b>	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/N	4/4	Pan Tilt Zoom	Motion	None	v1.3
<b>SNT-V704</b>	2.15	MPEG4 MJPEG	4	Video Server	640x480	Y/N	1/4	Pan Tilt Zoom	-	None	v2.1



-: not available on camera  
 Y: Support Function  
 N: Not Support Function  
 For multi stream support:  
 Yes: multi stream fix to 500kbps/100kbps  
 Yes\*: multi stream setting support

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Nitida 12000</b>	01.10:01.08 :01.13:01.1 1:01.05:00. 04	H.264	1	Camera	1920x1080	N/N	-	-	-	None	v4.1
<b>SR-C-F21100</b>	2.420.0005. 0.R, build : 2014- 12-05	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v4.3
<b>SR-C-F22100-V</b>	2.420.0005. 0.R, build : 2014- 12-05	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.3
<b>SR-C-F23120-V</b>	2.420.0005. 0.R, build : 2014- 12-05	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v4.3
<b>SR-C-F24110-FV</b>	2.420.0005. 0.R, build : 2014- 12-05	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v4.3
<b>SR-C-F25100-V</b>	2.210.0004. 0.T.A.3013.3 N.NR, build: 2015- 05-27	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v4.3
<b>SR-C-F26110</b>	2.420.0005. 0.R, build : 2014- 12-05	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Zoom	Motion	None	v4.3



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	v1.9.0601.1 001.3.0.36.0 .0 v3.4.0804.1 003.3.0.83.0 .0	H.265 H.264 MJPEG	1	Camera	2592x1944	Y/N	2/2	Pan Tilt Zoom	Motion	None	v5.12
Note:	<p style="text-align: center;">Support generic dewarp</p> <p style="text-align: center;">Test by IPC54-40EDN in DP v3.13.(FW : v1.9.0601.1001.3.0.36.0.0) (I/O ch : 1/1)</p> <ol style="list-style-type: none"> <li>1. The ranges of bitrate and framerate may be different from camera web. (Camera Firmware issue)</li> <li>2. Motion detection is not supported on MJPEG. (Camera performance limitation)</li> <li>3. Bitrate of actual streaming may be different from the setting. (Camera Firmware issue)</li> <li>4. Frame rate of actual streaming may be different from the setting. (Camera Firmware issue)</li> </ol> <p style="text-align: center;">Test by IPR57/41ACDN/Z/1 in DP v5.12.(FW : v3.4.0804.1003.3.0.83.0.0) (I/O ch : 1/1)</p> <ol style="list-style-type: none"> <li>1. The talk function do not work.</li> <li>2. The camera search function do not work.</li> </ol>										
<b>IPR54/14A LDN(II)/2 3</b>	v2.0.0601.1 002.3.0.56.0 .0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.12
<b>IPR56/20A PDN/13</b>	v2.0.0701.1 002.3.0.114. 1.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.12
<b>IPS54/70D N/Z18</b>	Refer to IPS54/70DN /ZR18(v1.6_ build044014 _027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>IPS54/70D N/ZR18</b>	v1.6_build04 4014_148	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	None	v2.17



**--: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPS54/70DR/Z18</b>	Refer to IPS54/70DN/ZR18(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>IPS54/70DR/ZR18</b>	Refer to IPS54/70DN/ZR18(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>IPS54/71DN/Z18</b>	Refer to IPS54/70DN/ZR18(v1.6_build044014_026)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.10
<b>IPS54/80DR</b>	Refer to IPS54/70DN/ZR18(v1.6_build044014_026)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v2.10
<b>SN-IPC54/11DN</b>	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPC54/11EDN</b>	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPC54/11FDN</b>	v1.6_build044014_027	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.7
<b>SN-IPC54/12DN</b>	v2.0.0601.1002.3.0.56.0.0_20151027	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.14



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPC54/12E DN</b>	Refer to SN-IPD54/12VDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPC54/12F DN</b>	Refer to SN-IPD54/12VDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPC54/14E DN</b>	Refer to SN-IPD54/12VDN(v1.6_build044014_106)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPC54/31E DN</b>	Refert to SN-IPV54/31UDN(v1.6_build044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPC54/40E DN</b>	v1.6_build044014_148	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.17
<b>SN-IPC54/50DN</b>	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.16
<b>SN-IPC55/20E DN</b>	v1.8.1001.1001.3.0.46.0.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	None	None	v3.10
<b>SN-IPD54/11DN</b>	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.16



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPD54/11V DN</b>	Refer to SN-IPC54/11FD N	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPD54/11V DR</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPD54/12V N</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v1.16
<b>SN-IPD54/12V DN</b>	v1.9.0601.1001.3.0.22.0.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.10
<b>SN-IPD54/12V DR</b>	Refer to SN-IPD54/12VD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPD54/14V DN</b>	Refer to SN-IPD54/12VD N(v1.6_build 044014_106 )	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPD54/14V DR</b>	Refer to SN-IPV54/31UD N(v1.6_build 044014_137 )	H.264 MJPEG	1	Camera	2048x1536	Y/n	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPD54/31V DN</b>	Refer to SN-IPV54/31UD N(v1.6_build 044014_137 )	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPD54/31VDR</b>	Refer to SN-IPV54/31UDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPD54/40VDN</b>	Refert to SN-IPC54/40EDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11
<b>SN-IPR54/11AKDN</b>	Refer to IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/11ALDN</b>	Refer to SN-IPC54/11FDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/11ANDN</b>	Refer to SN-IPC54/11FDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/11D N</b>	Refer to SN-IPC54/11FDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/12AKDN</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/12ALDN</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPR54/12A NDN</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/12D N</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/14A KDN</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPR54/14A PDN</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPR54/31A KDN</b>	Refer to SN-IPV54/31UDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPR54/31A PDN</b>	Refer to SN-IPV54/31UDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPR54/31U DN</b>	v1.7.1001.3.0.13	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.2
<b>SN-IPR54/40A KDN</b>	Refert to SN-IPC54/40EDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPR54/40A PDN</b>	Refert to SN-IPC54/40EDN(v1.6_build044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11
<b>SN-IPR54/50DN</b>	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.16
<b>SN-IPS54/60DN/Z18</b>	None	H.264 MJPEG	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.16
<b>SN-IPS54/60DN/Z18/WI</b>	v1.6_build044013_040	H.264 MJPEG	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	Motion	None	v2.4
<b>SN-IPS54/60DN/Z36</b>	None	H.264 MJPEG	1	Camera	704x576	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.16
<b>SN-IPS56/30CDR/ZS12</b>	v2.0.0702.1002.3.0.119.0.0	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	-	Motion	None	v4.15
<b>SN-IPV54/11DN</b>	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/11DR</b>	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/11UDN</b>	Refer to SN-IPC54/11FDN	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPV54/11U DR</b>	Refer to SN-IPC54/11FDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/11Z DR</b>	Refer to SN-IPC54/11FDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/12D N</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/12D R</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/12U DN</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/12U DR</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/12Z DR</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/14U DR</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	2048x1536	Y/N	Y/N	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPV54/14Z DR</b>	Refer to SN-IPD54/12VDN(v1.6_build044014_106)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPV54/31U DN</b>	v1.6_build044014_148	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.16
<b>SN-IPV54/31U DR</b>	Refer to SN-IPV54/31UDN(v1.6_build044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPV54/31Z DR</b>	Refer to SN-IPV54/31UDN(v1.6_build044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPV54/40U DN</b>	Refer to SN-IPV54/31UDN(v1.6_build044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>SN-IPV54/40U DR</b>	Refert to SN-IPC54/40EDN(v1.6_build044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11
<b>SN-IPV54/50DN</b>	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.0
<b>SN-IPV54/50DR</b>	None	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-VSR54/04</b>	build044014_136_1	H.264 MJPEG	4	Video Server	704x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.19
<b>VSR54/01</b>	v1.6_build044014_026	H.264 MJPEG	1	Camera	704x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.6



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TV-IP262P	1.0.3	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	None	v3.6
TV-IP262PI	Refer to TV-IP262P(1.0.3)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Supported by design	v3.6
TV-IP310PI	V5.0.1 140303	H.264	1	Camera	2048x1536	N/N	-	-	Motion	None	v3.6
TV-IP311PI	Refer to TV-IP310PI(V5.0.1 140303)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v3.6
TV-IP572P	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572PI	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572W	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572WI	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP672P	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TV-IP672PI</b>	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6
<b>TV-IP672W</b>	1.1.2	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	None	v3.6
<b>TV-IP672WI</b>	Refer to TV-IP672W(1.1.2)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Supported by design	v3.6





-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCAM-3xx	Enc: V1.104A-035	H.264 MJPEG	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	Motion	None	v1.9
TCAM-530	Enc: V1.104A-035	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.9
TCAM-531	Enc: V1.104A-035	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.9
TCAM-531BIR	None	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v1.9
TCAM-540	Enc: V1.103C-006	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.9
TCAM-551	None	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	-	Motion	Supported by design	v1.9
TCAM-570	V1.111R04-T100	MJPEG H.264	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.19
TCS-200	Enc: V1.104A-035	H.264	1	Video Server	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.9
TCS-2000	V1.111R04-T100	MJPEG H.264	1	Video Server	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCS-300</b>	Enc: V1.103C-005	MJPEG H.264	1	Video Server	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.9
<b>TN-B200CE</b>	Refer to TN-B202CEIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by deign	v3.0
<b>TN-B202CEIR</b>	V3.311R01	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.0
<b>TN-D1202CE</b>	Refer to TN-B202CEIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by deign	v3.0
<b>TN-P1220CS</b>	Refer to TN-P1222CGPLX (V3.311R01)	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by deign	v3.0
<b>TN-P1222CGPLX</b>	V3.311R01	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v3.0
<b>TN-P1230CS</b>	Refer to TN-P1222CGPLX (V3.311R01)	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by deign	v3.0
<b>TN-P3220CS</b>	Refer to TN-P1222CGPLX (V3.311R01)	H.264	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	Supported by deign	v3.0
<b>TN-P3220CSIR</b>	V3.311R01	H.264	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.0



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TN-P3220CTIR</b>	Refer to TN-P3220CSIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.0



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TD-9423A3-LR	5.1.1.0(20029)	H.264 H.265 MPEG4	1	Camera	1920x1080	Not support	Not support	Zoom	Motion	None	v21.5



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPE1100</b>	None	H.264 MJPEG MPEG4	1	Camera	752x582	Y/N	1/1	-	Motion	Supported by design	v1.17
<b>IPE3100</b>	None	H.264 MJPEG MPEG4	1	Camera	768x576	Y/N	1/1	-	Motion	Supported by design	v1.17
<b>IPE3500</b>	None	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.17
<b>IPE3500M</b>	1.6.7	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.14
<b>IPE4100</b>	1.6.6	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.17
<b>IPE5500</b>	None	H.264 MJPEG MPEG4	1	Camera	752x582	Y/N	1/1	-	Motion	Supported by design	v1.17
<b>IPE6500</b>	None	H.264 MJPEG MPEG4	1	Camera	752x582	Y/N	1/1	-	Motion	Supported by design	v1.17
<b>IPE7500</b>	None	H.264 MJPEG MPEG4	1	Camera	752x582	Y/N	1/1	-	Motion	Supported by design	v1.17
<b>IPN100HD</b>	1.4.0.11	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.13



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPN1202HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPN2102HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPN302HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPN3102HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPN3202HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPN3502HD</b>	1.4.0.11	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.13
<b>IPN3502HDIR</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPN6602HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPN6702HD-6311Z</b>	1.12.0.19	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v18.12



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPN6802HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPX3302HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPX3702HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>IPX4202HD</b>	1.4.1.8	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.13
<b>IPX4602HD</b>	Refer to IPN4602HD(1.4.1.8)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.13
<b>NVC1000</b>	1.6.7	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.17
<b>NVC4000</b>	1.6.7	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.17



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC2122LR 3-PF40-C</b>	IPC_G6105- B0005P30D1 711	H.265 H.264 MJPEG	1	Camera	1920*1080	N/N	-	-	Motion	None	v18.11
<b>IPC2124SR 3-DPF36</b>	IPC_G6102- B5019P20D1 803	H.265 H.264 MJPEG	1	Camera	2592x1520	N/N	-	-	Motion	None	v18.11
<b>IPC2324EB R-DPZ28</b>	IPC_Q1201- B5023P20D1 803	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/N	1/1	Zoom	Motion	None	v18.11
<b>IPC268ER9 -DZ</b>	IPC_HCMN2 105- B0009P30D1 711	H.265 H.264 MJPEG	1	Camera	3840x2160	Y/Y	2/1	Zoom	Motion	None	v19.7
<b>IPC314SR- DVPF36</b>	IPC_G6102- B5019P20D1 803	H.265 H.264 MJPEG	1	Camera	2592*1520	Y/N	-	-	Motion	None	v18.11
<b>IPC6222ER -X20-B</b>	IPC_HCMN2 103- B0022P01D1 806	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v18.12
<b>IPC6852SR -X38UG</b>	IPC_HCMN2 103- B0023P11D1 809	H.265 H.264 MJPEG	1	Camera	1920*1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v19.6
<b>IPC814SR- DVSPF16</b>	IPC_G6102- B5020D1806	H.265 H.264 MJPEG	1	Fisheye Camera	2560*1440	N/N	-	-	Motion	Test by link	v18.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Ctyri Dva Osm</b>	1023-1007-1016-1003	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.15
<b>Ctyri Nula Nula</b>	1031-1007-1022-1003	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
<b>Ctyri Pet Devet</b>	1023-1007-1016-1003	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.15
<b>Ctyri Pet Sedm</b>	Refer to Ctyri Pet Sedm(1023-1007-1016-1003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v2.18
<b>Devet Tri Jedna</b>	1052-1028-1038-1008	H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.8
<b>Pet Ctyri Dva</b>	Refer to Pet Pet Dva(1022-1014-1014-1010)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v2.16
<b>Pet Dva Jedna</b>	1022-1014-1014-1010	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.16
<b>Pet Nula Nula</b>	Refer to Pet Dva Jenda(1022-1014-1014-1010)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>Pet Pet Dva</b>	1022-1014-1014-1010	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Pet Sedm Jedna</b>	1049-1024-1028-1014-A1	H.264 JPEG	1	Camera	1920x1080	N/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
<b>Pet Sest Jedna</b>	1025-1017-1017-1011	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v2.18
<b>Pet Sest Pet</b>	1026-1017-1020-1007	H.264 JPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v3.5
<b>Tri Dva Osm</b>	1062-1028-1041-1008	H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v3.5
<b>Tri Jedna Jedna</b>	1054-1028-1036-1008	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v2.18
<b>Tri Jenda Sedm</b>	Refer to Tri Dva Osm(1054-1028-1036-1008)	H.264	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>Tri Pet Devet</b>	Refer to Tri Pet Sedm(1050-1027-1034-1008)	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.15
<b>Tri Pet Sedm</b>	1050-1027-1034-1008	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.15
<b>Tri Sest Pet</b>	Refer to Tri Jedna Jedna(1051-1027-1035-1008)	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v2.18



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M2TiA</b>	2014.09.10_v.1.1.5.19	H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v.3.8
<b>MTi</b>	1.1.5.10 20140109	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v3.1
<b>NVS202</b>	2014.10.14_v.1.1.5.20	H.264 MJPEG	1	Camera	960x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.9
<b>VD102i</b>	Refer to M2TiA(2014. 01.09_v.1.1. 5.10)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
<b>VD10M2</b>	Refer to M2TiA(1.1.5. 19)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v.3.8
<b>VDA101SM 2Ti</b>	Refer to VN7XSM2Ti- IR (1.1.5.19)	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v.3.8
<b>VISION M3Ti</b>	1.1.5.13 20140227	H.264	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	None	v3.2
<b>VISION M3i</b>	1.1.2.46	H.264 MJPEG	1	Camera	1920X1080	Y/N	1/1	-	Motion	None	v2.17
<b>VISION Mi</b>	1.1.2.46	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.17



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VISION NVS102</b>	1.1.0.16 20120316	H.264 MJPEG	1	Video Server	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.1
<b>VISION i</b>	1.1.0.16 20120316	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	None	v2.1
<b>VN10M2</b>	Refer to M2TiA(1.1.5. 19)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v.3.8
<b>VN200i</b>	Refer to M2TiA(2014. 01.09_v.1.1. 5.10)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
<b>VN6XSM2Ti-IR</b>	Refer to VN7XSM2Ti- IR (1.1.5.19)	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v.3.8
<b>VN7XSM2Ti-IR</b>	2014.09.10_ v.1.1.5.19	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v.3.8
<b>VPD101PM 2Ti</b>	Refer to VN7XSM2Ti- IR (1.1.5.19)	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v.3.8
<b>VPD202BM 2Ti-IR</b>	1.1.5.20 20141113	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v3.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VK2-1080BIR35 V16e</b>	Refer to VK2-1080VRDIR3 5V16e(v1.1.8)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
<b>VK2-1080BIR37 e</b>	Refer to VK2-1080VRDIR3 5V16e(v1.1.8)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
<b>VK2-1080BIR3V 9F</b>	2.0.3-T4_release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.8
<b>VK2-1080VFD3V 9F</b>	2.2.4-T3_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v3.4
<b>VK2-1080VFDIR 37e</b>	Refer to VK2-1080VRDIR3 5V16e(v1.1.8)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
<b>VK2-1080VRD</b>	2.2.64	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/0	-	Motion	None	v1.18
<b>VK2-1080VRD3 V9</b>	2.2.4-T3_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/0	Zoom	Motion	None	v3.4
<b>VK2-1080VRDIR 35V16e</b>	1.1.8-T8_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.4
<b>VK2-1080VRDIR 37e</b>	Refer to VK2-1080VRDIR3 5V16e(v1.1.8)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VK2-1080VRDIR3V9F</b>	1.7.0-T4_release	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	Zoom	Motion	None	v3.1
<b>VK2-1080XVRDPTZ</b>	1.2.1-X1_release	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	None	v3.8
<b>VK2-2MPVRD</b>	2.2.64	H.264 MJPEG	1	Camera	1600x1200	Y/N	2/0	-	Motion	None	v1.18
<b>VK2-540VRD</b>	2.1.8-release	H.264 MJPEG	1	Camera	704x576	Y/N	1/0	-	Motion	None	v1.18
<b>VK2-600PTZ</b>	2.1.8-release	H.264 MJPEG	1	Camera	704x576	Y/N	1/0	Pan Tilt Zoom	Motion	None	v1.18
<b>VK2-VGAVFD</b>	1.7.4-T2_release	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.18



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	0101b	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/N	8/8	Pan Tilt Zoom	Motion Record	None	v20.6
<b>AB5353H</b>	Refer to IP8335H(0100h)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	3/1	-	Motion	Supported by design	v2.16
<b>AF5127</b>	Refer to FE8172(0100f)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.16
<b>AF5127V</b>	Refer to FE8172(0100f)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v2.16
<b>BB5116</b>	Refer to IP8161(0101b)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.4
<b>BB5315</b>	Refer to IP8332(0101a)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
<b>BD5115</b>	Refer to FD8134(0100e)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
<b>CC8130</b>	0100d	MJPEG H.264	1	Camera	1280x800	Y/N	-	-	Motion	Test by link	v2.10
<b>CC8370-HV</b>	0100y	MJPEG H.264	1	Camera	2048x1536	Y/N	-	-	Motion	None	v5.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CC8371-HV</b>	CC8371-VVTK-0109a	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v19.6
<b>CC9381-HV</b>	0222g	H265 H264 MJPEG	1	Camera	2592x1944	Y/N	0/0	Zoom	Motion Record	None	v20.6
<b>FD61x1</b>	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>FD61x2</b>	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>FD7130</b>	0100e	MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
<b>FD7131</b>	None	MPEG4 MJPEG	1	Camera	720x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>FD7132</b>	None	MPEG4 MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	None	v1.0
<b>FD7141</b>	0100f	MPEG4 MJPEG	1	Camera	720x480	N/N	1/1	-	Motion	None	v1.0
<b>FD7160</b>	0100g	MPEG4 MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v1.0





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FD8131</b>	Refer to FD8133(0100e)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
<b>FD8131V</b>	0300d	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Test by link	v2.15
<b>FD8133</b>	0100e	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.7
<b>FD8134</b>	0100e	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	None	v1.7
<b>FD8135H</b>	0202c	MJPEG H.264	1	Camera	1280x800	Y/N	3/1	-	Motion	None	v2.20
<b>FD8136</b>	0100e	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Test by link	v2.12
<b>FD8137H</b>	0101a	MJPEG H.264	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v3.0
<b>FD8137HV</b>	Refer to FD8137H(0101a)	MJPEG H.264	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v3.0
<b>FD8138-H</b>	Refer to IB8338-H(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v4.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FD8151V</b>	0100c	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	-	Motion	Test by link	v2.10
<b>FD8154</b>	0100d	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	-	Motion	None	v3.5
<b>FD8155H</b>	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
<b>FD8161</b>	0100e	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.1
<b>FD8162</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v1.18
<b>FD8163</b>	0101b	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v2.14
<b>FD8164</b>	0100d	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Test by link	v2.20
<b>FD8165H</b>	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
<b>FD8166</b>	0100g	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Test by link	v2.15



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8166A	0200e	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v5.11
FD8167	0103a	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.3
FD8167A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
FD8168	0100e	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v3.6
FD8169	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.11
FD8169A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v5.11
FD816B-HF2	0101b	MJPEG H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.1
FD816BA-HF2	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Reocord	None	v5.12
FD816BA-HF3	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FD816BA-HT</b>	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD8171</b>	0100e	H.264 MJPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v3.3
<b>FD8179-H</b>	0100e	H.264 MJPEG	1	Camera	2688x1520	Y/N	-	-	Motion	Test by link	v18.2
<b>FD8181</b>	Refer to FD8381-EV(0101c)	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.3
<b>FD8182-F2</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD8182-T</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD8335H</b>	0101a	H.264 MJPEG MPEG4	1	Camera	1200x800	Y/N	3/1	-	Motion	Test by link	v2.3
<b>FD8338-HV</b>	Refer to IB8338-H(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v4.3
<b>FD8355EH</b>	0100e	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v3.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FD8355EH V</b>	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
<b>FD8361</b>	0202b	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.12
<b>FD8361L</b>	None	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.18
<b>FD8362</b>	FD8362E(0101c)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.12
<b>FD8362E</b>	0102a	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v2.2
<b>FD8362L</b>	FD8361(0202b)	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.12
<b>FD8363</b>	0102a	H.264 MJPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
<b>FD8365EH V</b>	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
<b>FD8367</b>	Refer to Generic(0101b)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FD8367-TV</b>	Refer to Generic(0101b)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.1
<b>FD8367-V</b>	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
<b>FD8369-V</b>	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
<b>FD8369A-V</b>	0200e	MJPEG H.264	1	Camera	1920x1080	N/N	-	-	Motion	None	v5.5
<b>FD836BA-HT</b>	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD836BA-HTV</b>	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD836BA-HVF2</b>	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD8371EV</b>	0100i	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.1
<b>FD8372</b>	0100f	H.264 MJPEG MPEG4	1	Camera	2560x1920	Y/N	3/1	-	Motion	Test by link	v2.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FD8379-HV</b>	Refer to FD8179-H (FW: 0100e)	H.264 MJPEG	1	Camera	2688x1520	Y/N	-	-	Motion Record	Supported by design	v18.2
<b>FD8381-EV</b>	0101c	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.3
<b>FD8382-ETV</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD8382-EVF2</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD8382-TV</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD8382-VF2</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>FD9165-HT</b>	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Support by design	v20.6
<b>FD9167-H</b>	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
<b>FD9167-HT</b>	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD9171-HT	Refer to FD9371-HTV(0101f)	MJPEG H.264 H.265	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v5.5
FD9181-HT	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	v18.11
FD9365-EHTV	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Support by design	v20.6
FD9365-HTV	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Support by design	v20.6
FD9365-HTVL	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Support by design	v20.6
FD9367-EHTV	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
FD9367-HTV	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
FD9367-HV	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
FD9371-EHTV	Refer to FD9371-HTV(0101f)	MJPEG H.264 H.265	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v5.5





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FD9371-HTV</b>	0100z	MJPEG H.264 H.265	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.2
<b>FD9381-EHTV</b>	0104I	H.265 H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Zoom	Motion	None	v18.9
<b>FD9381-HTV</b>	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	V18.11
<b>FE8171</b>	0100d	H.264 MJPEG MPEG4	1	Fisheye Camera	1536x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.13
<b>FE8171V</b>	0100d	H.264 MJPEG MPEG4	1	Fisheye Camera	1536x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.13
<b>FE8172</b>	0100f	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	Test by link	v2.5
<b>FE8172V</b>	Refer to FE8172 (0100f)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	Test by link	v2.5
<b>FE8173</b>	0100c	MJPEG H.264 H.265	1	Fisheye Camera	1536x1536	Y/N	1/1	-	Motion	Test by link	v2.15
<b>FE8174</b>	0100e	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.1



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FE8174V</b>	Refer to FE8174(0100e)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.1
<b>FE8180</b>	0100f	H.264 MJPEG	1	Fisheye Camera	1920x1920	N/N	-	-	Motion	None	v4.9
<b>FE8181</b>	v0200b	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	Zoom	Motion	None	v4.0
<b>FE8391-V</b>	0100f	H.264 MJPEG	1	Fisheye Camera	2944x2944	Y/N	1/1	-	Motion	None	v4.9
<b>FE9382-EHV</b>	0101a	H264 H265 MJPEG	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	None	v5.14
<b>FE9391-EV</b>	0121b	H264 H265 MJPEG	1	Fisheye Camera	2816x2816	Y/Y	1/1	-	Motion	None	v20.7
<b>IB-9365HT</b>	0113d	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion Record	None	v19.12
<b>IB8338-H</b>	0100e	H.264 MJPEG	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v4.3
<b>IB8367-RT</b>	0100f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v4.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IB8367A</b>	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
<b>IB8369</b>	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.11
<b>IB8369A</b>	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
<b>IB836BA-HF3</b>	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>IB836BA-HT</b>	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>IB8381</b>	Refer to FD8381-EV(0101c)	MJPEG H.264	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v4.3
<b>IB8382-EF3</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>IB8382-ET</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>IB8382-F3</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IB8382-RF3</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>IB8382-RT</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>IB8382-T</b>	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion / Record	Supported by design	v5.12
<b>IB9365-EHT</b>	Refer to IB9365- HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Support by design	v20.6
<b>IB9365-HT</b>	0106b	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion Record	Supported by design	v19.1
<b>IB9367-EHT</b>	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
<b>IB9367-H</b>	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v18.9
<b>IB9367-HT</b>	0100g	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion		v18.9
<b>IB9371-EHT</b>	Refer to FD9371- HTV(0101f)	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IB9371-HT</b>	Refer to FD9371-HTV(0101f)	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.5
<b>IB9381-EHT</b>	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	V18.11
<b>IB9381-HT</b>	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	V18.11
<b>IB9387-HT</b>	0117b	H265 H264 MJPEG	1	Camera	2560x1920	Y/N	1/1	Zoom	Motion Record	Support by design	v20.6
<b>IP21x1</b>	None	MJPEG	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
<b>IP21x2</b>	None	MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>IP51x2</b>	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>IP51x4</b>	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>IP6114</b>	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP6124	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP61X7	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP61x2	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP61x4	None	MPEG4 MJPEG	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7130	0100c	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
IP7131	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7132	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7133	0100b	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
IP7134	0100b	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP7135	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP7137	None	MPEG4	1	Camera	720x576	Y/N	-	-	None	Supported by design	v1.0
IP7138	0101h	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7139	None	MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7142	None	MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7151	None	MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7152	None	MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7153	None	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
IP7154	0100b	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IP7160</b>	0101b	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	None	v1.0
<b>IP7161</b>	None	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>IP71x7</b>	None	MPEG4	1	Camera	704x576	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>IP7251</b>	0100f	MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0
<b>IP7330</b>	None	MPEG4 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Supported by design	v1.0
<b>IP7361</b>	None	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>IP8130</b>	0100e	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.17
<b>IP8130W</b>	Refer to IP8130(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.17
<b>IP8131</b>	Refer to IP8131W(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v2.17





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8131W	0100e	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.17
IP8132	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v1.7
IP8133W	0100c	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.16
IP8151	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v1.7
IP8152	0100e	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	Pan Tilt Zoom	Motion	None	v2.14
IP8155HP	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
IP8161	0101b	H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.1
IP8162	0100f	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.18
IP8165HP	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IP8166</b>	0200e	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v5.11
<b>IP816A-HP</b>	0100f	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	None	v4.3
<b>IP8172</b>	0100a0	H.264 MJPEG MPEG4	1	Camera	2560x1920	Y/N	1/1	-	Motion	Test by link	v2.8
<b>IP8173H</b>	0100i	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/0	Pan Tilt Zoom	Motion	Test by link	v2.19
<b>IP8330</b>	0100e	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.7
<b>IP8331</b>	0100c	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.18
<b>IP8332</b>	0101a	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.7
<b>IP8335H</b>	0100h	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	3/1	-	Motion	None	v2.0
<b>IP8336W</b>	0102b	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8337H	0100b	H.264 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	Test by link	v2.19
IP8352	0100g	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y	1/1	Pan Tilt Zoom	Motion	Test by link	v1.14
IP8355EH	Refer to IP816A- HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	-	Motion	Supported by design	v4.3
IP8361	0100c	MJPEG H.264 MPEG4	1	Camera	1600x1200	Y/N	1/1	-	Motion	Test by link	v1.0
IP8362	0100d	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1/	-	Motion	Supported by design	v1.0
IP8364	0101a	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	None	v1.0
IP8365EH	Refer to IP816A- HP(0100f)	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8371E	0100g	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.18
IP8372	0100e	MJPEG H.264 MPEG4	1	Camera	2560x1920	Y/N	2/1	-	Motion	Test by link	v2.10



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IP9165-HP</b>	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Support by design	v20.6
<b>IP9165-HT</b>	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Support by design	v20.6
<b>IP9165-LPC</b>	Refer to IB9365-HT(0121b)	H265 H264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Zoom	Motion	Support by design	v20.6
<b>IP9171-HP</b>	Refer to FD9371-HTV(0101f)	MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v5.5
<b>IP9181-H</b>	0104I	H.265 H.264 MJPEG	1	Camera	2560*1920	Y/N	1/1	Zoom	Motion	Supported by design	V18.11
<b>IZ7151</b>	None	MPEG4 MJPEG	1	Camera	704x576	Y/N	1/1	Zoom	Motion	Supported by design	v1.0
<b>IZ9361-EH</b>	0107a	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	3/1	Pan Tilt Zoom	Motion Record	None	v19.1
<b>MA8391-ETV</b>	0100f1	H.264 MJPEG	4	Camera	2048x1536	Y/N	1/1	-	Motion	None	v18.8
<b>MA9322-EHTV</b>	0114f	H.265 H.264 MJPEG	4	Camera	2688x1920	Y/Y	1/1	-	Motion	None	v21.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>MD7530</b>	0100d	MPEG4 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.18
<b>MD7560</b>	0100c	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/0	-	Motion	None	v1.10
<b>MD7560X</b>	Refer to MD7560(0100c)	MPEG4 MJPEG	1	Camera	1600x1200	Y/N	1/0	-	Motion	None	v1.18
<b>MD8531H</b>	0100h	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	Test by link	v3.4
<b>MD8562</b>	0100v	H.264 MJPEG MPEG4	1	Cameta	1920x1080	Y/N	1/0	-	Motion	None	v1.18
<b>MS8391-EV</b>	0100e	H.264 MJPEG	1	Camera	7552x1416	Y/N	1/1	-	Motion	Test by link	v4.10
<b>MS9390-HV</b>	0117b	H265 H264 MJPEG	1	Camera	4512x1728	Y/N	N/A	Zoom	Motion Record	None	v19.12
<b>PD8136</b>	None	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	None	v1.0
<b>PT7000</b>	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PT7135</b>	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
<b>PT7137</b>	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
<b>PT8133</b>	0100g	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Test by link	v2.2
<b>PZ7132</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.7
<b>PZ81X1W</b>	0100b1	H.264 MJPEG MPEG4	1	Camera	740x576	Y/N	1/1	Pan Tilt Zoom	Moition	Test by link	v1.13
<b>SD7151</b>	0301b	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.18
<b>SD81X1</b>	0100g	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/1	Pan Tilt Zoom	Motion	None	v2.1
<b>SD8362E</b>	0104a	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	3/2	Pan Tilt Zoom	Motion	Test by link	v2.1
<b>SD8363E</b>	0202b	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v3.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SD8364E</b>	0200d	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v3.6
<b>SD83X1</b>	0100e	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	3/2	Pan Tilt Zoom	Motion	None	v1.16
<b>SD83X3</b>	0102d	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	3/2	Pan Tilt Zoom	Motion	Test by link	v2.1
<b>SD83x4</b>	Refer to SD83x6(0200c)	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.20
<b>SD83x6</b>	0200c	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.20
<b>SD9361-EHL</b>	0102e	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v.5.15
<b>SD9364-EHL</b>	0100h_15	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v4.12
<b>SF8172</b>	0100d	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	None	v2.16
<b>SF8172V</b>	Refer to SF8172(0100d)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	Supported by design	v2.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SF8174	0100c	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/N	1/1	-	Motion	Test by link	v3.4
TB9331-E	0109a	H.265 H.264 MJPEG	1	Camera	960x640	Y/N	1/1	-	Motion Record	None	v19.4
VS8100	0100g	H.264 MJPEG	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	Motion	None	v3.1
VS8102	0200c	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.10
VS8801	0202a3	H.264 MJPEG MPEG4	8	Video Server	720x576	Y/N	8/8	Pan Tilt Zoom	Motion	None	v3.4



**--: not available on camera**

**Y: Support Function**

**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VZ-N115-123001</b>	2.115.0000. 0.R, build : 2018-06-08	H264 H265	1	Camera	1920x1080	N/N	-	-	Motion	None	v20.9
<b>VZ-N116-133001-FE130</b>	2.116.0000. 0.R, build : 2019-01-09	H264 H265 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v20.9
<b>VZ-N116-133001-FE180</b>	2.114.0000. 7.R, build : 2018-11-23	H264 H265 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v20.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>MPIX-21DF</b>	2.420.WT00.0.T, build : 2014-06-19	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.13
<b>MPIX-30-VDV-IRM</b>	2.420.WT00.0.T	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	Zoom	Motion	None	v3.11
<b>MPIX-50BIMR</b>	2.210.WT00.0.R	H.264 MJPEG	1	Camera	2560x1920	Y/N	2/1	Zoom	Motion	None	v3.11



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WK-SD6000HD	v1.4.1.8	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v3.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>YUC-H626A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7926A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7926AM</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7982</b>	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7982M</b>	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H79882</b>	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7A26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7A82</b>	VH1.0.0.3_Y	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	None	v4.8
<b>YUC-H7A855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>YUC-H7B82</b>	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7B82M</b>	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7B882</b>	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HB26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HB855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HC26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HC855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HD26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HD855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>YUC-HH26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HH855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HK26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HK855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HL26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HL26AM</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HL82</b>	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HL882</b>	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HMi855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>YUC-HNi855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HP82</b>	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HQ26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HQ855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HS26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HS855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HV26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-Hi26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10
<b>YUC-Hi26AM</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.10



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
YUC-Hi82	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-Hi82M	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10
YUC-Hi882	Refer to YUC-H7A82(VH1.0.0.3_Y)	H.264 MJPEG	1	Camera	2688x1520	Y/N	1/1	-	Motion	Supported by design	v4.10





-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	Test by P6210 (M2.1.5.20)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.11
<b>B5010</b>	None	MJPEG H.264 MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.10
<b>B5110</b>	M2.1.6.02C045	MJPEG H.264 MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>B5111</b>	M2.1.6.02C045	MJPEG H.264 MPEG4	1	Camera	1280x800	N/N	-	-	Motion	None	v4.9
<b>B5210</b>	M2.1.6.05	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.10
<b>B6110</b>	MG.0.6.01_C1	MJPEG H.264 MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>B6210</b>	02_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0
<b>B6220</b>	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v4.12
<b>B6320</b>	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.10



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>B6330</b>	Refer to B8520(01_C028)	MJPEG H.264 MPEG4	1	Camera	2560x1920	Y/N	2/1	-	Motion	Supported by design	v5.0
<b>B6520</b>	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Test by link	v4.10
<b>B6530</b>	Refer to B8520(01_C028)	MJPEG H.264 MPEG4	1	Camera	2560x1920	Y/N	2/1	-	Motion	Supported by design	v5.0
<b>B7210</b>	M2.1.6.04	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	-	Motion	Test by link	v3.12
<b>B7320</b>	M3.1.5.17	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	None	v2.18
<b>B7510</b>	M3.1.5.19	H.264 MJPEG	1	Camera	2560x1920	Y/N	2/2	-	Motion	None	v3.1
<b>B8210</b>	M2.1.5.20	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.11
<b>B8220</b>	01_C030	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v5.6
<b>B8520</b>	01_C010	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	2/2	-	Motion	None	v4.5



--: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CB3210	01_C001	H.265 H.264 MJPEG	1	Camera	None	N/N	-	-	Motion	Supported by design	v18.11
CB3211	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v18.11
CB5220	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v18.11
CB6330	01_C043	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Zoom	Motion	Supported by design	v18.11
CD3210	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	-	v18.11
CD3211	01_C001S5	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v18.11
CD5220	01_C001	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v18.11
CD6330	01_C043	H.265 H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Zoom	Motion	None	v18.11
D3100	M2.1.6.02.0 830	MJPEG H.264 MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.10



--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D3200	M2.1.6.02C066	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.10
D4210	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.10
D4211	03_C011	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v5.4
D4220	01_C043	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v18.2
D4320	01_C014	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v4.8
D4520	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.9
D510E	LM.1.6.16.03	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
D5110	Refer to D5111(MG.1.6.03P7_app7)	MJPEG H.264 MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt	Motion	Supported by design	v2.0
D5111	MG.1.6.03P7_app7	MJPEG H.264 MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt	Motion	Test by link	v2.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D5112</b>	Refer to D5113(M2.1.6.01)	MJPEG H.264 MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.10
<b>D5113</b>	M2.1.6.01	MJPEG H.264 MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.6
<b>D520E</b>	LM.1.6.16.03	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
<b>D5210</b>	M2.1.6.04	MJPEG H.264 MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v3.6
<b>D610A</b>	LM.1.6.16	MPEG4 M-JPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
<b>D6111</b>	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>D611E</b>	LM.1.6.16	MPEG4 M-JPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
<b>D6210</b>	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0
<b>D6220</b>	Refer to B6220 (03_C002)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v4.12



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D6320	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	None	v4.2
D6330	Refer to B8520(01_C028)	MJPEG H.264 MPEG4	1	Camera	2560x1920	Y/N	2/1	-	Motion	Supported by design	v5.0
D6520	Refer to B6520 (01_C020)	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
D6530	Refer to B8520(01_C028)	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	2/1	-	Motion	Supported by design	v5.0
D7110	MG.1.6.03P7_app7	MJPEG H.264 MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt	Motion	Test by link	v2.0
D7111	M2.0.3.3.6	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.5
D7210	Refer to D3200(M2.1.6.02C066)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.12
D7320	M3.1.5.21	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.14
D7510	M3.04.15.C01	H.264 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v2.15



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D8210</b>	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.11
<b>D8220</b>	Refer to B8220(01_C 020)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Supported by design	v4.2
<b>D8520</b>	Refer to B8520 (01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	2/2	-	Motion	Supported by design	v4.6
<b>F1100</b>	Refer to F1105(BP.1. 6.01_C1)	MJPEG	1	Camera	1280x720	Y/n	-	-	Motion	Supported by design	v2.6
<b>F1105</b>	BP.1.6.01_C 1	MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v2.6
<b>F210A</b>	LM.1.6.15	MPEG4 M-JPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
<b>F3100</b>	MG.0.6.01_C 1	H.264 MPEG4 M-JPEG	1	Camera	1280x1024	Y/N	-	-	Motion	None	v1.0
<b>F3101</b>	Refer to F3106(MG.1. 6.03P7_exhi bit2)	MJPEG H.264 MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.0
<b>F3102</b>	Refer to F3110(M2.1. 6.02C045)	MJPEG H.264 MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.11



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F3105	MG.0.6.01_C1	H.264 MPEG4 M-JPEG	1	Camera	1280x1024	Y/N	-	-	Motion	None	v1.0
F3106	MG.1.6.03P7_exhibit2	MJPEG H.264 MPEG4	1	Camera	1280x1024	Y/N	-	-	Motion	Test by link	v2.0
F3107	M2.1.6.05	MJPEG H.264 MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v4.3
F3110	M2.1.6.02C045	MJPEG H.264 MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	None	v2.10
F3115	Refer to F3110(M2.1.6.02C045)	MJPEG H.264 MPEG4	1	Camera	1280x800	Y/N	1/1	-	Motion	Supported by design	v2.11
F312A	LM.1.6.16.03	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0
F3201	Refer to F3206(M2.P2P_0314)	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Supported by design	v2.0
F3206	M2.1.6.01C2	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt	Motion	Test by link	v2.0
F3210	M2.1.6.03C019	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v2.14





-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F3215	M2.1.6.05C0 16	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.8
F4215	Refer to D4211 (03_C011)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v5.4
F5100	MG.0.6.01_C 1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
F5105	MG.0.6.01_C 1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
F510E	LM.1.6.16.0 3	MPEG4 M-JPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
F510W	LM.1.6.16.0 3	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
F5110	MG.0.6.01_C 1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
F5115	MG.0.6.01_C 1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
F511E	LM.1.6.16.0 3	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>F511W</b>	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>F520E</b>	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>F521E</b>	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>F531E</b>	Refer to F210A(LM.1. 6.18P9_test port2)	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v2.0
<b>F610A</b>	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>F611E</b>	LM.1.6.16.0 07	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
<b>F7110</b>	MG.1.6.02C9	MJPEG H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v2.0
<b>F7115</b>	Refer to F7110(MG.1. 6.02C9)	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/N	2/2	Pan Tilt	Motion	Supported by design	v2.0
<b>F7210</b>	M2.1.6.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	2/2	Pan Tilt Zoom	Motion	None	v3.13



--: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F721A	LM.1.6.16.0 3	MPEG4 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
F7220	Refer to B8520 (01_C028)	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v5.0
F731E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
F7320	Refer to B8520 (01_C028)	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v5.0
F7520	Refer to B8520 (01_C028)	MJPEG H.264 H.265	1	Camera	2560x1920	Y/N	1/1	-	Motion	Supported by design	v5.0
M510E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
M510W	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
M511E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
M511W	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P4320	01_C020	MJPEG H.264 H.265	1	Camera	2048x1520	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.7
P4420	Fisheye_Test_T1	H.264 H.265	1	Fisheye Camera	2048x1520	Y/N	1/1	-	Motion	None	v4.2
P4520	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/N	1/1	-	Motion	None	v4.6
P5110	MG.0.6.01_C1	H.264 H.265 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
P5111	Refer to P5116(M2.0.16.02)	H.264 H.265 MJPEG	1	Camera	1280x800	Y/N	1/1	Pan Tilt	Motion	Supported by design	v2.15
P5115	MG.0.6.01_C1	H.264 H.265 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
P5116	M2.1.6.02	H.264 H.265 MJPEG	1	Camera	1280x800	Y/N	1/1	Pan Tilt	Motion	None	v2.15
P5210	M2.1.6.05	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v4.12
P6210	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	None	v3.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Note: Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>P6211</b>	Refer to P6210 (M2.1.5.11)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt	Motion	Supported by design	v3.9
<b>P8220</b>	0120NewPhy With1118Bal lBin	MJPEG H.264 H.265	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v5.5
<b>V1100</b>	M2.1.6.03	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.20
<b>V111T</b>	LM.1.6.16.03	MPEG4 MJPEG	1	Camera	6470x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.0