DlinkCN



: not avaliable on camera*1: not avaliable on software*2: not test on softwareFor multi stream support:

Yes: multi stream fix to 500kbps/100kbps Yes*: multi stream setting support

res": muiti stream setting support											
Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Multi Stream Support	Remarks
DCS-H_Series		H.264 M-JPEG	1	2592x1944	1-way	4/2	Yes	Yes	-	Yes	Supported by design
DCS-V_Series		H.264 MPEG4 M-JPEG	1	-	2-way	4/4	Yes	Yes	-	Yes	Supported by design
DCS-H30- 51D/S	Refer to DCS- H50- 21D/S(1.0.0x0)	H.264 MJPEG	1	1920x1080	2-way	1/1	Yes	Yes	Yes	Yes	Supported by design
DCS-H41- 11D/SI	Refer to DCS- H50- 21D/S(1.0.0x0)	H.264 MJPEG	1	1920×1080	2-way	1/1	Yes	Yes	Yes	Yes	Supported by design
DCS-H41- 11D/SO	Refer to DCS- H50- 21D/S(1.0.0x0)	H.264 MJPEG	1	1920×1080	2-way	1/1	Yes	Yes	Yes	Yes	Supported by design
DCS-H42- 21D/SA	Refer to DCS- H50- 21D/S(1.0.0x0)	H.264 MJPEG	1	1920×1080	2-way	1/1	Yes	Yes	Yes	Yes	Supported by design
DCS-H42- 21D/SM	Refer to DCS- H50- 21D/S(1.0.0x0)	H.264 MJPEG	1	1920×1080	2-way	1/1	Yes	Yes	Yes	Yes	Supported by design
DCS-H50- 21D/S	1.0.0X0(201403 07)	H.264 MJPEG	1	1920×1080	2-way	1/1	Yes	Yes	Yes	Yes	
DCS-H70-21D	2.0.9A5S2	H264 MJPEG	1	1920×1080	1-way	1/1	-	Yes	Yes	Yes	
Note:	covered DCS-H70-21D/A and DCS-H70-21D/M										
Note:	Firmware Issue: Not support Motion Detection; Bitrate List on web shows 3Mkbps (the truly Bitrate value of camera could be 3Mkbps or 2.5Mkbps)										
DCS-H70- 21D/M	2.0.9A5S2	H264 MJPEG	1	1920×1080	1-way	1/1	-	Yes	Yes	Yes	
DCS-H70- 21D/SA1	Refer to DCS- H50- 21D/S(1.0.0x0)	H.264 MJPEG	1	1920×1080	2-way	1/1	Yes	Yes	Yes	Yes	Supported by design
DCS-H70- 21D/SM1	Refer to DCS- H50- 21D/S(1.0.0x0)	H.264 MJPEG	1	1920x1080	2-way	1/1	Yes	Yes	Yes	Yes	Supported by design
DCS-H70-22D	2.0.9A5S2	H264 MJPEG	1	1920x1080	2-way	1/1	-	Yes	Yes	Yes	
DCS-N20M- 10H2	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design
DCS-N30M- 51H2	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design

DlinkCN



: not avaliable on camera*1: not avaliable on software*2: not test on softwareFor multi stream support:

Yes: multi stream fix to 500kbps/100kbps Yes*: multi stream setting support

res : muiti stream setting support											
Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Multi Stream Support	Remarks
DCS-N31M- 21H3	Refer to DCS-V70M-21H2 (VB1.0.29)	H264 MPEG4 MJPEG	1	1280x800	-	1/1	-	Yes	Yes	Yes	Supported by design
DCS-N40M- 22H3	Refer to DCS-V70M-21H2 (VB1.0.29)	H264 MPEG4 MJPEG	1	1280x800	-	1/1	-	Yes	Yes	Yes	Supported by design
DCS-N40M- 32H2	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design
DCS-N40M- 53H2	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design
DCS-N40M- 81H3	VC1.0.10	H264 MJPEG	1	1920x1080	1-way	1/1	-	Yes	Yes	Yes	
Note:	DCS-N40M-81H3: Not support TCP/UDP										
DCS-N62- 40H2	V1.0.40	H264 MJPEG	1	720x480	1-way	1/1	Yes	-	Yes	Yes	
DCS-N70M- 20H2	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design
DCS-N70M- 21H3	Refer to DCS-V70M-21H2 (VB1.0.29)	H264 MPEG4 MJPEG	1	1280×800	-	1/1	-	Yes	Yes	Yes	Supported by design
DCS-N70M- 50H2	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design
DCS-V30M- 50H	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design
DCS-V30M- 51H	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design
DCS-V30M- 51H2	Refer to DCS-N70M-81H3 (VC1.0.10)	H264 MPEG4 MJPEG	1	1280×800	1-way	1/1	-	Yes	Yes	Yes	Supported by design
DCS-V40M- 12H	Refer to DCS-V70M-21H2 (VB1.0.29)	H264	1	1280x800	-	1/1	-	Yes	Yes	Yes	Supported by design
DCS-V40M- 32H	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design
DCS-V40M- 32H2	Refer to DCS-V70M-21H2 (VB1.0.29)	H264 MPEG4 MJPEG	1	1280x800	-	1/1	-	Yes	Yes	Yes	Supported by design
DCS-V40M- 33H	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	Yes	Supported by design

DlinkCN



: not avaliable on camera*1: not avaliable on software*2: not test on softwareFor multi stream support:

Yes: multi stream fix to 500kbps/100kbps Yes*: multi stream setting support

Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On-Edge Motion	UPnP	Multi Stream Support	Remarks
DCS-V70M- 11H	Refer to DCS-V70M-21H2 (VB1.0.29)	H264 MPEG4 MJPEG	1	1280x800	ı	1/1	ı	Yes	Yes	Yes	Supported by design
DCS-V70M- 20H	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	ı	Yes	Yes	YAS	Supported by design
DCS-V70M- 21H	v1.0.30	H264 MJPEG	1	1600×1200	1-way	1/1	ı	Yes	Yes	Yes	
DCS-V70M- 21H2	VB1.0.29	H264 MPEG4 MJPEG	1	1280x800	ı	1/1	ı	Yes	Yes	Yes	
DCS-V70M- 50H	Refer to DCS-V70M-21H (v1.0.30)	H264 MJPEG	1	1600x1200	1-way	1/1	-	Yes	Yes	l Yes	Supported by design