Milesight



: not avaliable on camera*1: not avaliable on software*2: not test on softwareFor multi stream support:

Yes: multi stream fix to 500kbps/100kbps
Yes*: multi stream setting support

			Yes*:	multi strea	m setti	na su	pport	-			
Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On- Edge Motion	UPnP	Multi Stream Support	Remarks
MS-C2351	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2361	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2362	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2372	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280×960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2451	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2471	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2651	11.4.0.33	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	
Note	1.RateControl 2.Motion and 3.Send cgi co 4.Not support	DI can't be mmend wi	e trigger		time.						
MS-C2661	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2662	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2671	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2672	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2681	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2682	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280×960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C2951	Refer to MS- C2651(11.4. 0.33)	H.264	1	1280x960	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C3351	Refer to MS- C3651(21.4. 0.33)	H.264	1	1920x1080	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C3356	Refer to MS- C3656(21.4. 0.33)	H.264	1	2048x1536	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C3361	Refer to MS- C3651(21.4. 0.33)	H.264	1	1920x1080	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C3362	Refer to MS- C3651(21.4. 0.33)	H.264	1	1920×1080	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C3366	Refer to MS- C3656(21.4.	H.264	1	2048x1536	1-way	1/0	Yes	Yes	-	Yes	Supported by design

MS-C3372	Refer to MS- C3651(21.4. 0.33)	H.264	1	1920×1080	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C3376	Refer to MS- C3656(21.4. 0.33)	Н.264	1	2048x1536	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C3651	21.4.0.33	H.264	1	1920×1080	1-way	1/0	Yes	Yes	ı	Yes	
Note	1.RateControl can't be use. 2.DI can't trigger. 3.Send cgi commend will without response. 4.Not support UPnP.										
MS-C3656	21.4.0.33	H.264	1	2048x1536	1-way	1/0	Yes	Yes	ı	Yes	
Note	1.RateControl can't be use. 2.Motion and DI can't be trigger in the same time. 3.Send cgi commend will without response. 4.Not support UPnP.										
MS-C3658	21.4.0.33	H.264	1	2560x1920	1-way	1/0	Yes	Yes	-	Yes	
Note	1.RateControl can't be use. 2.Motion and DI can't be trigger in the same time. 3.Send cgi commend will without response. 4.Not support UPnP. 5.The frame rate value is wrong when resolution change from 2560x1920.										
MS-C3661	Refer to MS- C3651(21.4. 0.33)	H.264	1	1920×1080	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C3662	Refer to MS- C3651(21.4.	H.264	1	1920x1080							
	0.33)	11.204	1	1920X1000	1-way	1/0	Yes	Yes	-	Yes	Supported by design
MS-C3666	Refer to MS- C3656(21.4. 0.33)	H.264	1	2048x1536	·	1/0	Yes	Yes Yes	-	Yes Yes	
MS-C3666 MS-C3671	Refer to MS- C3656(21.4. 0.33) Refer to MS- C3651(21.4. 0.33)				1-way						by design Supported
	Refer to MS- C3656(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3651(21.4. 0.33)	H.264	1	2048×1536 1920×1080	1-way	1/0	Yes	Yes	-	Yes	by design Supported by design Supported
MS-C3671	Refer to MS- C3656(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3651(21.4. 0.33)	H.264 H.264	1	2048×1536 1920×1080	1-way	1/0	Yes	Yes Yes	-	Yes Yes	by design Supported by design Supported by design Supported
MS-C3671 MS-C3672	Refer to MS- C3656(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3651(21.4.	H.264 H.264 H.264	1 1 1	2048×1536 1920×1080 1920×1080	1-way 1-way 1-way	1/0 1/0 1/0	Yes Yes Yes	Yes Yes Yes	-	Yes Yes Yes	by design Supported by design Supported by design Supported by design Supported by design
MS-C3671 MS-C3672 MS-C3673	Refer to MS- C3656(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3656(21.4.	H.264 H.264 H.264 H.264	1 1 1 1	2048×1536 1920×1080 1920×1080 1920×1080	1-way 1-way 1-way	1/0 1/0 1/0 1/0	Yes Yes Yes	Yes Yes Yes	-	Yes Yes Yes Yes	by design Supported by design
MS-C3671 MS-C3672 MS-C3673 MS-C3676	Refer to MS- C3656(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3651(21.4. 0.33) Refer to MS- C3656(21.4. 0.33) Refer to MS- C3656(21.4.	H.264 H.264 H.264 H.264	1 1 1 1 1	2048×1536 1920×1080 1920×1080 1920×1080 2048×1536	1-way 1-way 1-way 1-way 1-way	1/0 1/0 1/0 1/0 1/0	Yes Yes Yes Yes Yes	Yes Yes Yes Yes		Yes Yes Yes Yes Yes	by design Supported by design