## ONVIF

- : not avaliable on camera

\*1: not avaliable on software

\*2: not test on software

For multi stream support:

Yes: multi stream fix to 500kbps/100kbps

	Yes: multi stream fix to 500kbps/100kbps Yes*: multi stream setting support											
Brand	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On- Edge Motio n	UPnP	Multi Stream Support	Remarks
Basler	BIP2-1600- 25c-DN	3.14.1	M-JPEG H.264	1	1600x1200	-	-	-	-	-	Yes	
Note:	1. The I/O number is 0 in onvir/onvir. (Camera Firmware Issue) 2. Only one stream profile in onvif/onvif (Camera Firmware Issue) 3. Not support MPEG4 in onvif/onvif (Camera Firmware Issue) 4. Not support motion. (Camera Firmware Issue)											
Bosch	NWC-0455	19500410	H.264 M-JPEG	1	704x576	-	-	-	-	-	-	
Note:	ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software. To confirm the compatibility, it is recommended to execute testing prior to any further usage. The above product has bee verified by NUUO.											
Canon	VB-H41	Ver. 1.0.0 (Build Number 2483:50)	M-JPEG	1	1920x1080	2-way	2/2	Yes	Yes	-	Yes*	
Note:	Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation)     Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation)     Snapshot does not support. (NUUO server limitation)											
Canon	VB-H710F	Ver. 1.2.0 (Build Number 3015:109)	M-JPEG	1	1920x1080	2-way	2/2	Yes	-	-	Yes*	
Note:	<ol> <li>Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation)</li> <li>Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation)</li> <li>PTZ only support focus.</li> <li>Motion does not support. (Camera firmware issue)</li> <li>Talk may have muted-sound sometime. (Camera firmware issue)</li> <li>Camera is unable to achieve maximum FPS. (Camera firmware issue)</li> </ol>											
Canon	VB-S30D	Ver. 1.0.0 (Build Number 2826:36)	M-JPEG	1	1920x1080	1-way	1/1	Yes	-	-	Yes*	
Note:	Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation)     Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation)     Motion does not support. (Camera firmware issue)											ion)
Canon	VB-S800D	Ver. 1.0.0 (Build Number: 2826:36)	M-JPEG	1	1920x1080	1-way	1/1	-	-	-	Yes*	
Dlink	DCS-C43W- 20F/B02	V4.02.R11. 00000523. 12010		1	1280×720	-	-	-	Yes	-	Yes*	

## ONVIE

: not avaliable on camera\*1: not avaliable on software\*2: not test on software

For multi stream support:

Yes: multi stream fix to 500kbps/100kbps Yes\*: multi stream setting support

		The state of the s										
Brand	Device Name	Tested Firmware		Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On- Edge Motio n	UPnP	Multi Stream Support	Remarks
Dlink	DCS-C90R- 10F/A0	V4.02.R11. 00001900. 10010	*2	1	*2	*2	*2	*2	*2	*2	*2	
Histream	НН9803C- L16	v2.3.1.4.0. 22	M-JPEG H.264 MPEG4	1	704x480	-	-	Yes	-	-	Yes*	
Note:	<ol> <li>Due to Onvif restriction, some frame rate and bit rates cannot be set.</li> <li>MPEG-4 cannot use due to camera firmware issue.</li> <li>The value of MJPEG quality isn't synchronized with camera's web</li> </ol>											
Jetstor	JV-B1201R	V6.03.05- CGBO2420	M-JPEG H.264	1	1920x1080	-	-	-	-	-	Yes*	
Note:	Due to Onvif restriction, some frame rate and bit rates cannot be set.     2. 2nd and 3rd cannot set to different resolution.											
Jetstor	JV- OSD0200- X20	V6.03.05- CGBO2420 0-1228	H.264 MJPEG	1	1920×1080	ı	-	-	-	-	Yes*	
LILIN	LD2222	1.1.16	H.264 MJPEG	1	1920×1080	1-way	*2	-	Yes	-	Yes*	
Note:	Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation)     Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation)     Motion detection may always trigger continuously. (Camera firmware issue)											
LILIN	IPD2322ES	1.0.60	H.264 MJPEG	1	1920x1080	1-way	1/1	-	Yes	-	Yes*	
Note:	Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation)     Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation)											
LILIN	IPS518	1.2.02	H.264 MJPEG	1	1920×1080	*2	*2	*2	*2	-	Yes*	

## ONVIF

- : not avaliable on camera

\*1: not avaliable on software

\*2: not test on software

For multi stream support:

Yes: multi stream fix to 500kbps/100kbps Yes\*: multi stream setting support

Brand	Yes*: multi stream setting support											
	Device Name	Tested Firmware	Video Format	Video Ch	Max Resolution	Audio	I/O Ch	PTZ	On- Edge Motio n	UPnP	Multi Stream Support	Remarks
Note:	<ol> <li>The range of bitrate and frame rate may be different from what camera web shows. (Camera Firmware issue)</li> <li>Image setting, digital input, talk and motion detection do not function. (Camera Firmware issue)</li> <li>Zoom and focus do not function normally. (Camera Firmware issue)</li> <li>Video settings may not be synchronized to camera web. (Camera Firmware issue)</li> <li>Audio is not available under TCP and UDP. (Camera performance limitation)</li> <li>Autodetection and camera search do not function. (Generic model)</li> <li>The camera supports 4 streams, while only 3 streams could be displayed. (NUUO server limitation)</li> <li>Some frame rates and bit rates cannot be set. (ONVIF limitation)</li> <li>Dependency between frame rate and bitrate is not shown. (ONVIF limitation)</li> <li>Flip and mirror are not supported. (ONVIF limitation)</li> </ol>											
ONVIF	ONVIF	-	ı	-	-	ı	I	-	-	1	-	
Note:	ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software. To confirm the compatibility, it is recommended to execute testing prior to any further usage.  1. Some frame rates and bit rates cannot be set. (ONVIF limitation)											
Qihan	QH-NV431	v2.3.8.1	H.264	1	1920×1080	-	-	-	-	-	Yes*	
Note:	Due to Onvif restriction, some bit rates cannot be set.     2. 2nd or 3rd stream cannot be connected when 1st stream under high bitrate.											
Stanley	1310-F	NSD- 1.0.9.58	H.264	1	1280x720	-	I	-	-	1	Yes*	
TVT	TD9412M	3.4.0Beta6	H.264	1	1280x720	1-way	-	-	-	-	Yes*	
TVT	TD9422M	3.4.0Beta6	H.264	1	1920×1080	1-way	-	-	-	1	Yes*	
Тусо	ADVEIPSD3 7AH	V1.04_ST D-1	H.264	1	704x480	1-way	1/1	Yes	Yes	-	Yes*	
Note:	1.Due to Onvif restriction, some frame rate and bit rates cannot be set. 2.Camera web MJPEG has no quality options.											
Wapa	HH9803BL- C7HA1080I L-T18C-L16	CGBO2420 0-1210	M-JPEG H.264	1	1920×1080	-	-	-	-	-	Yes*	
Note:	1. Due to Unv		•									