



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N1011	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1012	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1031	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N1032	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3011	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3012	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3031	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3032	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N3071	Refer to N3072(V1.1 3.0_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v2.4
N3072	V1.13.0_ST D-1	H.264	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	Motion	None	v4.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N5012	V1.01_STD-1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.16
N5013	V1.04_STD-1	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.5
N5071	V1.02[BETA]_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.1
N6011	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6012	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6013	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6014	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6015	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6016	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6031	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N6032	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6033	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6034	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6035	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6036	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6037	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6038	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N6072	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4
N6073	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4
N6074	Refer to N6075(V1.0 5_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>N6075</b>	V1.05_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v2.4
<b>N6076</b>	Refer to N6075(V1.05_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4
<b>N6077</b>	Refer to N6075(V1.05_STD-1)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.4
<b>N6082</b>	Refer to N9085(V1.05.0)	H.264	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v4.1
<b>N8011</b>	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N8012</b>	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N8031</b>	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N8032</b>	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
<b>N8072</b>	V1.03_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	-	-	Motion	None	v2.1
<b>N8072-C</b>	V1.04.0_ST D-1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	-	-	Motion	None	v4.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N9012	None	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9018	V1.01_STD-1	H.264 MJPEG	1	Fisheye Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.5
N9032	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9033	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9034	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.19
N9071	V1.06_STD-1	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	Motion	None	v2.4
N9073	Refer to N3072(V1.1 3.0)	H.264	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
N9074	Refer to N3072(V1.1 3.0)	H.264	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
N9082	Refer to N9085(V1.0 5.0)	H.264	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v4.1
N9085	V1.05.0	H.264	1	Camera	1600x1200	N/N	-	-	Motion	None	v4.1



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
S4071	V1.04_STD-1	H.264 MJPEG	1	Video Server	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.1
Generic Server	H1.03.01	H.264 MJPEG	16	Video Server	2592x1944	Y/Y	16/16	Pan Tilt Zoom	Motion	None	v4.5
ACD2000Q	V3.04.08	MJPEG MPEG4	4	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v2.15
ACD2100	A1D-220-V3.08.08-AC	MJPEG MPEG4	1	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.0
ACD2200	A4D-R2N-V2.05.02-AC	MJPEG MPEG4	4	Video Server	720x480	Y/Y	8/8	Pan Tilt Zoom	Motion	None	v1.0
ACD2300	None	MJPEG MPEG4	8	Video Server	720x480	Y/Y	16/16	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACD2400	AGD-R2N-V2.05.02-AC	MJPEG MPEG4	16	Video Server	720x480	Y/Y	32/32	Pan Tilt Zoom	Motion	None	v1.0
ACM1011	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0
ACM1231	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0
ACM1232	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM1311	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM1431	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM1432	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM1511	A1D-220- V3.11.13-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0
ACM3001	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM3011	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM3211	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACM3311	None	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
ACM3401	A1D-220- V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0
ACM3411	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM3511	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0
ACM3601	A1D-220- V3.10.22-AC	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.2
ACM3603	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.2
ACM3701	A1D-220- V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.2
ACM3703	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.2
ACM4000	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
ACM4001	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.2
ACM4100	A1D-220- V3.09.14-AC	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	None	v1.0
ACM4200	A1D-220- V3.11.13-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0
ACM4201	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM5001	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	1/1	Motion	Supported by design	v1.0
ACM5601	A1D-220-V3.08.08-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	1/1	Motion	None	v1.0
ACM5611	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	1/1	Motion	Supported by design	v1.0
ACM5711	A1D-220-V3.08.08-AC	MJPEG MPEG4	1	Camera	720x480	Y/Y	-	1/1	Motion	None	v1.0
ACM5811	A1D-220-V3.12.13-AC	MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	-	Motion	None	v1.7
ACM7411	A1D-220-V3.09.14-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	1/1	Motion	None	v1.0
ACM7511	A1D-220-V3.12.13-AC	MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	-	Motion	None	v1.7
ACM8201	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
ACM8211	A1D-220-V3.09.14-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
ACM8511	A1D-220-V3.11.13-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>AMU9401</b>	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Test by link	v1.1
<b>AMU9711</b>	A1D-220-V3.10.22-AC	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Test by link	v1.1
<b>B27</b>	Refer to B47(V6.08.30)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Supported by design	v3.12
<b>B47</b>	V6.08.30	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	None	v3.12
<b>B53</b>	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.5
<b>B61</b>	V6.08.30	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	Zoom	Motion	None	v3.12
<b>B67</b>	V6.06.16	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/2	Zoom	Motion	None	v3.5
<b>B81</b>	Refer to B61(V6.08.30)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	Zoom	Motion	Supported by design	v3.12
<b>B94</b>	V6.06.16	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.5
<b>B95</b>	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.11



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>B97</b>	V6.07.23	H.264 MJPEG	1	Camera	3648x2736	N/N	-	-	Motion	None	v3.7
<b>CAM5130</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.2
<b>CAM5140</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.2
<b>CAM5150</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.2
<b>CAM5200</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM5221</b>	A1D-M2N-V2.08.11-AC	MPEG4	1	Camera	720x480	Y/N	1/1	-	Motion	None	v1.0
<b>CAM5500</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM6100</b>	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.2
<b>CAM6200</b>	A1D-2.07.14-AC	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
<b>CAM6220</b>	A1D-2.07.14-AC	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CAM6500</b>	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM6510</b>	A1D-M2N-V2.08.11-AC	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
<b>CAM6600</b>	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM6620</b>	None	MPEG4	1	Camera	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>CAM7100</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7120</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7200</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7220</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7300</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>CAM7320</b>	None	MPEG4	1	Camera	720x480	N/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D11	V6.02.03	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D12	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D21	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.14
D22	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
D31	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.14
D32	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D41	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D42	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
D51	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
D52	V6.02.03	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D54</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>D55</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>D61</b>	V6.03.17	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.14
<b>D62</b>	Refer to E84(V6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
<b>D64</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>D65</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>D71</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>D72</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>D72A</b>	Refer to Generic(A1D-500-V6.05.23-AC)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.1
<b>D81</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D82</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>D82A</b>	Refer to Generic(A1D-500-V6.05.23-AC)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.1
<b>E11</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E12</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>E13</b>	V6.02.03	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	None	v2.13
<b>E21</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E22</b>	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
<b>E23</b>	Refer to E84(V6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
<b>E24</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E25</b>	Refer to D61(V6.03.17)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.14





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E26</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E31</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E32</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>E33</b>	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
<b>E34</b>	V6.02.03	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.13
<b>E41</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E42</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>E43</b>	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
<b>E44</b>	Refer to E84(V6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
<b>E45</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E46</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E46A</b>	v6.08.30	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.7
<b>E51</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E52</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E53</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>E54</b>	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
<b>E55</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E56</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>E61</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E62</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E63</b>	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
<b>E64</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E65</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E66</b>	Refer to D61(V6.03.17)	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.14
<b>E67</b>	Refer to E84(V6.02.03)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.13
<b>E71</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E72</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>E73</b>	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
<b>E74</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E81</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E82</b>	A1D-500-V6.07.24-AC	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v3.11
<b>E83</b>	Refer to E13(V6.02.03)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Supported by design	v2.13
<b>E84</b>	V6.02.03	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.13
<b>E85</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E86</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E86A</b>	Refer to E46A(v6.08.30)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v4.7
<b>E87</b>	Refer to E34(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.13
<b>E91</b>	Refer to D11(V6.02.03)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.12
<b>E92</b>	Refer to D52(V6.02.03)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v2.12
<b>E925</b>	A1D-500-V6.09.07-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v4.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>E95</b>	V6.06.16	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.4
<b>E96</b>	A1D-500-V6.05.23-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	N/N	-	-	Motion	None	v3.1
<b>E97</b>	V6.07.23	H.264 MJPEG	1	Camera	3648x2736	N/N	-	-	Motion	None	v3.7
<b>I51</b>	Refer to I71(A1D-500-V6.06.16-AC)	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.2
<b>I71</b>	A1D-500-V6.07.24-AC	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.10
<b>I92</b>	v6.08.30	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.13
<b>I94</b>	V6.06.16	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.5
<b>I96</b>	v6.08.30	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v4.7
<b>KCM3211</b>	A1D-311-V5.04.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Zoom	Motion	None	v1.0
<b>KCM3311</b>	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	N/N	-	Zoom	Motion	None	v2.2



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
KCM3911	V5.10.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/Y	2/2	-	Motion	None	v2.15
KCM5111	A1D-311- V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	Zoom	Motion	None	v1.19
KCM5211	A1D-311- V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v2.2
KCM5211E	Refer to KCM5211(A1 D-311- V5.05.07- AC)	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.19
KCM5311	A1D-311- V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.14
KCM5311E	Refer to KCM5311(A1 D-311- V5.01.07- AC)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.19
KCM5511	V5.12.12	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Zoom	Motion	None	v3.10
KCM5611	V5.12.12	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v4.1
KCM7111	A1D-311- V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	-	Motion	None	v1.13
KCM7211	A1D-311- V5.01.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Zoom	Motion	None	v1.14



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
KCM7311	A1D-311-V5.05.07-AC	H.264 MJPEG MPEG4	1	Camera	2032x1920	Y/Y	2/2	Zoom	Motion	None	v2.2
KCM7911	V5.10.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/Y	2/2	-	Motion	None	v2.15
KCM8111	V5.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v2.14
KCM8211	Refer to KCM8111(V5.10.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.14
SED2100	None	MPEG4	1	Video Server	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2120	A1D-M2N-V2.08.11-AC	MPEG4	1	Video Server	720x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
SED2140	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2310	None	MPEG4	1	Video Server	720x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2320	None	MPEG4	1	Camera	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2400	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SED2420	A1D-220-V3.08.08-AC	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
SED2600	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SED2610	None	MPEG4	1	Video Server	720x480	Y/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
SEM1110	None	MPEG4	1	Camera	720x480	Y/N	-	-	Motion	Supported by design	v1.0
TCD2100	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	720x480	N/N	1/1	Pan Tilt Zoom	Motion	None	v1.7
TCD2500	A1D-310-V4.09.17-AC	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.14
TCM1111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM1231	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.2
TCM1232	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM1511	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.3





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCM3001	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.7
TCM3011	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.7
TCM3111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM3401	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.7
TCM3411	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.7
TCM3511	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.2
TCM4001	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.11
TCM4101	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM4201	A1D-310-V4.08.05-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.7
TCM4301	A1D-310-V4.05.13-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCM4511	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM5001	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.7
TCM5111	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4
TCM5312	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM5601	A1D-220-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.2
TCM5611	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM6630	A1D-310-V4.12.09-AC	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.4
TCM7011	A1D-310-V4.06.09-AC	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.7
TCM7411	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.2
TCM7811	A1D-310-V4.07.15-AC	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	None	v1.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TMU9811</b>	A1D-310-V4.07.10-NB	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Test by link	v1.1
<b>TMU9911</b>	A1D-310-V4.07.10-NB	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Test by link	v1.1
<b>V21</b>	H1.03.01	H.264 MJPEG	1	Camera	960x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.5
<b>V23</b>	H1.03.01	H.264 MJPEG	4	Video Server	960x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v4.5
<b>V24</b>	H1.03.28	H.264 MJPEG	4	Video Server	960x576	Y/Y	4/4	Pan Tilt Zoom	Motion / Record	None	v5.10
<b>V32</b>	H2.02.31	H.264 MJPEG	16	Video Server	960x576	Y/Y	16/16	Pan Tilt Zoom	Motion	None	v4.5



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ADKID134 RT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKID204 VRT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKID207 RT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKID207 VRT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKIL134RT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0
ADKIL207RT	Refer to Sunell_SN-IPC54/40ED N(v1.9.0601.1001.3.0.36.0.0)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	2/2	-	Motion	None	v4.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>AD-AGB8025-SD4F</b>	Refer to AMU8030(eh20160719NSZ)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>AD-TGB3020-AW4FZ</b>	Refer to TSD3012(V1.2.1.50B16101314)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>AMH3025</b>	eh20160719NSP	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v5.4
<b>AMU8030</b>	eh20160719NSZ	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v5.4
<b>TSD3012</b>	V1.2.1.50B16101314	H.264 MJPEG	1	Camera	2048X1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.3
<b>TXB3020</b>	Refer to TSD3012(V1.2.1.50B16101314)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>ZH2030R-AW</b>	2.1.0.3.1.19_0.55.2	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/0	Pan Tilt Zoom	Motion	Test by link	v5.6



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ADC-V520	0100h	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	None	v3.1
ADC-V620PT	0102b	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	-	Pan Tilt Zoom	Motion	None	v3.1
ADC-VS420	VS8401- ALARM- 0100d	H.264 MPEG4 MJPEG	4	Video Server	720x576	N/N	4/4	Pan Tilt Zoom	Motion	None	v3.1

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ADCi600-D131</b>	AD00-00-15-11	H.264 MJPEG	1	Camera	1280x720	Y/N	2/1	Zoom	Motion	None	v2.11



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AM2816T	V6.M.2.12779	H.264 MPEG4 MJPEG	1	Fisheye Camera	1536x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.2
AM2030D	Refer to AM2590D(6.D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7
AM2110D	6.B.2.7248	H.264 MJPEG	1	Camera	1600x1200	Y/Y	-	-	-	None	v1.17
AM2120D	V6.M.2.12779	H.264 MPEG4 MJPEG	1	Camera	1536x1536	Y/Y	1/1	Pan Tilt Zoom	-	None	v3.2
AM2221D	Refer to AM2231D(6.C.2.7107)	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7
AM2231D	6.C.2.7107	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	-	None	v1.17
AM2530D	Refer to AM2590D(6.D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7
AM2570D	Refer to AM2590D(6.D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7
AM2590D	6.D.2.7181	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	None	v1.17
AM2630D	Refer to AM2590D(6.D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7





-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AM2730D	Refer to AM2590D(6.D.2.7181)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	-	Supported by design	v2.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**FPS would not meet setting due to camera performance.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	None	H.264 MJPEG	4	Fisheye Camera	2592x1944	Y/N	1/1	Zoom	Motion	None	v3.0
Note:	<p>Support generic dewarp            Generic test model: AV5245 and AV12186            1. Fps would not meet setting due to camera performance.            2. Audio function possible doesn't work after connect/disconnect, and need to reboot camera to recover.</p>										
AV10005	65147	H.264 MJPEG	1	Camera	3648x2752	N/N	-	-	Motion	None	v1.3
AV10115	65225	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	None	v3.2
AV10225	Refer to AV10115(65225)	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	Supported by design	v3.2
AV10255	Refer to AV10115(65225)	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	-	Motion	Supported by design	v3.2
AV10255P MTIR	65228	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	Zoom	Motion	None	v3.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**FPS would not meet setting due to camera performance.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>AV10256P MTIR</b>	Refer to AV10255PM TIR(65228)	H.264 MJPEG	1	Camera	3648x2752	N/N	1/1	Zoom	Motion	Supported by design	v3.5
<b>AV1115</b>	65225	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.1
<b>AV1125</b>	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
<b>AV1145</b>	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
<b>AV12186</b>	65184	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	None	v2.14
<b>AV12186D N</b>	Refer to AV12186(65184)	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.7
<b>AV12366D N</b>	65188	H.264 MJPEG	4	Camera	2048x1536	N/N	1/1	-	Motion	None	v3.5
<b>AV1255</b>	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
<b>AV1300</b>	64328	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.0
<b>AV1305</b>	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**FPS would not meet setting due to camera performance.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV1310	None	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.2
AV1315	65191	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.9
AV1325	65192	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.10
AV1355	65130	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.0
AV1455	Refer to AV1115(65225)	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v3.1
AV2000	64328	MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV20175DN	65188	H.264 MJPEG	4	Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6
AV20185	65174	H.264 MJPEG	4	Camera	2592x1944	N/N	1/1	-	Motion	None	v1.15
AV20365	65170	H.264 MJPEG	4	Camera	2592x1944	N/N	1/1	-	Motin	None	v2.8
AV2100	64328	MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**FPS would not meet setting due to camera performance.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV2110	None	MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	Supported by design	v1.2
AV2115	65225	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v3.1
AV2116	Refer to AV2115(65218)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.0
AV2125	65199	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.14
AV2146	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2155	65225	H.264 MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV2225	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2226	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2245	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2246	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**FPS would not meet setting due to camera performance.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV2255	65218	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v2.16
AV2256	Refer to AV2255(65219)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Supported by design	v2.20
AV2455	65220	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.18
AV2456	Refer to AV2455(65220)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.20
AV2805	Refer to AV2115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV2815	65191	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.9
AV2825	65192	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v1.10
AV3100	64328	MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.0
AV3100M	64327	MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v4.1
AV3105	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**FPS would not meet setting due to camera performance.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV3110	None	MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.2
AV3115	65225	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v3.1
AV3116	65219	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.15
AV3125	65218	H.264 MJPEG	1	Camera	2048x1536	N/N	0/1	-	Motion	None	v2.17
AV3130	61906	MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.0
AV3135	65153	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v1.17
AV3145	Refer to AV3146(65219)	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v3.0
AV3146	65219	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
AV3155	65113	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.0
AV3225	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**FPS would not meet setting due to camera performance.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV3226	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV3245	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV3246	Refer to AV3115(65225)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v3.1
AV3255	65218	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.9
AV3256	65219	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
AV3455	Refer to AV3105(65225)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.2
AV3456	65220	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.19
AV40185	65186	H.264 MJPEG	4	Camera	3648x2752	N/N	1/1	-	Motion	None	v2.17
AV5100	61906	MJPEG	1	Camera	2592x1944	N/N	-	-	Motion	None	v1.0
AV5105	64331	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	-	Motion	None	v1.0





-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**FPS would not meet setting due to camera performance.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV5110	None	MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v1.2
AV5115	65225	H.264 MJPEG	1	Camera	2560Xx1600	N/N	1/1	-	Motion	None	v3.3
AV5125	65199	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	None	v1.14
AV5155	65113	H.264 MJPEG	1	Camera	2592x1944	N/N	-	-	Motion	None	v1.0
AV5245	65221	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	Pan Tilt Zoom	Motion	None	v3.0
AV5245DN	65229	H.264 MJPEG	4	Fisheye Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6
AV5255	65218	H.264 MJPEG	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	None	v2.16
AV5455	65220	H.264 MJPEG	1	Camera	2560x1920	N/N	1/1	-	Motion	Test by link	v2.19
AV8180	65010	MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV8185	65026	H.264 MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v1.0



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**FPS would not meet setting due to camera performance.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AV8185DN	65183	H.264 MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v2.16
AV8360	65010	MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV8365	65026	H.264 MJPEG	4	Camera	1600x1200	N/N	-	-	Motion	None	v1.0
AV8365DN	65183	H.264 MJPEG	4	Camera	1600x1200	N/N	1/1	-	Motion	None	v2.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FB2027-1</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FB2027-2</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FB2027-3</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FB2028</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FB2028-T1</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FB2028-T2</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FB2028TM</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FB3027</b>	2.5.1057.60	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	None	v2.20
<b>FB3028-RT1</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FB3028-RT2</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FB3028-RTM</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FD2020</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FD3020</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FD3020-M</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FV2006</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FV2028</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FV3000-R</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FV3028</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FV3028-RT</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>FV3028-RTM</b>	Refer to FB3027(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	-	Motion	Supported by design	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FX2000</b>	2.5.1057.60	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	None	v2.20
<b>SF2121H-BHR-30</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>SF2121H-BHR-50</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20
<b>SF2121H-R</b>	Refer to FX2000(2.5.1057.60)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	None	H.264 MJPEG	4	Camera	2592x1944	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.5
Note:	Only guarantee stream works fine.										
205	4.05	MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
206	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
206M	None	MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.0
206W	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
207	4.4	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
207MW	None	MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v1.0
207W	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0
209FD	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
209FD-R	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
209MFD	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
209MFD-R	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
210	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
2100	2.31	MJPEG	1	Camera	640x480	N/N	-	-	-	Test by link	v4.7
210A	4.4	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
211	None	MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
211A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
211M	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
211W	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
212 PTZ-V	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
214	4.49	MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.18
215 PTZ-E	None	MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
216FD	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
216FD-V	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
216MFD	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
216MFD-V	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
221	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.0
223M	None	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	2/1	-	Motion	Supported by design	v1.0
225FD	None	MJPEG MPEG4	1	Camera	640x480	N/N	2/1	-	Motion	Supported by design	v1.0
231D	None	MJPEG MPEG4	1	Camera	704x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
232D	None	MJPEG MPEG4	1	Camera	704x576	N/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
233D	None	MJPEG MPEG4	1	Camera	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
2400	None	MJPEG	4	Video Server	704x576	N/N	4/1	-	Motion	Supported by design	v1.0
240Q	None	MJPEG	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.0
240Q Blade	None	MJPEG	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241Q	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
241Q Blade	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241QA	4.3	MJPEG MPEG4	4	Video Server	704x576	Y/N	4/4	-	Motion	None	v1.9
241S	None	MJPEG MPEG4	1	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241S Blade	None	MJPEG MPEG4	4	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
241SA	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	4/4	-	Motion	Supported by design	v1.9
242S	None	MJPEG MPEG4	1	Video Server	704x576	N/N	4/4	-	Motion	Supported by design	v1.9
243Q	None	MJPEG MPEG4	1	Video Server	704x576	N/N	1/1	-	Motion	Supported by design	v1.9
243Q Blade	None	MJPEG MPEG4	1	Video Server	704x576	N/N	1/1	-	Motion	Supported by design	v1.9
243SA	None	MJPEG MPEG4	1	Video Server	704x576	Y/Y	4/4	-	Motion	Supported by design	v1.9
2460	None	MJPEG	4	Video Server	704x576	N/N	4/1	-	Motion	Supported by design	v1.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>247S</b>	None	MJPEG MPEG4	1	Video Server	704x576	Y/N	1/1	-	Motion	Supported by design	v1.9
<b>F41</b>	5.85.3	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	-	Motion	Test by link	v4.9
<b>F44</b>	5.85.3	H.264 MJPEG	4	Video Server	1920x1080	Y/Y	4/4	-	Motion	Test by link	v4.9
<b>M1004-W</b>	5.40.5.1	H.264 MJPEG	1	Camera	1280x800	N/N	1/1	-	Motion	None	v3.4
<b>M1011</b>	5	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	None
<b>M1011-W</b>	5	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	None
<b>M1013</b>	5.40.5.1	H.264 MJPEG	1	Camera	800x500	N/N	-	-	Motion	None	v2.9
<b>M1014</b>	5.40.5	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v2.6
<b>M1025</b>	5.40.5	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.7
<b>M1031-W</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/0	-	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
M1034-W	5.40beta1	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v2.6
M1054	5.15.1	H.264 MJPEG	1	Camera	1024x600	Y/N	1/1	Pan Tilt Zoom	Motion	Test by link	v1.3
M1103	5.08	H.264 MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Test by link	v1.3
M1104	5.40.9.2	H.264 MJPEG	1	Camera	1280x800	N/N	-	Zoom	Motion	None	v1.2
M1113	5.08	H.264 MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Test by link	v1.3
M1114	5.08	H.264 MJPEG	1	Camera	1280x800	N/N	-	Zoom	Motion	None	v1.2
M1125	5.75.3.3	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Test by link	v4.15
M1143-L	5.40beta19	H.264 MJPEG	1	Camera	800x600	N/N	1/1	-	Motion	None	v2.6
M1144-L	5.40.10.4	H.264 MJPEG	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.6
M1354	5.60.1	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v3.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M2014</b>	Refer to P1204(5.40.12)	H.264 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.19
<b>M3004</b>	5.50.5.1	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v3.12
<b>M3005</b>	5.40.5.3	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.7
<b>M3006</b>	5.40.13	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.9
<b>M3007</b>	5.55.1.1	H.264 MJPEG	1	Fisheye Camera	2592x1944	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
<b>M3011</b>	5.01	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
<b>M3014</b>	None	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v1.0
<b>M3024-L</b>	5.40.5	H.264 MJPEG	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.20
<b>M3025</b>	5.50.5.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.12
<b>M3026</b>	Refer to M3024-L(5.40.5)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Supported by design	v3.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M3027</b>	Refer to M3007(5.55.1.1)	H.264 MJPEG	1	Fisheye Camera	2592x1944	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v3.6
<b>M3037</b>	5.75.1	H.264 MJPEG	1	Camera	2592x1944	Y/Y	-	-	Motion	Test by link	v4.9
<b>M3044-V</b>	v6.15.1	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v4.15
<b>M3045-V</b>	v6.15.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.15
<b>M3113-R</b>	None	H.264 MJPEG	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.0
<b>M3113-VE</b>	None	H.264 MJPEG	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.0
<b>M3114-R/VE</b>	5.12.1	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Test by link	v1.15
<b>M3203</b>	None	H.264 MJPEG	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v1.2
<b>M3204</b>	None	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v1.2
<b>M5013</b>	5.25.2	H.264 MJPEG	1	Camera	800x600	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v1.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M5014</b>	5.30.3.4	H.264 MJPEG	1	Camera	1280x720	Y/N	-	Pan Tilt Zoom	Motion	Test by link	v5.0
<b>M7001</b>	5.01	H.264 MJPEG	1	Video Server	720x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.2
<b>M7010</b>	5.40.6.1	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.17
<b>M7014</b>	5.40.7.1	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.6
<b>M7016</b>	5.51.2.5	H.264 MJPEG	4	Video Server	720x576	N/N	-	Pan Tilt Zoom	Motion	Test by link	v5.2
<b>P1204</b>	5.40.12	H.264 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.9
<b>P1214</b>	5.40.12	H.264 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.17
<b>P1214-E</b>	5.40.12	H.264 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	Test by link	v4.7
<b>P1311</b>	5.01	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
<b>P1343</b>	None	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P1343-E	None	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1344	5.06	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
P1344-E	None	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1346	5.22	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v1.13
P1346-E	None	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
P1347	5.11	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Test by link	v1.10
P1353-E	Refer to P1354(5.40.14)	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v3.1
P1354	5.40.14	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Pan Tilt	Motion	None	v2.9
P1355-E	Refer to P1354(5.40.14)	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v3.1
P1357	5.40.19.1	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt	Motion	Test by link	v3.1





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P1364	6.30.1	H.264 MJPEG	1	Camera	1280x960	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v5.2
P1365	v5.75.3.3	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.14
P1405-LE	5.80.1.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.14
P1425-E	Refer to P1425-LE(5.80.1)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Supported by design	v4.6
P1425-LE	5.80.1	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Test by link	v4.4
P1427-LE	5.80.1	H264 MJPEG	1	Camera	2592x1944	N/N	1/1	Zoom	Motion	Test by link	v4.6
P1428-E	5.55.5.1	H264 MJPEG	1	Camera	3840x2160	N/N	1/1	Zoom	Motion	Test by link	v3.11
P3214-V	5.55.3.2	H.264 MJPEG	1	Camera	1280x960	N/N	4/4	Zoom	Motion	Test by link	v3.13
P3215-V	5.55.3.2	H.264 MJPEG	1	Camera	1280x960	N/N	-	Zoom	Motion	Test by link	v3.13
P3224	Refer to P3224-LV(5.75.3.1)	H.264 MJPEG	1	Camera	1280x960	N/N	-	Zoom	Motion	Supported by design	v4.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P3224-LV	5.75.3.1	H.264 MJPEG	1	Camera	1280x960	N/N	-	Zoom	Motion	Test by link	v4.9
P3225	Refer to P3225-LVE(5.75.3.1)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.8
P3225-LVE	5.75.3.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v4.8
P3301	5.11	H.264 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
P3301-V	None	H.264 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
P3304	None	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v1.2
P3343	5.06	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
P3344	5.06	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
P3346	5.2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
P3353	5.40.17	H.264 MJPEG	1	Camera	800x600	Y/N	1/1	-	Motion	None	v2.17



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P3354	5.40.10.2	H.264 MJPEG	1	Camera	1280x960	N/N	1/1	-	Motion	Test by link	v2.2
P3363	5.40.17.1	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	-	Motion	Test by link	v3.8
P3364	5.40.10.2	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v2.2
P3364-L	5.60.1.4	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Zoom	Motion	Test by link	v4.4
P3364-LV	Refer to P3364-L(5.60.1.4)	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Zoom	Motion	Supported by design	v4.4
P3365	5.55.3.2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Test by link	v4.3
P3365-V	Refer to P3365(5.55.3.2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.3
P3365-VE	Refer to P3365(5.55.3.2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.3
P3367	5.40.3	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Test by link	v2.1
P3384	5.40.19	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v3.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>P3905</b>	5.55.3	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.3
<b>P3905-R</b>	Refer to P3905(5.55.3)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3
<b>P3905-RE</b>	Refer to P3905(5.55.3)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3
<b>P3915</b>	5.55.3	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Test by link	v4.3
<b>P3915-R</b>	Refer to P3915-R(5.55.3)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.3
<b>P5414</b>	5.55.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v2.20
<b>P5415</b>	Refer to P5414(5.55.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>P5512</b>	5.25	H.264 MJPEG	1	Camera	704x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v1.13
<b>P5512-E</b>	Refer to P5512(5.25)	H.264 MJPEG	1	Camera	704x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
<b>P5514</b>	5.85.1	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v4.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P5522	5.25	H.264 MJPEG	1	Camera	704x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v1.13
P5522-E	Refer to P5522(5.25)	H.264 MJPEG	1	Camera	704x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.13
P5532	5.15	H.264 MJPEG	1	Camera	720x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v1.10
P5532-E	Refer to P5532(5.15)	H.264 MJPEG	1	Camera	720x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.10
P5534	5.15.1	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v1.2
P5534-E	Refer to P5534(5.15.1)	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.2
P5544	5.41.2.2	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v3.12
P5624	Refer to P5624-E(5.75.1)	H.264 MJPEG	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v4.3
P5624-E	5.75.1	H.264 MJPEG	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.4
P5635	Refer to P5635-E(5.75.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P5635-E	6.20.1.3	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v5.0
P7210	5.50.2	H.264 MJPEG	5	Video Server	1536x1152	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v3.0
P7214	Refer to P7210(5.50.2)	H.264 MJPEG	5	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	?
P7224	5.40.7	H.264 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.6
P8221	5.10.2	H.264 MPEG4	1	Camera	2048x1536	Y/Y	8/8	-	Motion	Test by link	v2.12
P8513	Refer to P8514(5.21)	H.264 MPEG4	1	Camera	800x600	N/N	-	-	Motion	Supported by design	v2.2
P8514	5.21	H.264 MJPEG	1	Camera	1280x800	Y/Y	-	-	Motion	Test by link	v2.1
Q1602	5.40.3	H.264 MJPEG	1	Camera	768x576	Y/Y	1/1	-	Motion	Test by link	v2.1
Q1604	5.11.1	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	None	v2.6
Q1614	5.55.1	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v3.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q1615	5.55.3	H.264 MJPEG	1	Camera	1920x1200	Y/Y	1/1	-	Motion	Test by link	v3.8
Q1635	5.80.1.2	H.264 MJPEG	1	Camera	1920x1200	Y/Y	2/0	-	Motion	Test by link	v4.7
Q1755	5.02	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.9
Q1755-E	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
Q1765-LE	5.55.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Zoom	Motion	None	v2.20
Q1910	5.15.1	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.2
Q1910-E	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.2
Q1921	5.20.1	H.264 MJPEG	1	Camera	768x576	Y/Y	2/2	-	Motion	Test by link	v2.1
Q1931-E	5.55.1	H.264 MJPEG	1	Camera	768x576	Y/Y	2/2	-	Motion	Test by link	v3.1
Q2901-E	5.55.4.1	H.264 MJPEG	1	Camera	720x576	Y/Y	-	-	Motion	Test by link	v4.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q3505	5.80.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Test by link	v4.3
Q3505-V	Refer to Q3505(5.80.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Supported by design	v4.6
Q3708-PVE	5.95.4.2	H.264 MJPEG	3	Camera	2560x1920	N/N	-	-	Motion	Test by link	v5.11
Q6000	Refer to Q6000-E(5.65.1)	H.264 MJPEG	1	Camera	1920x1440	Y/Y	-	-	Motion	Supported by design	v4.4
Q6000-E	5.65.1	H.264 MJPEG	5	Video Server	1920x1440	N/N	-	-	Motion	Test by link	v4.3
Q6032	None	H.264 MJPEG	1	Camera	704x576	Y/N	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q6034	5.15	H.264 MJPEG	1	Camera	1280x800	Y/N	4/4	Pan Tilt Zoom	Motion	Test by link	v1.3
Q6034-E	None	H.264 MJPEG	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.9
Q6035	5.25	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v1.15
Q6042	5.55.1	H.264 MJPEG	1	Camera	752x480	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v3.1





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Q6044	5.55.1	H.264 MJPEG	1	Camera	1280x720	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.20
Q6044-E	5.70.1.1	H.264 MJPEG	1	Camera	1280x720	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.4
Q6045	5.55.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/4	Pan Tilt Zoom	Motion	None	v2.20
Q6045-E	5.70.1.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.6
Q6115-E	5.65.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.5
Q7401	None	H.264 MJPEG	1	Video Server	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.0
Q7406	5.11.1	H.264 MJPEG	1	Video Server	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.6
Q7411	5.40.13.1	H.264 MJPEG	1	Video Server	704x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.17
Q7414	5.25	H.264 MJPEG	1	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v2.7
Q7424-R	5.40.10	H.264 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v2.7



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
V5915	5.75.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/4	Pan Tilt Zoom	-	Test by link	v4.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>BIP-1000c</b>	BIP-1000c-1.3-0	H.264 MJPEG MPEG4	1	Camera	1024x768	N/N	1/1	-	-	None	v4.7
<b>BIP-1000c-DN</b>	None	H.264 MJPEG MPEG4	1	Camera	1024x768	N/N	1/1	-	-	Supported by design	v4.7
<b>BIP-1300c</b>	BIP-1300c-1.3-0	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	1/1	-	-	None	v4.7
<b>BIP-1300c-DN</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	1/1	-	-	Supported by design	v4.7
<b>BIP-1600c</b>	BIP-1600c-1.3-0	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	1/1	-	-	None	v4.7
<b>BIP-1600c-DN</b>	None	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	1/1	-	-	Supported by design	v4.7
<b>BIP-640c</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	-	Supported by design	v4.7
<b>BIP-640c-DN</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	-	Supported by design	v4.7
<b>BIP2-1600c-dn</b>	3.14.7	H.264 MJPEG MPEG4	1	Camera	1600x1200	N/N	3/3	-	Motion	None	v4.7
<b>BIP2-D1920c-dn</b>	3.8.0	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/N	1/1	-	Motion	Test by link	v2.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	5.90.0112(12510590)	H.264	1	Fisheye Camera	1280x720	Y/N	2/2	-	Motion	None	v3.6
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> <li>H.264 only support IP mode of GOP structure. (Camera→Encoder Profile→Profile N→Expert Settings→GOP structure→IP) (NUUO Server limitation)</li> <li>Only support G.711 audio codec. (Camera performance limitation)</li> <li>After changing MJPEG resolution on web and getting camera setting on NUUO, resolution will return to previous setting. (Camera Firmware issue)</li> <li>Snapshot resolution is not correspond to existing profile. (Camera Firmware issue)</li> <li>Sometimes set multi-stream fail due to limitations of inter-streaming dependency.(NUUO Server limitation)</li> <li>Can't set tream3 quality value. (Camera Firmware issue)</li> <li>Some resolution can't set framerate (NIN-733 Stream2 only support fps 7.5 under 1280x720 )(Camera performance limitation)</li> <li>MJPEG framerate can't synchronize to web setting. (Camera performance limitation)</li> <li>Can't set framerate 1 under base frame rate 50/60 ips mode. (Camera performance limitation)</li> <li>NUUO not test ptz functions.</li> </ol>										
<b>NBC-225-P</b>	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NBC-255-P</b>	Refer to NDC-225-P(39500570)	H.264	1	Camera	640x480	Y/N	1/2	-	Motion	Supported by design	v2.16
<b>NBC-265-P</b>	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NBC-274-P</b>	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NBC-274-PM</b>	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NBC-274-PT</b>	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NBC-455</b>	5.72.0028	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Test by link	v3.5
<b>NBN-40012</b>	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NBN-498</b>	5.72.0028	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Test by link	v3.5
<b>NBN-50022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NBN-733</b>	Refer to NIN-733(5.90.0112)	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	Supported by design	v3.3
<b>NBN-832</b>	Refer to NDN-832(5.90.0112)	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v3.3
<b>NDC-225-P</b>	39500570	H.264 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.11
<b>NDC-225-PI</b>	Refer to NDC-225-P(39500570)	H.266 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NDC-255-P</b>	Refer to NDC-225-P(39500570)	H.265 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NDC-265-P</b>	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NDC-274-P</b>	15500552	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.7
<b>NDC-274-PT</b>	Refer to NDC-274-P(15500552)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.7
<b>NDC-455</b>	Refer to NBN-498(5.72.0028)	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Supported by design	v3.5
<b>NDI-50022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NDN-265-PIO</b>	Refer to NTC-265-PI(15500552)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NDN-40012</b>	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NDN-498</b>	Refer to NBN-498(5.72.0028)	H.264	1	Camera	704x576	Y/N	2/1	-	Motion	Supported by design	v3.5
<b>NDN-50022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NDN-733</b>	Refer to NIN-733(5.90.0112)	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	Supported by design	v3.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NDN-832</b>	5.90.0112	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v3.3
<b>NIN-40012</b>	Refer to NTI-40012(5.90.0126)	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NIN-733</b>	5.90.0112	H.264	1	Camera	1280x720	Y/N	2/1	-	Motion	None	v3.3
<b>NIN-832</b>	Refer to NDN-832(5.90.0112)	H.264	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v3.3
<b>NTC-255-PI</b>	Refer to NDC-225-P(39500570)	H.264 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.16
<b>NTC-265-PI</b>	15500552	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.8
<b>NTI-40012</b>	5.90.0126	H.264	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.5
<b>NTI-50022</b>	5.90.0126	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.5
<b>NUC-50022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>NUC-51022</b>	Refer to NTI-50022(5.90.0126)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NWC-455</b>	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
<b>NWC-495</b>	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
<b>NWD-455</b>	Refer to NWD-495(56500410)	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	Supported by design	v2.11
<b>NWD-495</b>	56500410	H.264 MJPEG	1	Camera	704x576	N/N	-	-	Motion	None	v2.11
<b>VIP X1 XFE</b>	39500570	H.264 MJPEG	1	Camera	704x480	Y/N	1/1	-	Motion	None	v2.11
<b>VIP X16 XFE</b>	5.90.0070 (70000590)	H.264	16	Video Server	704x576	Y/N	4/1	-	Motion	None	v3.7





-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
130N	v3.1.0.9	H264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Zoom	Motion	None	v2.1
30xN	V3.2.2.8	H264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.4
50xA	V3.2.2.8	H264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Test by link	v3.3
CB-100A	v3.0.2.4	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	None	v1.5
CB-100Ae	v3.0.2.4	MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	None	v1.5
FB-100A	v3.0.2.3	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	-	None	v1.5
FB-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	-	None	v1.5
FD-100A	v2.3.7.8	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.1
FD-100Ae	v3.0.2.3	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	-	None	v1.5
Hydracam	v3.2.3.4	H264	3	Video Server	1280x720	Y/Y	2/2	-	-	None	v3.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>MD-100A</b>	Refer to CB-100A(v3.0.2.4)	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	Supported by design	v1.16
<b>OB-100A</b>	v3.1.0.8	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Zoom	Motion	None	v2.2
<b>OB-300Ap</b>	v3.7.0.18A	H264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.6
<b>OB-300Np</b>	v3.7.0.18A	H264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v4.6
<b>OB-E200Nf</b>	3.7.0.18.3T	H264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.7
<b>OSD-200A 20xp</b>	gk20140422 NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v3.12
<b>OSD/PZ-040D</b>	v3.1.0.8	H264 MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.2
<b>OSD/PZ-040E</b>	v3.1.0.8	H264 MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v2.2
<b>VD-201AF</b>	v3.2.3.5.6	H264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.5
<b>VD-E200Nf</b>	Refer to OB-E200Nf(V3.7.0.18.3T)	H264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.7



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VS-04A	v1.0.0.7-03T	H.264 MJPEG	4	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.13
VS-04A V2	3.5.2.15	H.264 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v3.7
W/VS-01A	v3.1.0.6	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Zoom	Motion	None	v2.2
WCB-100A	v2.3.5.6.1	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v1.1
WCB-100Ae	v3.0.2.4	MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	None	v1.5
WFB-100A	v2.3.7.8	H264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.1
WFB-100Ae	v2.3.7.8	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CMNC-130	Enc:V1.102A-008	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.6
CMNC-200	None	H.264 MJPEG	1	Camera	1920x960	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.6
CMNC-5385D	None	H.264 MJPEG	1	Camera	1920x960	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.6
HLC-81AD/P	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	-	Supported by design	v1.6
HLC-83V	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v2.7
HLC-83V/W	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.6
HLC-84V	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.6
HLC-84V/W	V3.2.62_PO	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	None	v1.6
IPH3611N	1.02.03	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v1.7
NVE1000A	V1.5.641	MJPEG MPEG4	1	Camera	720x480	Y/Y	2/2	Pan Tilt Zoom	-	None	v1.7



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NVE2000A	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.7
NVE4000A	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.7

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VB-H43	1.2.0	H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v5.0
VB-H651V	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-H651VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-H652LVE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-H751LE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v5.10
VB-H760VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v5.10
VB-H761LVE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Zoom	Motion	Supported by design	v5.10
VB-M50B	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-M640V	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10
VB-M640VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VB-M641V</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	-	Motion	Supported by design	v5.10
<b>VB-M641VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	-	Motion	Supported by design	v5.10
<b>VB-M740E</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v5.10
<b>VB-M741LE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	-	Motion	Supported by design	v5.10
<b>VB-R10VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-R11</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-R11VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1280x960	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-R12VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>VB-R13</b>	1.1.0	H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v5.10
<b>VB-R13VE</b>	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.10



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VB-S30D	1.1.0	MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.9
VB-S30VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
VB-S31D	Refer to VB-S30D(1.1.0)	MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.9
VB-S800D	1.3.0	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.16
VB-S800VE	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v5.10
VB-S805D	Refer to VB-S905F(1.0.0)	MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.9
VB-S900F	Refer to VB-S800D(1.1.0)	H.264	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.9
VB-S905F	1.0.0	MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v3.9
VB-S910F	Refer to VB-R13(1.1.0)	MJPEG H.264	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	Supported by design	v5.10





**-: not available on camera**

**Y: Support Function**

**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS20HDI RE3V</b>	v1.8.0801.1 001.93.0.66. 1.0	H.264 MJPEG	1	Camera	1290x1080	Y/Y	-	-	Motion	None	v4.6
<b>DCS30HDI R30</b>	v1.8.0601.1 001.93.0.65. 1.0	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	cx20141008 NSA	H.264 MJPEG	1	Fisheye Camera	1920x1080	Y/Y	4/2	-	Motion	Supported by design	v4.0
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> <li>1. It can't stop pan &amp; tilt sometimes. (Camera performance limitation)</li> <li>2.It can't set zoom speed. (Camera Firmware issue)</li> <li>3.It should set one stream in MJPEG, the snapshot will work. (Camera Firmware issue)</li> <li>4.If set preset point too fast, it will set wrong point. (Camera performance limitation)</li> <li>5.The resolution setting doesn't sync with web. (Camera Firmware issue)</li> </ol>										
<b>B13H</b>	v1.1.0.0	H.264 MJPEG MJPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.0
<b>C10</b>	Refer to C10-W(v1.1.0.0 (build2))	H.264 MJPEG MJPEG4	1	Camera	1280x800	Y/N	-	-	Motion	Supported by design	v2.0
<b>C10-W</b>	v1.1.0.0 (build2)	H.264 MJPEG MJPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.0
<b>D13HD</b>	v1.1.0.0	H.264 MJPEG MJPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.0
<b>W13H</b>	None	H.264 MJPEG MPE4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BL3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.2
BL5103	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.3
BL5105	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
BL5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v4.3
BL7302	01_C030	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	Supported by design	v4.3
BL7304	VK1.0.27.3_GZ	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v5.8
BL7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.5
DM3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.3
DM3112	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.5
DM5103	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.3



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DM5113	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v4.8
DM5115	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.9
DM5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v4.3
DM7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	Supported by design	v4.3
DM7304	VK1.0.27.3_GZ	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v5.8
DM7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.5
FE5403	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1520	Y/Y	1/1	-	Motion	Supported by design	v4.7
FE5405	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1520	Y/Y	1/1	-	Motion	Supported by design	v4.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PVC-300</b>	2.0.0.1	MPEG4 MJPEG	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.9
<b>PVC2300</b>	V1.0.1	MPEG4 MJPEG	1	Camera	640x480	Y/Y	2/2	Pan Tilt	Motion	None	v1.9
<b>VC220</b>	1.0.0.21	MPEG4 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.9
<b>VC240</b>	1.0.0.8	MPEG4 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.9
<b>WVC210</b>	V1.1.0	MPEG4 MJPEG	1	Camera	640x480	Y/Y	-	Pan Tilt	Motion	None	v1.9
<b>WVC2300</b>	V1.1.0	MPEG4 MJPEG	1	Camera	640x480	Y/Y	2/2	Pan Tilt	Motion	None	v1.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IBE3815NVR</b>	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IBE3815PVR</b>	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IBE5810NCR</b>	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IBE5810PCR</b>	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IBP5030CR</b>	Refer to IGP1030(XNET.M1-2.01.13.0204)	H.264	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IDC4000T</b>	T1-1.0.13.0424	MPEG4 MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.16
<b>IDC4050F</b>	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IDC4050IR</b>	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IDC4050VF</b>	XNET.M1-3.00.13.1125	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.2
<b>IDC4050VR</b>	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IDP4000VD</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.1
<b>IDP4000VR</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.1
<b>IDP4030VR</b>	Refer to IGP1030(XNET.M1-2.01.13.0204)	H.264	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IDP5035VR</b>	Refer to IGP2035F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IGC2050F</b>	XNET.M1-3.00.13.0204	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12
<b>IGP1000</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IGP1030</b>	XNET.M1-2.01.13.0204	H.264	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12
<b>IGP2035F</b>	XNET.M1-3.00.13.0204	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12
<b>IJB2000</b>	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>INS2000</b>	XNET.A1-2.01.13.0902	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.2



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPM3063N</b>	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>IPM3063P</b>	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>ISMC1063x</b>	XNET.A1- 2.01.13.020 4	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	4/0	Pan Tilt Zoom	Motion	None	v2.13
<b>ISS2765N W</b>	None	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>ISS2765P W</b>	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.1
<b>ISS2965x</b>	Refer to ISMC1063x( XNET.A1- 2.01.13.020 4)	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	4/0	Pan Tilt Zoom	Motion	Supported by design	v1.16
<b>ISS4032Z2 8W</b>	Refer to IGP2035F(X NET.M1- 3.00.13.020 4)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>ISSM2063x</b>	Refer to ISMC1063x( XNET.A1- 2.01.13.020 4)	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	4/0	Pan Tilt Zoom	Motion	Supported by design	v1.16
<b>IVC4000T</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	-	Supported by design	v1.2





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IVC5055VR</b>	Refer to IPC4050VF(XNET.M1-3.00.13.1125)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.2
<b>IVP4000VR</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.1
<b>IVP4030VR</b>	Refer to IGP1030(XNET.M1-2.01.13.0204)	H.264	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IVP5035VR</b>	Refer to IGP2035F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IXC2050IR</b>	Refer to IGC2050F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>IXP3035VR</b>	Refer to IGP2035F(XNET.M1-3.00.13.0204)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>MPC1070PN</b>	1.0.46	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	-	-	Motion	None	v3.4
<b>NDE5055MF</b>	Refer to NGE2055F(XNET.M1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>NDE5055VR</b>	Refer to NGE2055F(XNET.M1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NGE2055F</b>	XNET.M1-1.02.13.0204	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12
<b>NVE5055M F</b>	Refer to NGE2055F(XNET.M1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>NVE5055V R</b>	Refer to NGE2055F(XNET.M1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>NXE3055M R</b>	Refer to NGE2055F(XNET.M1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>NXE3055V R</b>	Refer to NGE2055F(XNET.M1-1.02.13.0204)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	2.400.0000.23.R, build : 2015-12-15 2.210.BW03.0.T.A.2017.3N.NR, build : 2015-11-06 2.210.0006.0.T.A.2017, build : 2016-03-24	H.264 MJPEG	1	Camera	2688x1520	Y/Y	7/2	Pan Tilt Zoom	Motion	None	v4.13
Note:	Firmware must be 2.210.0006.0.T.A.2017, build : 2016-03-24 or above then can use generic model. Firmware must be 2.210.BW03.0.T.A.2017.3N.NR, build : 2015-11-06 or above then can use generic model. Firmware must be 2.400.0000.23.R, build : 2015-12-15 or above then can use generic model.  1. The range of parameter on camera will be changed by other parameter, our parameter dialog can't synchronise with camera. (Camera Firmware issue) 2. There are two PTZ CGIs to function zoom and focus, we only support one, so zoom and focus maybe could not work well. (Camera Firmware issue) 3. Flip can not work well. (Camera Firmware issue) 4. Image Parameters cannot be set normally. (Camera Firmware issue) 5. Audio G.711A (16k), G.711Mu (16k) and AAC(8k and 16k) are not support. (NUUO server limitation) 6. PTZ cannot normally use Speed, Zoom, Focus, and AutoPan functions. (Camera Firmware issue) 7. DO cannot normally work. (Camera Firmware issue) 8. DI/DO support quantity is based on camera specification. (Camera specification difference)  Firmware: 2.210.BW03.0.T.A.2017.3N.NR, build : 2015-11-06 has the other issues. 1. The bitrate range may be out of web bitrate range. (Camera Firmware issue) 2. AutoDetect function cannot work. (Camera Firmware issue)										
HCVR5104H	3.200.0005.1.R, Build Date: 2014-04-27	H.264	4	Video Sever	1280x720	Y/Y	-	Pan Tilt Zoom	Motion	None	v4.0
IPC-5100	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-5200	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-EBW81200	2.400.0000.4.R, build : 2015-08-06	H.264 MJPEG	1	Camera	4000x3000	Y/Y	2/1	-	Motion	None	v4.12



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.  
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-EBW8600	2.400.0000.4.R, build : 2015-08-06	H.264 MJPEG	1	Camera	3072x2048	Y/Y	2/1	-	Motion	None	v4.12
IPC-HD2100	2.212.0000.1.T, build: 2014-02-08	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v3.1
IPC-HDB3101	Refer to IPC-HFW3101C(V2.103)	H.264 MJPEG	1	Camera	1280x960	Y/Y	2/1	-	Motion	Supported by design	v2.12
IPC-HDB5100	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5100-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5200	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5200-DI	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HDB5202	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HDB5202-DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDB5300</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDB5300-DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDB5302</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDB5302-DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW3101</b>	Refer to IPC-HFW3101C(V2.103)	H.264 MJPEG	1	Camera	1280x960	Y/Y	2/1	-	Motion	Supported by design	v2.12
<b>IPC-HDBW3300</b>	V2.000	H.264 MJPEG	1	Camera	2048x1536	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
<b>IPC-HDBW4421E</b>	Refer to IPC-HFW5421E-Z(2.400.0000.23.R, build : 2015-12-15)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.14



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HDBW4421 F-AS</b>	Refer to IPC-HFW5421E-Z(2.400.000 0.23.R, build : 2015-12-15)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.14
<b>IPC-HDBW5100</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5100 -DI</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5121 E-Z</b>	Refer to IPC-HFW5421E-Z(V2.400.00 00.30.R.201 60604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HDBW5200</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5200 -DI</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5202</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5202 -DI</b>	Refer to IPC-HFW5302C( 2.420.0005. 0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HDBW5220 E-Z</b>	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HDBW5221 E-Z</b>	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HDBW5300</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5300 -DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5302</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5302 -DI</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HDBW5421 E-Z</b>	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HDW4421E</b>	Refer to IPC-HFW5421E-Z(2.400.0000.23.R, build : 2015-12-15)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.14



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.  
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPC-HF3110	V2.000	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.16
IPC-HF3211	V2.000	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	None	v1.16
IPC-HF3300	V2.000	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v1.16
IPC-HF5100	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HF5121E-Z	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HF5200	Refer to IPC-HFW5302C(2.420.0005.0.R, build : 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
IPC-HF5221E	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HF5421E	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
IPC-HF81200E	2.400.0000.7.R	H.264 MJPEG	1	Camera	4000x3000	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v4.11





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HFW1220S</b>	2.420.0000.11.R, build : 2015-07-07	H.264 MJPEG	1	Camera	1920x1080	-	-	-	Motion	None	v4.12
<b>IPC-HFW3101C</b>	V2.103	H.264 MJPEG	1	Camera	1280x960	Y/Y	2/1	-	Motion	Test by link	v2.12
<b>IPC-HFW3200C</b>	2.212.0000.1.T, build: 2014-02-08	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	None	v3.1
<b>IPC-HFW5100-IRA</b>	Refer to IPC-HFW5302C( 2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5100C</b>	Refer to IPC-HFW5302C( 2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5100D</b>	Refer to IPC-HFW5302C( 2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5100E-VF</b>	Refer to IPC-HFW5302C( 2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5121E-Z</b>	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HFW5200-IRA</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5200C</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5200D</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5200E-VF</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5200E-Z</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5202C</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5220E-Z</b>	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16
<b>IPC-HFW5221E-Z</b>	Refer to IPC-HFW5421E-Z(V2.400.0000.30.R.20160604)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	Supported by design	v4.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPC-HFW5300C</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5300E-VF</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5300E-Z</b>	Refer to IPC-HFW5302C(2.420.0005.0.R, build: 2014-12-05)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	Supported by design	v3.13
<b>IPC-HFW5302C</b>	2.420.0005.0.R, build: 2014-12-05	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	None	v3.13
<b>IPC-HFW5421E-Z</b>	V2.400.0000.30.R.20160604	H.264 MJPEG	1	Camera	2688x1520	Y/Y	2/1	Zoom	Motion	None	v4.16
<b>SD32203S-HN</b>	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD40212S-HN</b>	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD42212S-HN</b>	Refer to SD52C220S-HN(2.210.0003.0.R.A.2017, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SD42C212S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD50120S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD50220S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD50230S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD52C120S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD52C220S-HN</b>	2.210.0003.0.R.A.2017, build : 2014-11-12	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v3.13
<b>SD52C230S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.**  
**The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SD59120S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD59212S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD59220S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD59230S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD63120S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD63220S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD63230S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.  
 The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SD6366E-HN</b>	2.213.0000. R, build: 2013-12-27	H.264 MJPEG	1	Camera	704x576	Y/Y	7/2	Pan Tilt Zoom	Motion	Test by link	v3.3
<b>SD65XX-HN</b>	2.102.0001. O.D	H.264 MJPEG	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	None	v2.5
<b>SD69XX-HN</b>	Refer to SD65XX- HN(2.102.00 01.O.D)	H.264 MJPEG	1	Camera	1920x1080	Y/N	7/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
<b>SD6A230-HN</b>	2.420.0000. O.R, build: 2014-04-19	H.264 MJPEG	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	None	v3.5
<b>SD6C120S-HN</b>	Refer to SD52C220S- HN(2.210.00 03.O.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD6C220S-HN</b>	Refer to SD52C220S- HN(2.210.00 03.O.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD6C230S-HN</b>	Refer to SD52C220S- HN(2.210.00 03.O.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>SD6C430U N-HN</b>	2.420.0000. 5.R.301d.3N .NR, build : 2016-04-13	H.264 MJPEG	1	Camera	2592x1520	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v5.3



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**If general, motion, alarm stream settings is inconsistent, the connection will be unstable.  
The connection is unstable, because of using ServerPush to get events.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SDZW2030 S-HN</b>	Refer to SD52C220S-HN(2.210.00 03.0.R.A.20 17, build : 2014-11-12)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	Tested by DCS-6513(V1.03.03)	H.264 MJPEG MPEG4	1	Fisheye Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.2
Note:	1. The camera with highest resolution is unable to achieve the setting framerate in MJPEG, MPEG4 and H.264. (Camera performance limitation) 2. The zoom in and out of behavior are opposite. (Camera Firmware issue) 3. The 3rd stream can not set resolution to 2048x1536 when stream 1 and stream 2 are 2048x1536. (Camera performance limitation) 4. When the format changes to MPEG4 before formate is H.264 or MJPEG with the 176x144 resolution, the display will mosaic. (Camera Firmware issue) 5. Universal Model now integrate from spec Nipca 1.9.5.										
<b>DC-932</b>	1	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v2.9
<b>DCS-1201</b>	0.00.01	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.13
<b>DCS-1301</b>	0.01.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1
<b>DCS-2100</b>	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
<b>DCS-2100G</b>	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-2103	1.20.00	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.16
DCS-2120	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
DCS-2120(TW)	0201tw	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.5
DCS-2130	Refer to DCS-2103(1.20.00)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.16
DCS-2132L	1.00.06	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.7
DCS-2132LB	V2.00.05	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	Test by link	v4.6
DCS-2136L	v1.03.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v4.7
DCS-2210	V1.22	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.6
DCS-2210L	Refer to DCS-2230L(v0.03.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v4.6
DCS-2230	Refer to DCS-2210(V1.22)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.4



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-2230L	v0.03.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.6
DCS-2310L	v0.03.00	H.264 MJPEG	1	Camera	1280x720	Y/Y	-	-	Motion	None	v3.7
DCS-2330L	v1.00.01	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v2.19
DCS-2332L	V1.02.00	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v4.9
DCS-3010	v1.12.07	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v3.7
DCS-3110	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	None
DCS-3112	V1.11.01	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	Pan Tilt	Motion	Test by link	v4.6
DCS-3220	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-3220G	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-3410	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	Pan Tilt	-	Supported by design	v1.10



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-3415	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-3420	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-3430	1.02_4125	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	Pan Tilt	-	None	v2.6
DCS-3511	v1.10.13	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.4
DCS-3530	Refer to DCS- 3511(v1.00. 16)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15
DCS-3710	1	MJPEG MPEG4	1	Camera	1280x960	Y/Y	2/1	Pan Tilt	-	None	v2.12
DCS-3710B1	V0.02.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	Pan Tilt	-	None	v4.6
DCS-3714	v1.00.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	2/1	Pan Tilt	Motion	Test by link	v4.6
DCS-3715	v1.20	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.12
DCS-3716	v1.03.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt	Motion	None	v4.7



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-4201	V1.00.02	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	V4.2
DCS-4602EV	V1.00.01	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	V4.2
DCS-4603	0.00.08	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.15
DCS-4622	1.00.03	H.264 MJPEG	1	Camera	1920x1536	Y/Y	-	-	Motion	None	v5.0
DCS-4701E	V1.00.02	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	V4.2
DCS-4703E	Refer to DCS-4603(0.00.08)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.15
DCS-4802E	Refer to DCS-4602EV(v1.00.01)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	V4.2
DCS-5000L	v1.02.01	MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	None	v4.12
DCS-5010L	Refer to DCS-5020L(1.01)	H.264 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	Supported by design	v2.15
DCS-5020L	1.01	H.264 MJPEG	1	Camera	640x480	Y/N	-	Pan Tilt	Motion	None	v2.15



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-5211L	1.1	H.264 MPEG4 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	Motion	None	v2.15
DCS-5220	200	MPEG4	1	Camera	720x576	Y/Y	-	-	Motion	None	v1.0
DCS-5220(TW)	None	MPEG4	1	Camera	720x576	Y/Y	-	-	Motion	Supported by design	v1.0
DCS-5222L	1.1	H.264 MPEG4 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	Motion	None	v2.15
DCS-5222LB	V2.01.05	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	Motion	None	v4.5
DCS-5222LB2	Refer to DCS-5222LB(V2.01.05)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v3.8
DCS-5300	1.05	H.263	1	Camera	720x576	Y/N	-	-	Motion	None	v1.0
DCS-5300G	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
DCS-5605	1.01_4126	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-5610	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-5615	v1.00.02	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt	Motion	None	v2.19
DCS-5635	1.01_4126	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-6004L	v0.00.01	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v2.16
DCS-6005L	Refer to DCS-6004L(v0.00.01)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	Supported by design	v2.16
DCS-6010L	v1.12.02	H.264 MJPEG MPEG4	1	Fisheye Camera	1600x1200	Y/Y	-	Pan Tilt	Motion	Test by link	v4.6
DCS-6045L	V1.00b3	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.4
DCS-6110	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-6111	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
DCS-6112	v2.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.6
DCS-6112B1	V3.00.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.6



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-6113</b>	Refer to DCS-6112(v2.10.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.6
<b>DCS-6113B1</b>	Refer to DCS-6112B1(V3.00.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.3
<b>DCS-6113VB1</b>	Refer to DCS-6112B1(V3.00.00)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.3
<b>DCS-6115</b>	v0.09.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v4.7
<b>DCS-6116</b>	v1.00.09	H.264 MJPEG	1	Camera	2048x1536	Y/Y	-	-	Motion	None	v4.10
<b>DCS-6210</b>	V1.00.06	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.7
<b>DCS-6212L</b>	V1.00.06	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.10
<b>DCS-6314</b>	V1.01	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.4
<b>DCS-6315</b>	Refer to DCS-6115(0.09.00)	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	1/1	-	Motion	Supported by design	v4.7
<b>DCS-6510</b>	v1.02	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v4.10



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-6511</b>	Refer to DCS-7513(v2.0.23)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.5
<b>DCS-6513</b>	1.03.03	H.264 MJPEG MPEG4	1	Camera	2048X1536	Y/Y	1/1	Zoom	Motion	None	v4.2
<b>DCS-6515</b>	Refer to DCS-7518(1.00.00)	H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1
<b>DCS-6517</b>	Refer to DCS-7517(v2.00.00)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v5.7
<b>DCS-6616</b>	2.12.01	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	8/1	Pan Tilt Zoom	Motion	None	v5.12
<b>DCS-6620</b>	1.05	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
<b>DCS-6620G</b>	v2.00.02	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
<b>DCS-6817B1</b>	v2.00.02	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	8/1	Pan Tilt Zoom	Motion	None	v2.12
<b>DCS-6915</b>	v1.00.10	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	None	v2.12
<b>DCS-6915B1</b>	Refer to DCS-6915(1.00.10)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.7





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-7000L	v0.09.00	H.264 MJPEG	1	Camera	1280x720	Y/Y	-	-	Motion	None	v3.2
DCS-7010L	V1.05.03	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Test by link	v4.3
DCS-7110	v1.20_2012 0517	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	Pan Tilt Zoom	Motion	None	v2.9
DCS-7110A3	V2.10.03	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	Pan Tilt	Motion	None	v3.9
DCS-7110B1	v3.00.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v4.4
DCS-7410	1	MJPEG MPEG4	1	Camera	704x576	Y/Y	2/1	Pan Tilt	-	None	v1.10
DCS-7413	1.00.02	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.10
DCS-7413B1	v2.11.08	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.6
DCS-7513	v2.0.23	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.5
DCS-7517	v2.00.00	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v5.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-7518	v1.00	H.264	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v3.12
DCS-900	1	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-910	1.03	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-920	1.00(2012-11-09)	MJPEG	1	Camera	640x480	N/N	-	-	-	None	v1.0
DCS-930LB	v2.00 b1	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v4.5
DCS-931L	1	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.7
DCS-932L	1.05_2012-10-26_2.0.16-b4	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.9
DCS-932LB	Refer to DCS-930LB(v2.00 b1)	MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v4.5
DCS-933L	1	H.264 MJPEG	1	Camera	640x480	Y/N	-	-	Motion	None	v2.7
DCS-935L	1	H.264 MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-940L</b>	1	H.264 MJPEG	1	Camera	640x480	Y/Y	-	-	Motion	None	v2.18
<b>DCS-942L</b>	1.2	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	None	v2.13
<b>DCS-942LB</b>	V2.00_3815	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	None	v4.5
<b>DCS-950</b>	None	MPEG4	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
<b>DCS-950G</b>	None	MPEG4	1	Camera	640x480	Y/N	-	-	-	Supported by design	v1.0
<b>DCS-G900</b>	None	MJPEG	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
<b>DVS-104</b>	None	MJPEG	4	Video Server	720x576	N/N	4/2	-	Motion	Supported by design	v1.0
<b>DVS-301</b>	1.01.02	H.263	1	Video Server	720x576	Y/N	1/1	-	Motion	None	v1.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-4721	VE1.0.22.2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.1
DCS-H30-51D/S	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H41-11D/I	Refer to DCS-H41-12D/I(2.0.7A5S2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v2.19
DCS-H41-11D/SI	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H41-11D/SO	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H41-12D/I	2.0.7A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	None	v2.20
DCS-H42-21D/SA	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H42-21D/SM	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
DCS-H50-21D/S	1.00X0(20140307)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.4
DCS-H70-21D/A	2.0.9A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.20



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-H70-21D/M</b>	Refer to DCS-H70-21D/A (2.0.9A5S2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.20
<b>DCS-H70-21D/SA1</b>	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
<b>DCS-H70-21D/SM1</b>	Refer to DCS-H50-21D/S(1.00X0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.5
<b>DCS-H70-22D/M1</b>	2.0.9A5S2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.19
<b>DCS-H_Series</b>	None	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
<b>DCS-N20M-10H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N30M-51H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N31M-21H3</b>	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-N40M-22H3</b>	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-N40M-32H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-N40M-33H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N40M-53H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N40M-81H3</b>	VC1.0.10	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.11
<b>DCS-N62-40H2</b>	VC1.0.40	H.264 MJPEG	1	Camera	720x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.11
<b>DCS-N70M-20H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N70M-21H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-N70M-21H3</b>	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-N70M-50H2</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-V30M-50H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-V30M-51H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DCS-V30M-51H2</b>	Refer to DCS-N70M-21H3(VB1.0.26)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.11
<b>DCS-V40M-12H</b>	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-V40M-32H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-V40M-32H2</b>	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-V40M-33H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-V70M-11H</b>	Refer to DCS-V70M-21H2(VB1.0.29)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	Supported by design	v2.18
<b>DCS-V70M-20H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17
<b>DCS-V70M-21H</b>	v1.0.30	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v2.17
<b>DCS-V70M-21H2</b>	VB1.0.29	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.18
<b>DCS-V70M-50H</b>	Refer to DCS-V70M-21H(v1.0.30)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.17



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DCS-V_Series	None	H.264 MJPEG MPEG4	1	Fisheye Camera	1600x1200	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v3.6





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	z120141215 NSZ z120141111 NSX z120141027 NSA	H264 MJPEG	1	Fisheye Camera	2048x2048	Y/Y	1/1	-	Motion	None	v3.12
Note:	<p>Support generic dewarp            Generic support model: W1-BA100, W2-BAZ40, W5-CDWK0, NH073, NH063            Parameter setting will fail when multi-stream is allowed and resolution is higher than 1080p.            PT function are not test on software.            The maximum resolution is depends on camera.            Camera (Z series) firmware must be z120141215NSZ or above then can use generic model.            Camera (W series) firmware must be z120130417NSA or above then can use generic model.            Camera (X series) firmware must be z120141027NSA or above then can use generic model.</p>										
NA063	z120120523 NSA	H264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v2.9
NA083	z12013016N SA	H264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	-	Motion	None	v2.20
NH061	d20100310N S	H264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
NH221	d20100310N S	H264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
NH720-20N1	pm2012022 2NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NH720-20N8	Refer to NH820-20N8(z120131126NSA)	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.0
NH820-20N1	pm20120222NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.0
NH820-20N8	z120131126NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.0
NV053	pm20120222NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.0
NV063	pm20120222NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.0
NV103	pm20120222NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.0
NV223	z120130417NSA	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.15
V1	d20100317NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v1.1
V2	d20101215NS	H264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.19
V6	d20100317NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
nZH06X	CMOS-080118	MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
nZH10X	CMOS-080118	MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	-	None	v1.1
nZH21X	CCD-cameraFw-IR-080108	MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GLC-1401</b>	1.36	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	-	None	v1.0
<b>GLC-1601</b>	1.43	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	-	None	v1.0
<b>GLC-1602H</b>	1.4	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	-	None	v1.0
<b>GLD-1401</b>	1.4	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	-	-	None	v1.0
<b>GLD-1501</b>	1.43	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	-	-	None	v1.0
<b>GLS-2101</b>	1.45	MJPEG MPEG4	1	Camera	720x576	Y/N	1/0	Pan Tilt Zoom	-	None	v1.0
<b>GXB-1710M-IR</b>	Refer to GXC-1710M(2.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.2
<b>GXB-1720M-IR</b>	Refer to GXC-1720M(1.05_Beta)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
<b>GXC-1605M</b>	Refer to GXC-1606M-IR(2.03)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.8
<b>GXC-1606M-IR</b>	2.03	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Test by link	v2.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GXC-1710M</b>	2.11	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.13
<b>GXC-1720M</b>	1.05_Beta	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Test by link	v2.8
<b>GXD-1610M-IR</b>	Refer to GXC-1606M-IR(2.03)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.8
<b>GXD-1710M-IR</b>	Refer to GXC-1710M(2.02)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.2
<b>GXD-1720M-IR</b>	Refer to GXC-1720M(1.05_Beta)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.8
<b>PXB-1080Z03</b>	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
<b>PXB-2080MIR</b>	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
<b>PXB-2080Z03</b>	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
<b>PXB-2180Z03</b>	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
<b>PXC-2080CS</b>	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>PXC-2080Z03</b>	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
<b>PXD-1010F02</b>	vr20121016 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.10
<b>PXD-1020F02</b>	Refer to PXD-1010F02(vr20121016NSA )	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.10
<b>PXD-2030PTZ1080</b>	vr20140416 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v3.8
<b>PXD-2080MIR</b>	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
<b>PXD-2080Z03</b>	Refer to PXD-2080Z03IR(4.23-49-ds)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.0
<b>PXD-2080Z03IR</b>	4.23-49-ds	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EV3150A</b>	Refer to EV3151A(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV3151</b>	2.0.0 (build 20110121)	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	-	None	v1.16
<b>EV3151A</b>	2.0.0 (build 20110121)	H.264 MJPEG MPEG4	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	-	None	v1.16
<b>EV6150A-BI</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6150A-CI</b>	2.0.0 (build 20110121)	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.16
<b>EV6151A</b>	Refer to EV6552R(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6153A</b>	Refer to EV6552R(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6156A</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6250A-EI/EO</b>	Refer to EV3151A(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EV6251A-FI/FO</b>	Refer to EV3151A(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6252A-GI/GO</b>	Refer to EV3151A(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6353A-DO</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6353A-EO</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6353A-FO</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6355A/A P-BO</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6355A/A P-CO</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6551A/A P-BI</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6551A/A P-CI</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EV6551A/AP-DI</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6552A/AP</b>	Refer to EV6552R(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6552R</b>	2.0.0 (build 20110121)	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
<b>EV6581A/AP</b>	Refer to EV6150A-CI(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV6750</b>	Refer to EV6552R(2.0.0 (build 20110121))	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV8150A</b>	1.9.7 Build 20100806	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
<b>EV8180A</b>	1.1.4 (build 003)	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.12
<b>EV8180F</b>	1.0.8 (build 001)	H.264 MJPEG MPEG4	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
<b>EV8180Q</b>	1.0.8 (build 001)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EV8180Q-XD</b>	1.1.4 (build 003)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v2.11
<b>EV8180U</b>	1.0.8 (build 001)	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
<b>EV8280U</b>	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV8281U</b>	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
<b>EV8285Q</b>	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
<b>EV8286Q</b>	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
<b>EV8383F</b>	Refer to EV8180F(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV8580A</b>	Refer to EV8180A(1.1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>EV8580F</b>	Refer to EV8180F(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV8580Q</b>	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EV8580U</b>	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
<b>EV8581A</b>	Refer to EV8180A(1.1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>EV8581Q</b>	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
<b>EV8581U</b>	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
<b>EV8582U-BL</b>	1.1.6 (build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.18
<b>EV8780A</b>	Refer to EV8180A(1.1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>EV8780U</b>	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	N/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>EV8781A</b>	Refer to EV8180A(1.1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>EV8781F</b>	Refer to EV8180F(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2592x1920	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EV8781Q</b>	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
<b>EV8781U</b>	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
<b>EV8782A</b>	Refer to EV8180A(1.1.4 (build 003))	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.12
<b>EV8782Q</b>	Refer to EV8180Q(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.17
<b>EV8782Q-BD</b>	Refer to EV8180Q-XD(1.1.4 (build 003))	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.11
<b>EV8782U</b>	Refer to EV8180U(1.0.8 (build 001))	H.264 MJPEG MPEG4	1	Camera	1920x1088	N/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.16
<b>N50A-ML</b>	Refer to N71U-ML(1.1.6 (build 003))	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
<b>N50U-ML</b>	Refer to N71U-ML(1.1.6 (build 003))	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18
<b>N51U-ML</b>	Refer to N71U-ML(1.1.6 (build 003))	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v2.18



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N71U-ML	1.1.6 (build 003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.18



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	1.2.5B11	H.264 MPEG4 MJPEG	1	Fisheye Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1
Note:	<p>Support generic dewarp</p> <p>1. Not support CBR mode.(Camera Firmware issue)</p> <p>2. It will lose parameters of stream2 and stream3 if you disable stream2 and stream3 on camera web. (Camera performance limitation)</p>										
EAN2150	CCD-cameraFw-100811P	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.5
EAN2218	ev20111116 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.5
EAN2350	ev20111116 NSA	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.5
EAN3120	V1.0.10	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.5
EAN3200	1.0.9	H.264 MJPEG	1	Camera	1440x1080	Y/N	1/1	-	Motion	None	v1.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EAN3220</b>	V1.0.10	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.5
<b>EAN3300</b>	Refer to EHN3340(1. 2.4)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v3.6
<b>EAN800A</b>	1.1.34	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.1
<b>EAN800AW</b>	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.1
<b>EAN850A</b>	1.1.27	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.1
<b>EAN900</b>	1.1.34	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.1
<b>EDN1220</b>	1.0.8	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.18
<b>EDN1320</b>	1.0.8	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v2.18
<b>EDN2210</b>	ev20121002 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.9
<b>EDN2245</b>	ev20120607 BNS	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EDN2260	1.3.0.d	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	-	None	v3.4
EDN3160	V1.0.18	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.6
EDN3240	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.14
EDN3260	1.0.18	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.6
EDN3340	Refer to EHN3340(1. 2.4)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v3.6
EDN800	1.1.27	H.264 MJPEG MPEG4	1	Camera	704x576	N/N	1/1	-	-	None	v1.1
EDN850H	1.0.5	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.1
EHN3160	1.0.18	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.6
EHN3200	1.0.14	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.12
EHN3260	1.2.5B2	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.8





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EHN3340</b>	1.2.4	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.5
<b>EHN3361</b>	Refer to EZN3340(1. 2.5B2)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v3.6
<b>EMN2220</b>	0.8.7-B10	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.13
<b>EMN2320</b>	1.0.1	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v2.14
<b>EPN2218</b>	ev20111116 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.5
<b>EPN2700</b>	None	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	-	Supported by design	v1.1
<b>EPN3100</b>	v1.0.4	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	-	None	v1.1
<b>EPN3600</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	-	Supported by design	v1.1
<b>EPN4122</b>	1.0.4 B7	H.264 MJPEG	1	Camera	1280x960	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v2.6
<b>EPN4220</b>	1.0.16	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EPN4220P</b>	Refer to EPN4220(1.0.16)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
<b>EPN4230</b>	Refer to EPN4220(1.0.16)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v3.6
<b>EQN2200</b>	1.0.27	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	-	None	v1.13
<b>EQN2201</b>	None	H.264 MJPEG	1	Camera	1600x1200	Y/N	-	-	-	Supported by design	v1.13
<b>ETN2110</b>	v3.2.1.4	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt	Motion	None	v2.14
<b>ETN2260</b>	1.01_F1	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt	Motion	None	v3.6
<b>EVS100</b>	1.1.0.5	MJPEG MPEG4	1	Video Server	720x576	Y/N	0/1	Pan Tilt Zoom	-	None	v1.0
<b>EVS200A</b>	v1.1.34	H.264 MJPEG MPEG4	2	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	-	None	v1.1
<b>EVS200AW</b>	None	H.264 MJPEG MPEG4	2	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.1
<b>EVS400</b>	1.1.5.0	MPEG4	4	Video Server	720x576	Y/Y	4/0	Pan Tilt Zoom	-	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EVS410</b>	1.0.21	H.264 MJPEG	4	Video Server	704x480	Y/Y	4/1	-	Motion	None	v2.16
<b>EZN3160</b>	V1.0.10	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
<b>EZN3240</b>	1.0.14	H.264 MJPEG	1	Camera	1440x1080	Y/N	1/1	-	Motion	None	v1.12
<b>EZN3260</b>	1.2.4	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.3
<b>EZN3340</b>	1.2.5B2	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.6
<b>EZN3361</b>	Refer to EZN3340(1.2.5B2)	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v3.6
<b>EZN850</b>	1.1.27	H.264 MJPEG MPEG4	1	Camera	704x576	N/N	1/1	Zoom	-	None	v1.1



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACM-B3000	1.02.09	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.13
ACM-PT500	2.03.16	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt	Motion	None	v3.7
ACM-R2001	1.02.09	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.11
ACM-R3002	Refer to ACM- V3103(2.03. 23A)	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
ACM-R3006	1.02.05T	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	None	v2.13
ACM-V3001	1.02.09	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.12
ACM-V3002	Refer to ACM- V3103(2.03. 23A)	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
ACM-V3103	2.03.23A	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v3.13
C3000	v3.2.2.3	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.14
C3000-W	v3.2.2.3	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.14



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CBD-4KU852</b>	Refer to TCP-4KU808(VH2.0.0.12)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.12
<b>CDB-3VM835</b>	Refer to TCP-HDVB835(VJ2.0.02)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
<b>CDB-4KM552</b>	Refer to TCP-KM465(VK2.0.11.0_F)	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.11
<b>CDB-4VM551</b>	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
<b>CDB-5KM551</b>	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-5VM551</b>	Refer to TCP-VM559(VC2.0.26.6_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v4.3
<b>CDB-5VM551G</b>	VH2.0.14.2_F	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v5.2
<b>CDB-720F</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	-	Supported by design	v2.5
<b>CDB-720F/IR</b>	V1.0.20_F	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.5
<b>CDB-720V</b>	VB1.0.26_F	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDB-720VIR</b>	VB1.0.26_F	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.5
<b>CDB-720VIR-H</b>	VE2.0.14.2_F	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v3.3
<b>CDB-HD280</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-HFD720</b>	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
<b>CDB-HFD728</b>	Refer to CDB-720VIR-H(VE2.0.14.2_F)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v3.5
<b>CDB-HFD828</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-HFD828W</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-MD602</b>	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
<b>CDB-MD605</b>	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
<b>CDB-MV1080F</b>	VB1.0.32_F	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.14



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CDB-MV1080F-H</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDB-MV720F</b>	VB1.0.28_F	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.11
<b>CDB-MV720F-H</b>	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
<b>CDB-T5</b>	A1D-500-V6.07.24-NB	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	-	Motion	None	v3.11
<b>CDV-10KV313</b>	Refer to TCP-10KB313(A1D-500-V6.11.30-NB)	H.264 MJPEG	1	Camera	3648x2736	Y/Y	1/1	-	Motion	Supported by design	v5.4
<b>CDV-2M360</b>	VB1.0.32_F	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.15
<b>CDV-3F828</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>CDV-3V930</b>	None	H.264 MJPEG	1	Camera	720x576	N/N	1/1	-	-	Supported by design	v1.0
<b>CDV-3V930U</b>	None	H.264 MJPEG	1	Camera	720x576	N/N	1/1	-	-	Supported by design	v1.0
<b>CDV-3VM301</b>	V3.2.54_F	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDV-3VM501	Refer to TCP-MH802(1.0.46)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5
CDV-3VM800	VC1.0.06_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.14
CDV-3VM800-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDV-3VM800-H1	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDV-3VM800Z3	Refer to TCP-HDVB800Z3(VC2.0.24.2_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v3.11
CDV-3VM800Z42	VE2.0.23_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.0
CDV-3VM835	Refer to TCP-HDVB835 (VJ2.0.02)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
CDV-3VVD960	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	None	v1.5
CDV-3VVD960H	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
CDV-4F936	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDV-4KM502	Refer to TCP-KM465(VK2.0.11.0_F)	H.265 H.264 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.11
CDV-4KU801	Refer to TCP-4KU808(VH2.0.0.12)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.12
CDV-4VM501	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
CDV-4VM501Z42	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
CDV-5KM501	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDV-5KM501Z35	VK2.0.23.0	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	None	v5.0
CDV-5VM501	Refer to TCP-VM559(VC2.0.26.6_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v4.3
CDV-5VM501G	Refer to CDB-5VM551G(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v5.2
CDV-5VM501Z3	VC2.0.26.4_F	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	None	v3.12
CDV-5VM501Z42	Refer to TCP-VM559Z42(VC2.0.26.6)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v4.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
CDV-DT5	A1D-500-V6.08.25-NB	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	None	v3.11
CDV-DT910IR	A1D-500-V6.10.24-NB	H.264 MJPEG	1	Fisheye Camera	3648x2736	Y/N	-	-	Motion	None	v4.13
CDV-DT95IR	Refer to CDV-DT5(V6.08.25-NB)	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	-	-	Motion	Supported by design	v4.3
CDV-MD602	VG2.0.20_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.3
CDV-MD605	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
CDV-MFB2000D	2.03.17	H.264 MPEGA4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.5
CDV-MV1080F-H	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
CDV-P360	Refer to TCP-MH802(1.0.46)	H.264 MJPEG	1	Fisheye Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5
CDV-P360-5	VC2.0.26.4	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	-	Motion	None	v4.1
CDV-VM2008T	01_C021	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v4.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EDH-02H	V1.0.20_F	H.264 MJPEG	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.10
EP-201	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-221	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-221DN	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-601	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-601HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.5
EP-908	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-908HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.5
EP-936	None	MJPEG MPEG4	1	Camera	720x576	N/N	-	-	-	Supported by design	v1.0
EP-936HW	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
EP-HTQ935	None	MJPEG MPEG4	1	Camera	720x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.5
EP-Q2018H-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
EP-Q2018HW-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
EP-Q2026H-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
EP-Q2026HW-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
EP-Q2036H-IP	None	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.5
EP-Q2036HW-IP	V1.0.46_F	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v3.7
MD-D1200	V3.2.56_F	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.0
MD-D1322	V1.0.23.09_F	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.5
MD-D1612	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	None	v1.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>MD-D3622Q-H</b>	VD1.0.12_04_F	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.20
<b>SP-HK2020C-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2020CM-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2028Q-AIP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2033Q-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK204MP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2050R-LA</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK2107IR-IP</b>	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SP-HK3033Q-AIP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	N/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
<b>SP-HK3033Q-IP</b>	Refer to SP-HK-3036R-IPNVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16
<b>SP-HK3036Q-IP</b>	Refer to SP-HK-3036R-IPNVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16
<b>SP-HK3036R-AIP</b>	Refer to SP-HK-3036R-IPNVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.16
<b>SP-HK3036R-IP</b>	NVSS-V8.1.1.2015 0921	H.264 MJPEG	1	Camera	2048x1536	Y/Y	8/2	Pan Tilt Zoom	Motion	None	v4.16
<b>SP-HK3303R-IP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	N/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
<b>SP-HK5220R-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK5233R-IP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SP-HK6230SR-AIP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK6233R-AIP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK6240SR-AIP</b>	Refer to SP-HP2530AR-IP(Onvif v2.5.0 NVSS_V8.0.5.20150609)	H.264 MPEG4	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.4
<b>SP-HK6333R-AIP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	N/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
<b>SP-HK6340R-AIP</b>	Refer to SP-HK3036R-IP(NVSS-V8.1.1.2015 0921)	H.264 MJPEG	1	Camera	2048x1536	N/Y	8/2	Pan Tilt Zoom	Motion	Supported by design	v5.3
<b>SP-HK8020IR-IP</b>	VK1.0.24.0_F	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v5.10
<b>SP-HK8030IR-IP</b>	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>SP-HK8120H-IP</b>	Refer to SP-HK8020IR-IP(VK1.0.24.0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SP-HK8120Q-IP</b>	Refer to SP-HK8020IR-IP(VK1.0.24_0_F)	MJPEG H.264 H.265	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.10
<b>SP-HP2013C-IP</b>	onvif_v2.4.2_20150327	H.264 MJPEG	1	Camera	1280x960	Y/N	1/1	Pan Tilt Zoom	Motion	None	v4.1
<b>SP-HP2020C-IP</b>	onvif_v2.4.0_20141027	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.1
<b>SP-HP2020CM-IP</b>	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP2020Q-IP</b>	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP2030CM-IP</b>	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP2030Q-IP</b>	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
<b>SP-HP2030SR-IP</b>	onvif_v2.5.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	None	v4.12
<b>SP-HP2040SR-IP</b>	Refer to SP-HP2030SR-IP(onvif_v2.5.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	8/2	Pan Tilt Zoom	Motion	Supported by design	v4.12





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SP-HP2313C-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2320C-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2330C-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2330Q-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2336Q-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP2530AR-IP	NVSS_V8.0.5.20150609	H.264 MJPEG	1	Camera	1920x1080	Y/Y	8/2	Pan Tilt Zoom	Motion	None	v4.15
SP-HP2620CP-IP	Refer to SP-HP2020C-IP(onvif_v2.4.0_20141027)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v4.1
SP-HP4833-IP	A1D-500-V6.09.44-NB	H.264 MJPEG	1	Camera	2688x1520	Y/Y	4/2	Pan Tilt Zoom	-	None	v4.7
SP-PTIR736A-IP	Refer to EP-Q2036HW-IP(V1.0.46_F)	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v4.4



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SP-PTIR736B-IP</b>	Refer to EP-Q2036HW-IP(V1.0.46_F)	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v4.4
<b>SP-PTIR737-IP</b>	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	-	None	v1.5
<b>TCMA-99</b>	V3.2.54_F	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.5
<b>TCMP-99</b>	V3.2.54_F	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	-	None	v1.5
<b>TCP-10KB313</b>	A1D-500-V6.11.30-NB	H.264 MJPEG	1	Camera	3648x2736	Y/Y	1/1	-	Motion	None	v5.4
<b>TCP-1200AV</b>	V1.0.26_F	H.264 MJPEG	1	Camera	640x480	Y/Y	-	-	-	None	v2.5
<b>TCP-2200AM</b>	V1.0.30_F	H.264 MJPEG	1	Camera	1600x1200	Y/Y	-	-	-	None	v2.5
<b>TCP-2200AM-H</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-2700AM</b>	Refer to CDB-720VIR-H(VE1.0.12.2_F)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v3.3
<b>TCP-2700AM-W</b>	Refer to CDB-720VIR-H(VE2.0.14.4)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v3.4



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TCP-2800AM	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-336AM	VB1.0.40_F	H.264 MJPEG MPEG4	1	Camera	2032x1536	Y/Y	1/1	-	Motion	None	v2.20
TCP-4KU808	VH2.0.0.12_F	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	None	v4.12
TCP-670DNU	V3.2.50_F	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	-	None	v1.0
TCP-680DNU	V3.2.50_F	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	-	None	v1.0
TCP-690	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0
TCP-690DN	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0
TCP-690U	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0
TCP-B365K	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
TCP-BF108	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-BF1080</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-BF128</b>	VE1.0.10_F	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v3.0
<b>TCP-BF208</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-BF428</b>	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
<b>TCP-BF728IR</b>	Refer to CDB-720VIR-H(VE2.0.14.2_F)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v3.5
<b>TCP-BF828IR</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB110</b>	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
<b>TCP-HDVB180</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB720</b>	V1.0.20_F	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-HDVB720-H</b>	VE2.0.20.8_F	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v4.1
<b>TCP-HDVB800</b>	VC1.0.18.2_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.15
<b>TCP-HDVB800-H</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB800-H1</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB800Z3</b>	VC2.0.24.2_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v3.11
<b>TCP-HDVB800Z42</b>	Refer to CDV-3VM800Z42 (VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HDVB801</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	-	Supported by design	v2.5
<b>TCP-HDVB835</b>	VJ2.0.02_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.12
<b>TCP-HF1080D</b>	2.03.10	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.19
<b>TCP-HFB720</b>	VB1.0.28_F	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.11



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-HFB720-H</b>	Refer to TCP-HDVB720-H(VE2.0.20.8_F)	H.264 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	Supported by design	v4.1
<b>TCP-HP1024</b>	V1.0.14_F	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.5
<b>TCP-HP1080</b>	VC1.0.06_F	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.14
<b>TCP-HP1080-H</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-HP930</b>	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0
<b>TCP-HP930U</b>	None	MJPEG MPEG4	1	Camera	720x576	Y/N	2/2	-	-	Supported by design	v1.0
<b>TCP-HVB3100D</b>	Refer to ACM-V3103(2.03.23A)	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>TCP-HVB3105D</b>	Refer to ACM-V3103(2.03.23A)	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.13
<b>TCP-IPWD690</b>	V3.2.56_F	MJPEG MPEG4	1	Camera	720x480	Y/Y	2/2	-	-	None	v1.5
<b>TCP-IPWD700DN</b>	V1.0.16_F	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	-	None	v1.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-IR590-WD30</b>	V1.0.20_F	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	-	None	v1.10
<b>TCP-IRH5030C</b>	Refer to TCP-MH802(1.0.4 6)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5
<b>TCP-IRH5040C</b>	Refer to TCP-MH802(1.0.4 6)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5
<b>TCP-IRH5080-50</b>	Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-IRH5080-70</b>	Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-IRH5080W-50</b>	Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-IRH5080W-70</b>	Refer to CDV-3VM800Z42 (VE2.0.23.1 0_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-IRV540</b>	V3.2.60_F	MJPEG MPEG4	1	Camera	720x480	N/N	-	-	-	None	v1.5
<b>TCP-IRV560</b>	V3.2.60_F	MJPEG MPEG4	1	Camera	720x480	N/N	-	-	-	None	v1.5
<b>TCP-KM465</b>	VK2.0.11.0_F	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	None	v4.11



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-KM470Z10</b>	VK2.0.26.0_F	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v5.6
<b>TCP-KM559</b>	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-KM559Z35</b>	Refer to CDV-5KM501Z35(VK2.0.23.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-KZ462</b>	Refer to TCP-KM465(VK2.0.11.0_F)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.11
<b>TCP-M360K</b>	Refer to CDV-3VM800Z42(VE2.0.23.10_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.0
<b>TCP-M912DN</b>	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/2	-	-	Supported by design	v1.5
<b>TCP-MB602</b>	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
<b>TCP-MB605</b>	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
<b>TCP-MB685</b>	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
<b>TCP-MH802</b>	1.0.46	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v3.5





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-MH859</b>	Refer to TCP-VM559(VC2.0.26.6_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v4.3
<b>TCP-MH859G</b>	Refer to CDB-5VM551G(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v5.2
<b>TCP-MZ602</b>	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
<b>TCP-MZ605</b>	Refer to CDV-MD602(VG2.0.20_F)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.3
<b>TCP-VM2008T</b>	01_C021	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v4.12
<b>TCP-VM201</b>	None	MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	-	Supported by design	v1.5
<b>TCP-VM2210</b>	3.1.0.0	MJPEG MPEG-4 H.264	1	Camera	1920x1080	Y/Y	1/0	Pan Tilt Zoom	Motion	None	v4.12
<b>TCP-VM2818</b>	Refer to TCP-VM2210(3.1.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v4.13
<b>TCP-VM2833</b>	Refer to TCP-VM2210(3.1.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	Supported by design	v4.13
<b>TCP-VM359</b>	VC1.0.16_F	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.14



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCP-VM469</b>	Refer to TCP-VM469Z42(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.1
<b>TCP-VM469Z42</b>	VH2.0.14.2_F.B6	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	None	v5.1
<b>TCP-VM501</b>	Refer to TCP-MH802(1.0.46)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v3.5
<b>TCP-VM559</b>	VC2.0.26.6_F	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Test by link	v4.3
<b>TCP-VM559G</b>	Refer to CDB-5VM551G(VH2.0.14.2_F)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	Supported by design	v5.2
<b>TCP-VM559Z3</b>	Refer to CDV-5VM501Z3(VC2.0.26.4)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v3.12
<b>TCP-VM559Z42</b>	VC2.0.26.6	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Test by link	v4.4
<b>WB-8211SD</b>	None	MJPEG MPEGA4	1	Camera	720x576	Y/N	2/4	-	-	Supported by design	v1.0
<b>WB-8211SDU</b>	None	MJPEG MPEGA4	1	Camera	720x576	Y/N	2/4	-	-	Supported by design	v1.0
<b>WB-8411</b>	None	MJPEG MPEGA4	4	Video Server	720x576	Y/N	4/1	-	-	Supported by design	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WB-8412</b>	None	MJPEG MPEG4	4	Video Server	640x480	Y/Y	4/4	-	-	Supported by design	v1.5
<b>WB-H811</b>	V1.0.44_F	H.264 MJPEG	1	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.9
<b>WB-H814</b>	V1.0.82_F	H.264 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v3.10
<b>WB-HB01</b>	VH2.0.18.0_F	H.264 MJPEG	1	Camera	960x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.7
<b>WB-HB04</b>	V1.0.0.8.F	H.264 MJPEG	4	Video Server	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v5.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FC-309</b>	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-313</b>	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-324</b>	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-324S</b>	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-334</b>	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-334S</b>	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-348-NTSC</b>	BU 1.2	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	None	v3.10
<b>FC-363</b>	Refer to FC-348-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
<b>FC-618-R-NTSC</b>	BU 1.2	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Test by link	v3.10
<b>FC-632S</b>	Refer to FC-618R-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FC-645S	Refer to FC-618R-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-669S	Refer to FC-618R-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10
FC-690S	Refer to FC-618R-NTSC(BU 1.2)	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Zoom	Motion	Supported by design	v3.10



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ACD-3VM501</b>	Refer to ACDV-3VM501(V1.0.26)	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v2.6
<b>ACDV-3VM501</b>	Refer to ACDV-3VM501	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
<b>AEP-Q2018H-IP</b>	None	H.264 MJPEG	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
<b>AEP-Q2018HW-IP</b>	None	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
<b>AEP-Q2026H-IP</b>	None	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
<b>AEP-Q2026HW-IP</b>	None	H.264 MJPEG	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
<b>AEP-Q2036H-IP</b>	V1.0.26	H.264 MJPEG	1	Camera	720x480	Y/Y	-	-	-	None	v1.14
<b>AEP-Q2036HW-IP</b>	V1.0.26	H.264 MJPEG	1	Camera	720x480	Y/Y	-	-	-	None	v1.14
<b>ASP-PTIR737-IP</b>	None	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
<b>ASP-PTIR737-LA-IP</b>	None	H.264 MJPEG	1	Camera	720x576	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.14



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ATCP-IRH5030C</b>	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
<b>ATCP-IRH5040C</b>	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
<b>ATCP-MH802</b>	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
<b>ATCP-MH802DN</b>	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
<b>ATCP-MH802DN WI</b>	V1.0.26	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v1.14
<b>ATCP-MH802WI</b>	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
<b>ATCP-VM501</b>	None	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.14
<b>B0100</b>	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
<b>B0202</b>	V3.2.0.0	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.0
<b>B1100</b>	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>C1100</b>	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
<b>C1100-W</b>	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
<b>C2002</b>	Refer to C2200(V3.2. 0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
<b>C2002-W</b>	Refer to C2200- W(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
<b>C2200</b>	Refer to B0202(V3.2. 0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
<b>C2200-W</b>	Refer to B0202(V3.2. 0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
<b>D0100</b>	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
<b>D1100</b>	V1.0.1.14	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
<b>D2000-FD3</b>	Refer to M4202- DB02(V3.2.0 .0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
<b>D2000-VD3</b>	Refer to M4202- DB03(V3.2.0 .0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15





--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>D2000-VP2</b>	Refer to M4202-DB02(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
<b>D2100</b>	1.0.1.4	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	None	v1.14
<b>FBS-1300BL</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300BX</b>	AgWT8130104N20_140528282B	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.5
<b>FBS-1300ID</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300IDR</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300MID</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300MVD</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBS-1300VD</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FBS-1300VDR</b>	Refer to FBS-1300BX(Ag WT8130104 N20_140528 2B)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>FBU-200LWD</b>	AgWT82001 22N06 V32 1401213F	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	None	v3.3
<b>FBU-201LWD</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBU-300LWD</b>	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBU-301LWD</b>	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBX-200</b>	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
<b>FBX-200CL</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBX-200LWD</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FBX-300LWD</b>	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FBX-300WD</b>	None	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
<b>FDM-200</b>	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
<b>FDM-200LWD</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FDM-300LWD</b>	Refer to FVD-300LWD(Ag WT8300036 N06 V32 1401214F)	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FDM-300WD</b>	None	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
<b>FVD-200</b>	None	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9
<b>FVD-200LWD</b>	Refer to FBU-200LWD(Ag WT8200122 N06 V32 1401213F)	H.264	1	Camera	1920x1080	Y/Y	0/1	Pan Tilt Zoom	Motion	Supported by design	v3.3
<b>FVD-300LWD</b>	AgWT8300036N06 V32 1401214F	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.3
<b>FVD-300WD</b>	None	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.9



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPB-1080BL</b>	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.6
<b>IPB-1080BM</b>	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.6
<b>IPB-1080E</b>	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
<b>IPB-1080EL</b>	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.13
<b>IPB-1080F</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPB-1080F28</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPB-1080WDR</b>	Refer to IPD-1080WDR(Forenix_roofs_VG1.0.20_TG_20150129_101057)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.1
<b>IPB-4065BM</b>	VK1.0.13.3_TG	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	None	v4.10
<b>IPB-8000BM</b>	VH1.0.0.11_TG	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	None	v4.11



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPD-1080CD</b>	VC1.0.22.6_TG	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.6
<b>IPD-1080E</b>	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
<b>IPD-1080KF</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPD-1080MF</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPD-1080WDR</b>	VG1.0.20_TG	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v4.1
<b>IPD-4065CD</b>	Refer to IPB-4065BM(For enix_3516A_VK1.0.11.4_TG_20151202_152150)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.9
<b>IPD-8000CD</b>	Refer to IPB-8000BM(For enix_8139_VH1.0.0.11_TG)	MJPEG H.264	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.11
<b>IPM-1080F</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPM-1080RF</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPV-1080F</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPV-1080CD</b>	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.6
<b>IPV-1080E</b>	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12
<b>IPV-1080F</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>IPV-1080WDR</b>	Refer to IPD-1080WDR(Forenix_roofs_VG1.0.20_TG_20150129_101057)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.1
<b>IPV-4065CD</b>	Refer to IPB-4065BM(For enix_3516A_VK1.0.11.4_TG_20151202_152150)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.9
<b>IPV-8000CD</b>	Refer to IPB-8000BM(For enix_8139_VH1.0.0.11_TG)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.11
<b>IPX-1080DN</b>	Refer to IPD-1080CD(VC1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.6
<b>IPX-1080E</b>	Refer to IPD-1080MF(VE1.0.22.6_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.12



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPX-1080WDR</b>	Refer to IPD-1080WDR(Forenix_roofs_VG1.0.20_TG_20150129_10105)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.1
<b>IPX-4065DN</b>	Refer to IPB-4065BM(Forenix_3516A_VK1.0.11.4_TG_20151202_152150)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Supported by design	v4.9
<b>IPX-8000DN</b>	Refer to IPB-8000BM(Forenix_8139_VH1.0.0.11_TG)	H.264 MJPEG	1	Camera	3840x2160	Y/Y	1/1	-	Motion	Supported by design	v4.11
<b>IPZB-1000R</b>	3.0.0.4	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	-	None	v4.5
<b>ISPD-2018</b>	Refer to ISPD-2020(Forenix_VC1.0.301204_TG_20150310_112618.bin)	H.264 MJPEG	1	Camera	1920x1080	Y/N	4/1	Pan Tilt Zoom	Motion	None	v4.1
<b>ISPD-2020</b>	VC1.0.301204_TG	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v4.1
<b>ISPD-2065-20X</b>	VK1.0.15.1_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v4.13
<b>ISPDII-1312WD</b>	AgWT8131312N20_1404185F	H.264 MJPEG	1	Camera	1280x1024	N/N	-	Pan Tilt Zoom	Motion	None	v3.4
<b>ISPDII-3018WD</b>	AgWT8303018N20_1404185F	H.264	1	Camera	2048x1536	N/N	-	Pan Tilt Zoom	Motion	None	v3.4



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ISPDIII-3010</b>	0.1.4960M	H.264 MJPEG	1	Fisheye Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.8
<b>M0202-BH01</b>	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
<b>M0202-BH02</b>	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
<b>M0202-BH03</b>	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
<b>M4202-DB02</b>	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
<b>M4202-DB03</b>	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
<b>M7202-DB03</b>	Refer to B0202(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.9
<b>NPB-1080BLX</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPB-1080BMX</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPB-1080BMX-M</b>	VE1.0.24.2_TG	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v4.16





--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPB-2065BL</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPB-2065BL-M</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPB-2065BM</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPB-2065BM-M</b>	VQ1.0.23.0_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.8
<b>NPB-2065F</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPB-2065F28</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPB-4065BL-M</b>	VK1.0.25.2_TG	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	None	v5.3
<b>NPB-4065BM</b>	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.3
<b>NPB-4065BM-M</b>	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.7



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPB-720</b>	Refer to NPB-720BM (VB1.0.26_T G)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
<b>NPB-720A</b>	Refer to NPB-720BM (VB1.0.26_T G)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
<b>NPB-720BM</b>	VB1.0.26_T G	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.6
<b>NPB-720U</b>	Refer to NPB-720BM (VB1.0.26_T G)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
<b>NPD-1080CDX</b>	Refer to NPB-1080BMX-M (VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPD-2065CD</b>	Refer to NPB-2065BM-M (VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPD-2065KF</b>	Refer to NPB-2065BM-M (VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPD-2065MF</b>	Refer to NPB-2065BM-M (VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPD-4065CD</b>	Refer to NPB-4065BL-M (VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.3
<b>NPD-4320</b>	0821T1	H.265 H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v5.12



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPD-720K</b>	Refer to NPB-720BM (VB1.0.26_TG)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
<b>NPD-720R</b>	Refer to NPB-720BM (VB1.0.26_TG)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.7
<b>NPF-4520</b>	0821T1	H.265 H.264 MJPEG	1	Fisheye Camera	2560x1920	Y/Y	1/1	-	Motion		v5.12
<b>NPV-1080CDX</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPV-1080CDX-M</b>	VE1.0.24.4_TG	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.2
<b>NPV-2065CD</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPV-2065CD-M</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPV-4065CD</b>	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.3
<b>NPV-4065CD-M</b>	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.7



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NPX-1080DNX</b>	Refer to NPB-1080BMX-M(VE1.0.24.2_TG)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.16
<b>NPX-2065DN</b>	Refer to NPB-2065BM-M(VQ1.0.23.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v5.8
<b>NPX-4065DN</b>	Refer to NPB-4065BL-M(VK1.0.25.2_TG)	H.264 H.265 MJPEG	1	Camera	2592x1520	Y/Y	1/1	Zoom	Motion	Supported by design	v5.3
<b>NSPD-2065-20X</b>	VK 1.0.22.0_TG	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v4.16
<b>NSPD-2065-30X</b>	Refer to NSPD-2065-20X(VK1.0.22.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
<b>NSPD-4065-10X</b>	Refer to NSPD-2065-20X(VK1.0.22.0_TG)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
<b>NVS-AH01</b>	VH1.0.0.16	H.264 MJPEG	1	Camera	960x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.2
<b>NVS-AH04</b>	V1.0.0.8_TG	H.264 MJPEG	4	Video Server	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v5.11
<b>T2000-FB1</b>	Refer to M0202-BH01(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
<b>T2000-FB2</b>	Refer to M0202-BH02(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**All Forenix model can't be searched and AutoDetected. (Camera Firmware issue)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>T2000-VB3</b>	Refer to M0202-BH03(V3.2.0.0)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
<b>VQ2100</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
<b>VQ2200</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v2.15
<b>VQ2210C</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15
<b>VQ2300</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.15
<b>VQ2310</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.15



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VIT-DA651E	2.1.19-01-B907	H.264 MPEG4	1	Camera	1920x1080	Y/N	2/2	-	Motion	Test by link	v4.9



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TVC-M1245E-2M-P</b>	V4.0.g	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v3.1
<b>TVC-MP2B-S</b>	e20120223B NS	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>A3101LE/A4101</b>	4.0.30.51	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v4.4
<b>A3102LE/A4102</b>	4.11.23.51	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v4.4
<b>A3253LE/A3263LE</b>	4.8.26.51	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.4
<b>B2201</b>	Refer to B4251RLE(v1.8.1001.1001.101.0.75.1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.4
<b>B3202LE</b>	Refer to B4201RLE(v1.8.0801.1001.101.0.66.1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v4.4
<b>B3251RLE</b>	Refer to B4251RLE(v1.8.1001.1001.101.0.75.1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.4
<b>B4201RLE</b>	v1.8.0801.1001.101.0.66.1.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Test by link	v4.4
<b>B4251RLE</b>	v1.8.1001.1001.101.0.75.1.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v4.4
<b>B5201E</b>	Refer to B6232LE(v1.8.0601.1001.101.0.4605.1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v4.4





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>B6231E</b>	Refer to B6232LE(v1.8.0601.1001.101.0.4605.1.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v4.4
<b>B6232LE</b>	v1.8.0601.1001.101.0.4605.1.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v4.4
<b>C1201L</b>	V1.0.40	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.10
<b>C3203LE</b>	2.3.3073.74	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GCI-G1536F</b>	gr20140530 NSA	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	-	Motion	None	v3.6
<b>GCI-H2505B</b>	Refer to GCI-K2505B(gr20130417NSX)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>GCI-K0589T(H)</b>	Refer to GCI-K1586V(gr20130621NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>GCI-K0779P</b>	gr20130621 NSA	MJPEG H.264	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.16
<b>GCI-K1523VS</b>	Refer to GCI-K2505B(gr20130417NSX)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>GCI-K1526V</b>	gr20120522 NSA	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.4
<b>GCI-K1526VS</b>	Refer to GCI-K2505B(gr20130417NSX)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>GCI-K1585V</b>	Refer to GCI-K1586V(gr20130621NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>GCI-K1586V</b>	gr20130621 NSA	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.16
<b>GCI-K1812W</b>	gr20120711 NSA	MJPEG H.264	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.4



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
GCI-K2505B	gr20130417 NSX	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.16



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	AS65_ALL001_V1.00.07	H.264 MJPEG MPEG4	1	Fisheye Camera	2048x1536	Y/N	1/1	-	Motion	None	v3.8
Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"> <li>1. Camera reboot (60 seconds) after parameter configuration.</li> <li>2. Not support 16 KHz sampling rate audio in.</li> <li>3. No support Camera search.</li> <li>4. The camera setting will be failed if choose the value "BOTH"</li> <li>5. Camera can not connect when 2nd resorution set to 854*480.</li> <li>6. The default value of brightness could be 50.</li> </ol>										
GDN-D1300IR	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
GDN-D1300V	AS65_ALL001_V0.01.09	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	None	v2.5
GDN-D2300	Refer to GDN-H2300IR(AS65_ALL001_V0.02.04)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
GDN-D2300V	Refer to GDN-H2300IR(AS65_ALL001_V0.02.04)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
GDN-D3200IR	Refer to GDN-D3200V(AS65_ALL01_V0.02.00)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>GDN-D3200V</b>	AS65_ALL01_V0.02.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	None	v2.13
<b>GDN-DV1300IR</b>	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.5
<b>GDN-F1300V</b>	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>GDN-F2300</b>	Refer to GDN-H2300IR(AS65_ALL001_V0.02.04)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.2
<b>GDN-H1300IR</b>	Refer to GDN-D1300V(AS65_ALL001_V0.01.09)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>GDN-H2300IR</b>	AS65_ALL001_V0.02.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v3.2
<b>GDN-H3200IR</b>	Refer to GDN-D3200V(AS65_ALL01_V0.02.00)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	-	Motion	Supported by design	v2.13
<b>GDN-MD2000V</b>	V5.2.0build 141120	H.264	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v5.0



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	V5.3.0 build 150616 V5.0.9 build 141009	H.264 MPEG4 MJPEG	1	Camera / Fisheye Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v4.5
Note:	<p>1. V5.3.0 build 150616 is the version of firmware of IPCam.            2. V5.0.9 build 141009 is the version of firmware of fisheye.            3. Talk not support in the model support ISAPI protocol. (Camera Firmware issue)</p> <p>Fisheye model:            1. Support generic dewarp            2. When audio codec is changed in webpage, audio in IP Camera 2, 3, 4, 5 can't use correct codec. (Camera Firmware issue)</p>										
<b>Generic Server</b>	V3.1.2 build 141219	H.264 MPEG4 MJPEG	16	Vedio Server	2560x1920	Y/Y	16/4	Pan Tilt Zoom	Motion	None	v4.5
Note:	<p>1. V3.1.2 build 141219 is the version of firmware of video server.            2. Talk not support in the model support ISAPI protocol. (Camera Firmware issue)            3. Can't get RSTP prot, default value 554. (Camera Firmware issue)</p>										
<b>DS-2CD2012-I</b>	v5.0.2 build 130805	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.12



--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD2012F-I	V5.3.0 build 150616	H.264	1	Camera	1280x960	N/N	-	-	Motion	None	v4.4
DS-2CD2032-I	V5.3.0 build 150513	H.264	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.6
DS-2CD2112-I	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2142FWD-I	Refer to DS-2CD2142FW D-IWS(V5.4.1 build 160525)	H.264	1	Camera	2688x1520	Y/Y	1/1	-	Motion	Supported by design	v5.2
DS-2CD2142FWD-IWS	V5.3.8 build 151224	H.264	1	Camera	2688x1520	Y/Y	1/1	-	Motion	Test by link	v4.13
DS-2CD2212-I3	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2212-I5	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2312-I	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2342WD-I	Refer to DS-2CD2142FW D-IWS(V5.4.1 build 160525)	H.264	1	Camera	2688x1520	Y/Y	1/1	-	Motion	Supported by design	v5.2



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:  
 Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD2432F-IW	V5.3.0 build 150513	H.264	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.14
DS-2CD2612F-I	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2612F-IS	V5.02 130805	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v2.19
DS-2CD2632F-IS	Refer to DS-2CD2732F-IS(V5.02 130805)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.19
DS-2CD2642F-WD-IZS	V5.3.3	H.264	1	Camera	2688x1520	Y/Y	1/1	Zoom	Motion	None	v4.14
DS-2CD2712F-I	Refer to DS-2CD2012-I(v5.0.2 build 130805)	H.264	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v2.18
DS-2CD2712F-IS	Refer to DS-2CD2612F-IS(V5.02 130805)	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v2.19
DS-2CD2732-IS	V5.02 130805	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Test by link	v2.19
DS-2CD2942F-I	Refer to DS-2CD2942F-IWS(v5.4.0 build 160603)	H.264	1	Camera	2560x1440	Y/Y	1/1	-	Motion	Supported by design	v4.16





--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DS-2CD2942F-IWS</b>	V5.4.0 build 160603	H.264	1	Camera	2560x1440	Y/Y	1/1	-	Motion	Test by link	v4.16
<b>DS-2CD4032FWD-A</b>	V5.1.6 build 140412	H.264 MPEG4	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	None	v3.5
<b>DS-2CD4065FP</b>	V5.3.4 build 150812	H.264	1	Camera	3072x2048	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.6
<b>DS-2CD40C5FAP</b>	V5.3.0 build 150513	H.264	1	Camera	4000x3000	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.14
<b>DS-2CD4124F-IZ</b>	Refer to DS-2CD4224F-IZH(V5.3.5 build 151218)	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.11
<b>DS-2CD4125FWD-IZ</b>	Refer to DS-2CD4A25FW D-IZHS(v5.3.5 build 151218)	H.264	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v4.12
<b>DS-2CD4132FWD-IZ</b>	Refer to DS-2CD4332FW D-PTZ(V5.3.5 build 151218)	H.264	1	Camera	2048x1536	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.13
<b>DS-2CD4212FWD-IZS</b>	V5.1.6 build 140412	H.264 MPEG4	1	Camera	1280x960	Y/Y	1/1	Zoom	Motion	None	v3.5
<b>DS-2CD4224F-IZH</b>	V5.3.5 build 151218	H.264 MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.11



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DS-2CD4332F WD</b>	V5.3.0 build 150513	H.264 MPEG4	1	Camera	2048x1536	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v4.8
<b>DS-2CD4332F WD-PTZ</b>	V5.3.5 build 151218	H.264	1	Camera	2048x1536	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v4.13
<b>DS-2CD4565F-IZH</b>	V5.3.4 build 150812	H.264	1	Camera	3072x2048	Y/Y	1/1	Zoom	Motion	None	v4.14
<b>DS-2CD4625F WD-IZS</b>	V5.3.4	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v4.11
<b>DS-2CD4A25F WD-IZ</b>	V5.3.0 build 150617	H.264	1	Camera	1920x1080	N/N	-	Zoom	Motion	Test by link	v4.10
<b>DS-2CD4A25F WD-IZHS</b>	V5.3.5 build 151218	H.264	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Test by link	v4.11
<b>DS-2CD6026F HWD-A</b>	V5.1.0 build 131202	H.264 MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v4.5
<b>DS-2CD6332F WD-I</b>	V5.4.14 build 160427	H.264	1	Camera	1536x1536	Y/Y	-	-	Motion	Test by link	v4.16
<b>DS-2CD6332F WD-IS</b>	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
<b>DS-2CD6332F WD-IV</b>	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD6332F WD-IVS	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-I	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-IS	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-IV	Refer to DS-2CD6362F-IVS(V5.0.9 build 141009)	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	Supported by design	v3.13
DS-2CD6362F-IVS	V5.0.9 build 141009	H.264	1	Fisheye Camera	3072x2048	Y/Y	1/1	-	Motion	None	v4.2
DS-2CD702N-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD702NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD702NF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD702P-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD702PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD702PF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD712N-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD712NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD712NF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD712P-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD712PF	V2.0 build 090522	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.0
DS-2CD712PF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD7133-E	V3.0 110117	H.264	1	Camera	640x480	N/N	-	-	-	None	v1.9
DS-2CD7153-E	v5.0.8 build 130930	H.264 MPEG4 MJPEG	1	Camera	1600x1200	N/N	-	-	Motion	Test by link	v2.19



--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD7253F-EIZ	V5.0.2 Build 130709	H.264 MPEG4 MJPEG	1	Camera	1600x1200	N/N	-	Zoom	Motion	None	v2.20
DS-2CD732F-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD732NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD732NF-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD732PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD732PF-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD752F-E	None	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	Supported by design	v1.0
DS-2CD752MF-E	None	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	Supported by design	v1.0
DS-2CD752MF-FB	V2.0 110426	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt	Motion	Test by link	v2.0
DS-2CD752MF-FH	None	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	Supported by design	v1.0



--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD753F-E	Refer to DS-2CD753F-EI(V3.0 110921)	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.17
DS-2CD753F-EI	V3.0 110921	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v2.0
DS-2CD754F-E	Refer to DS-2CD754FWD-EI(V3.2 120105)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Supported by design	v2.0
DS-2CD754F-EI	Refer to DS-2CD754FWD-EI(V3.2 120105)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Supported by design	v2.0
DS-2CD754FWD-E	Refer to DS-2CD754FWD-EI(V3.2 120105)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Supported by design	v1.18
DS-2CD754FWD-EI	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Test by link	v2.0
DS-2CD762MF	None	MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.0
DS-2CD762MF-E	None	MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.0
DS-2CD762MF-FB	None	MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.0
DS-2CD762MF-FH	None	MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.0



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD783F-E	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Test by link	v2.0
DS-2CD783F-EI	Refer to DS-2CD783F-E(V3.0 110921)	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.18
DS-2CD792NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD792NF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD792NF-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD792PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD792PF-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD792PF-FB	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	Supported by design	v1.0
DS-2CD802N-IR1	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802N-IR3	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD802N-IR5	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD802NF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD802P-IR1	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802P-IR3	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802P-IR5	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD802PF	V2.0 build 090522	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	None	v1.0
DS-2CD802PF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD812PF	v2.0 build 090522	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	None	v1.0
DS-2CD812PF-E	Refer to DS-2CD812PF(v 2.0 build 090522)	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0





--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD8253F-EI	v4.0.3 build121123	H.264 MPEG4	1	Camera	1600x1200	N/N	-	-	Motion	None	v2.8
DS-2CD8254F-EIS	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	None	v2.0
DS-2CD8264F WD-EIS	v4.0.3 build121123	H.264 MPEG4	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.8
DS-2CD832F	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD832F-E	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2CD832NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD832NF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD832P-IR5	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD832PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD832PF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD852F	None	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	Supported by design	v1.0
DS-2CD852MF-E	V2.0 build 20090430	MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.0
DS-2CD853F-E	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.1
DS-2CD854F-E	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.0
DS-2CD862MF-E	None	MPEG4	1	Camera	1280x720	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD864FW D-E	v4.0.3 build121123	H.264 MPEG4	1	Camera	1280x960	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.8
DS-2CD883F-E	V3.2 120105	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt	Motion	None	v2.0
DS-2CD892NF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD892P-IR5	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CD892PF	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0



--: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2CD892PF-E	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
DS-2CS2132F	Refer to DS-2CD2032-I(V5.3.0 build 150513)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.6
DS-2DE7174-AE	Refer to DS-2DE7184-A(V5.3.9 build 150910)	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v4.10
DS-2DE7176-A	Refer to DS-2CD2942F-IWS(v5.4.0 build 160603)	H.264	1	Camera	1280x960	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v4.14
DS-2DE7176-D	V5.3.9 build 150910	H.264	1	Camera	1280x960	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v4.14
DS-2DE7184-A	V5.3.9 build 150910	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v4.10
DS-2DF1-401H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-402H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-5702	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9



--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DF1-570A	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
DS-2DF1-572	V4.1.2 build 121205	H.264	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.9
DS-2DF1-5732	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
DS-2DF1-573A	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
DS-2DF1-57A	Refer to DS-2DF1-572(V4.1.2 build 121205)	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
DS-2DF1-601H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-602H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-603H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-604H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5



--: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DF1-605H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-606H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-607H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-608H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-609H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-610H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-611H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-612H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-613H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-614H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5



--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DF1-615H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-616H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF1-617H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DF6236V-AEL	V5.3.2 build 150519	H.264	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	None	v4.14
DS-2DF8223I-AEL	V5.2.8 build 150124	H.264 MPEG4	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	None	v4.5
DS-2DM1-602H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DM1-603H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DM1-604H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DM1-612H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-2DM1-613H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5



--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Not support Flip/Mirror.**

**Bitrate list can not sync with camera web.**

**The camera setting will be failed when sub stream resolution bigger than main stream's in Rapter platform.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DS-2DM1-614H	None	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v1.5
DS-6101HFI-IP	V2.0 Build 20090522	H.264 MPEG4	1	Vedio Server	704x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.0
DS-6101HFI-SATA	None	H.264 MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.5
DS-6104HCI	V2.0 build 090921 / V4.0 build 090508	H.264	4	Vedio Server	704x480	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v1.5
DS-6104HCI-SATA	None	H.264 MPEG4	4	Vedio Server	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.5
DS-6601HFHI	v1.0.2 build 121107	H.264	1	Vedio Server	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.7
DS-6716HFI	V1.2.3 build 141203	H.264 MJPEG MPEG4	16	Vedio Server	704x480	Y/Y	16/4	Pan Tilt Zoom	Motion	None	v3.13
DS-6716HWI	V1.2.5 build 150522	H.264 MJPEG MPEG4	16	Vedio Server	960x480	Y/Y	16/4	Pan Tilt Zoom	Motion	None	v4.11
DS-8116HQHI-SH	V3.1.2 build 141219	H.264	16	Vedio Server	960x576	Y/Y	16/4	Pan Tilt Zoom	Motion	None	v4.0



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
ACUIX	1.5.6	MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.6
H3D1F	40.0.6	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.18
H3D2F	40.0.6	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/0	Zoom	Motion	None	v2.18
HCD554IP	5.4.5	MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.6
HCD5MIH	13.1.2	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.5
HD3MDIH	11.0.3	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.5
HD3MDIP	7.07	MPEG4	1	Camera	1280x720	Y/Y	1/1	-	-	None	v1.6
HD4DIP	4.4.8	MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.6
HD4MDIH	12.0.3	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.5
HD4MDIP	8.0.4	MPEG4	1	Camera	1280x720	Y/Y	1/1	-	-	None	v1.6





-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HDZ20HD	Refer to HDZ20HDX(H20120808NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDE	Refer to HDZ20HDX(H20120808NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDEX	Refer to HDZ20HDX(H20120808NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.10
HDZ20HDX	H20120808NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.10
HNVE1	6.3.4	MPEG4	1	Camera	7045x76	Y/Y	1/1	-	-	None	v1.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
iCanServer 510	None	MPEG4	1	Video Server	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanServer 612	v1.0.19	H.264 MJPEG	1	Video Server	720x480	Y/Y	1/1	Pan Tilt	-	None	v1.4
iCanView2 20/260	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanView2 22	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanView2 30	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanView2 40/250	2.2.2	MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt	-	None	v1.0
iCanView2 70	None	MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt	-	Supported by design	v1.0
iCanView2 80	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.0
iCanView2 90	None	MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt	-	Supported by design	v1.0
iCanView3 22MP	v2.0.12	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>iCanView3 32MP</b>	v2.0.12	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt	-	None	v1.19
<b>iCanView3 40MP</b>	v2.0.12	H.264 MJPEG	1	Camera	1280x1024	Y/Y	4/2	Pan Tilt	-	None	v1.19
<b>iCanView3 50MP</b>	v1.0.19	H.264 MJPEG	1	Camera	720x480	Y/Y	4/2	Pan Tilt	-	None	v1.4
<b>iCanView3 62MP</b>	v2.0.12	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>EXCA100IP 2</b>	v1.8.1001.3.5.25	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	None	v3.8
<b>EXCA215IP 2</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v3.8
<b>EXCA234IP 2</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v3.8
<b>EXCA234IP 2WDR</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v3.8
<b>EXCA336IP 2</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v3.8



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VIP-S3020	2.210.IB00. 0.R, build : 2014-11-12	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S3230	2.420.IB01. 1.R, build : 2015-05-15	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S4000	2.210.IB00. 0.T, build : 2015-07-09	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S4020	2.210.IB00. 0.R, build : 2014-11-12	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S4200	2.420.IB01. 1.R, build : 2015-05-15	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4
VIP-S4220	2.420.IB01. 1.R, build : 2015-05-15	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
NBL3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.10
NBL5103	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
NBL5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.10
NBL7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion / Record	None	v4.13
NBL7305	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Zoom	Motion	Supported by design	v4.13
NDM3102	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.10
NDM3112	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
NDM5103	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.10
NDM5302	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	None	Motion	Supported by design	v4.6
NDM7302	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion / Record	Supported by design	v4.13

# IPCam

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NDM7305</b>	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Zoom	Motion	Supported by design	v4.13
<b>NFE5403</b>	01_C020	H.264 H.265	1	Fisheye Camera	2048x1520	Y/Y	1/1	-	Motion	Supported by design	v4.13



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	None	H.264 MJPEG	1	Fisheye Camera	2536x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.19
Note:	Support generic dewarp 1. Focus function is not test on NUUO product. 2. The maximum resolution is depended on camera. 3. Some framerate and bitrate cannot setup. (ONVIF limitation)										
NCOA22F	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NCOA32FD	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NCOA52F	v1.8.1001.85.0.8317	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.5
NDOA22F-W	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
NDOA32FD-W	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NIAA202F</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIDA212F-W</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIDA312F D-W</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIDA512F-W</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIPA2H22-C</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIPA2H22-W</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIRA222F</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIRA232F</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NIRA332FD</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NITA212F</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5
<b>NITA312FD</b>	Refer to NCOA52F(v1.8.1001.85.0.8317)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
JS-B0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-B0100-W	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-B0131	None	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-B1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v2.6
JS-B1100-R30	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-B1204-R25	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v2.6
JS-C1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	Supported by design	v2.6
JS-C2100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-D0100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	Supported by design	v2.6
JS-D1100	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
JS-D1130	None	MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.6
JS-D1204	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v2.6
JS- ISD200X18	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
JS- OSD200X2 0	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
JS-WGP- 100-CB	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	Supported by design	v2.6



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VN-C205U	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.0
VN-C20U	None	MJPEG	1	Camera	640x480	N/N	2/2	-	-	Supported by design	v1.0
VN-C215U	None	MJPEG	1	Camera	640x480	N/N	2/2	-	-	Supported by design	v1.0
VN-C655U	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	-	Supported by design	v1.0
VN-E4(U)	None	MJPEG	4	Video Server	640x480	Y/Y	4/1	-	-	Supported by design	v1.0
VN-H137	4.02.378	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.7
VN-H157	Refer to VN-H57(4.00.575)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v2.7
VN-H237	Refer to VN-H137(4.02.378)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.7
VN-H257	Refer to VN-H57(4.00.575)	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	Supported by design	v2.7
VN-H37	Refer to VN-H137(4.02.378)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v2.7



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VN-H57	4.00.575	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/2	-	Motion	None	v2.7
VN-H657	2.01.827 SPL2841	H.264 MJPEG	1	Camera	1920x1080	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.13
VN-T16	j.2.2.2232	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.13
VN-T216	Refer to VN-T16(j.2.2.2232)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v2.13
VN-V685	3.04	MJPEG MPEG4	1	Camera	640x480	N/N	2/2	Pan Tilt Zoom	Motion	None	v2.7
VN-V686	Refer to VN-V685(3.04)	MJPEG MPEG4	1	Camera	640x480	N/N	2/2	Pan Tilt Zoom	Motion	Supported by design	v2.7



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-0010	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.0
FCS-0020	1.0.07	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt	-	Supported by design	v1.0
FCS-0030	Refer to WCS- 0030(V1.0.0 .7)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	Supported by design	v1.1
FCS-0031	v1.0.0.30	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	Motion	None	v1.11
FCS-0040	Refer to WCS- 0040(v1.0.0 2)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	-	Supported by design	v1.8
FCS-0071	2.1.0202_le vel1	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v2.0
FCS-1010	0102d	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
FCS-1030 V1.0	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
FCS-1030 V2.0	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
FCS-1040	0102a	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FCS-1040 V3.0</b>	0100a	MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	-	-	None	v1.1
<b>FCS-1050</b>	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
<b>FCS-1060</b>	0202a	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	None	v1.0
<b>FCS-1070</b>	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
<b>FCS-1081</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
<b>FCS-1081A</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
<b>FCS-1091</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	-	-	Supported by design	v1.0
<b>FCS-1101</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
<b>FCS-1121</b>	v1.0.0.6	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	None	v1.1
<b>FCS-1122</b>	v1.0.0.37	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.0





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-1131	L20100315NS	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v1.1
FCS-1131-V2	le20120806NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.5
FCS-1132	Refer to FCS-5052(1.0.0.2)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.11
FCS-1141	L20100312NS	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/1	-	Motion	None	v1.1
FCS-1151	0100a	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v1.1
FCS-3000	0101a	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
FCS-3021	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
FCS-3031	V1.0.01	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	-	None	v1.1
FCS-3051	V1.0.01	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	-	None	v1.1
FCS-3052	Refer to FCS-5052(1.0.0.2)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.11



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FCS-3061	V1.0.0.17	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/0	-	-	None	v1.1
FCS-3062	1.0.0.6	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.2
FCS-3071	L20100315N S	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v1.1
FCS-3071- V2	le20120905 NSA	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.6
FCS-3081	L20100820N S	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.8
FCS-3081- V3	le20120806 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.5
FCS-3091	2.0.0413	H.264 MJPEG	1	Camera	1600x1200	Y/Y	2/1	-	-	None	v1.11
FCS-3101	FCS-3101- ANC3211M- 1.0.1.3-08- 07	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.17
FCS-4010	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	4/1	-	Motion	None	v1.0
FCS-4020	0100a	MJPEG MPEG4	1	Camera	704x576	Y/Y	4/1	-	-	None	v1.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FCS-4041</b>	Refer to FCS-4042(Le20140113NSA)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.2
<b>FCS-4042</b>	Le20140113 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.2
<b>FCS-4101</b>	FCS-4101-ANC3210M-1.0.1.3-08-07	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	-	Pan Tilt	Motion	None	v2.17
<b>FCS-5011</b>	0100c	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
<b>FCS-5030</b>	0102g	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
<b>FCS-5041</b>	V1.0.0.33	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	Zoom	Motion	None	v1.8
<b>FCS-5042</b>	2.0.0.1	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/0	Zoom	Motion	None	v3.2
<b>FCS-5051</b>	L20100820NS	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.8
<b>FCS-5051-V2</b>	le20120806 NSA	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.5
<b>FCS-5052</b>	Refer to FCS-3062(1.0.0.6)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FCS-5061</b>	le20130117 NSA	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v2.17
<b>FCS-5062</b>	v1.0.0.2	H.264 MJPEG MPEG4	1	Camera	2952x1944	Y/Y	1/1	-	Motion	None	v2.11
<b>FCS-6010</b>	v1.0.0.9	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt	Motion	None	v1.17
<b>FCS-7011</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>FCS-7111</b>	0100a	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.1
<b>SDK8</b>	CFA-V6.07.23-L1	H.264 MJPEG	1	Fisheye Camera	3648x2736	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.9
<b>WCS-0010</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	-	Supported by design	v1.0
<b>WCS-0020</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	-	Supported by design	v1.0
<b>WCS-0030</b>	V1.0.0.7	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	-	-	-	None	v1.1
<b>WCS-0040</b>	v1.0.02	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	-	None	v1.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WCS-0050	v1.0.0.36	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.0
WCS-1090	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	-	-	Supported by design	v1.0
WCS-2010 V1.0	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
WCS-2010 V2.0	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
WCS-2030 V1.0	0200d	H.263	1	Camera	720x576	Y/N	-	-	Motion	None	v1.0
WCS-2030 V2.0	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
WCS-2030 V3.0	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
WCS-2040	0101b	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
WCS-2040 V3.0	0100b	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.1
WCS-2060	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WCS-2070</b>	0100b	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v1.0
<b>WCS-6020</b>	1.1.4.1	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	Motion	None	v2.12
<b>WCS-6050</b>	1.0.4.2	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	Pan Tilt	Motion	None	v2.12



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPD112ESX	0.0.60	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	None	v1.9
IPD2322	1.4.31p	H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.7
IPD552EX	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	-	Motion	None	v1.9
IPG1022ES	1.0.426	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.18
IPR320ESX	1.0.426	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	-	None	v1.18
IPR414/418ESX	0.0.60	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	-	None	v1.9
IPR458	0.3.54	H.264 MJPEG	1	Camera	720x576	N/N	-	-	Motion	None	v1.8
IPS025	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS030	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS035	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IPS125	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS130	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS135	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS203	None	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
IPS212	0.3.58	H.264 MJPEG	1	Camera	720x576	N/N	-	Pan Tilt Zoom	-	None	v1.9
LD2222	1.4.31p	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.7





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>LDW2010</b>	260.0.0.120 8100	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.8
<b>LNB3100</b>	Refer to LND5100(17 96.0.0.1208 060)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
<b>LNB5100</b>	Refer to LND5100(17 96.0.0.1208 061)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
<b>LND3100</b>	Refer to LND5100(17 96.0.0.1208 060)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
<b>LND5100</b>	1796.0.0.12 08060	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.5
<b>LND7210</b>	Refer to LNV7210R(2 237.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.7
<b>LND7210R</b>	Refer to LNV7210R(2 237.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.7
<b>LND7300</b>	1801.0.0.13 03220	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Test by link	v2.15
<b>LNP2800</b>	Refer to LNP3700T(1 286.0.0.120 5140)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
<b>LNP2800I</b>	Refer to LNP3700T(1 286.0.0.120 5141)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LNP2810T	1890.0.1302 150	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v2.15
LNP3700	Refer to LNP3700T(1 286.0.0.120 5140)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.5
LNP3700T	1286.0.0.12 05140	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.5
LNU5100R	1954.0.0.13 03110	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	Test by link	v2.15
LNU7210R	Refer to LNV7210R(2 237.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.7
LNV5100R	1972.0.0.13 03110	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	Test by link	v2.15
LNV5110	Refer to LND5100(17 96.0.0.1208 060)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LNV7210	Refer to LNV7210R(2 237.0.0.140 5190)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v3.7
LNV7210R	2237.0.0.14 05190	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.7
LNV7300	Refer to LND7300(19 13.0.0.1304 220)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.15



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LSW2010	Refer to LDW2010(260.0.0.1208100)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.8
LSW900	Refer to LVW701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LSW901	Refer to LVW701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LVS201	385.0.0.1208200	H.264 MJPEG	1	Camera	704x576	N/N	-	Pan Tilt Zoom	Motion	None	v2.8
LVS301	Refer to LVS311(129.1.0.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LVS311	129.1.0.1110260	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v2.8
LVW700	Refer to LVW701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LVW701	4.1.1.1110260	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.8
LVW900	Refer to LVW701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8
LVW901	Refer to LVW701(4.1.1.1110260)	H.264 MJPEG	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LW130W	4097.0.0.120313	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.5
LW332	1026.0.0.1110260	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.5
LW335	Refer to LW332(1026.0.0.1110260)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW342	Refer to LW345(767.0.0.1207113)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW345	767.0.0.1207113	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v2.5
LW352	1030.0.0.1111160	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.8
LW355	Refer to LW352(1030.0.0.1111160)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.8
LW6324	Refer to LW332(1026.0.0.1110260)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW6354	Refer to LW332(1026.0.0.1110260)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW6424	Refer to LW345(767.0.0.1207114)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.5



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
LW6454	Refer to LW345(767.0.0.1207115 )	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.5
LW9226	774.0.0.1211150	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.8
LW9226I	Refer to LW9226(774.0.0.1211150)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW9228	Refer to LW9226(774.0.0.1211150)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW9228I	Refer to LW9226(774.0.0.1211150)	H.264 MJPEG	1	Camera	704x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.8
LW9422	1632.0.0.1205030	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.5



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NCD-2003PR</b>	51110.2.126 2.100	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	None	v2.20
<b>NMX-2003P</b>	51110.2.126 2.100	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NCB855PRO</b>	Refer to NCR875PRO(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.9
<b>NCC800</b>	AP_01-00-60-25B_MS03	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	None	v2.9
<b>NCR858</b>	Refer to NCR878(AP_01-00-62-18_MS05)	H.264 MPEG4 MJPEG	1	Camera	2592x1944	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NCR870</b>	AP_01-00-62-18_MS00-01N	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.1
<b>NCR875PRO</b>	AP_01-00-60-25A_MS02	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.7
<b>NCR878</b>	AP_01-00-62-18_MS05	H.264 MPEG4 MJPEG	1	Camera	2592x1944	Y/N	2/1	-	Motion	None	v2.20
<b>NDF820</b>	Refer to NCR870(AP_01-00-62-18_MS00-01N)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
<b>NDF821</b>	Refer to NDR891(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NDF821PRO</b>	Refer to NCR875PRO(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>NDF831</b>	Refer to NDR891(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NDF831PRO</b>	Refer to NCR875PRO(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NDR891</b>	AP_01-00-60-25A_MS02	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	None	v2.7
<b>NDR891PRO</b>	Refer to NCR875PRO(AP_01-00-60-25A_MS02)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	2/1	-	Motion	Supported by design	v2.20
<b>NIC910HPRO</b>	None	H.264 MPEG4 MJPEG	1	Camera	720x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.14
<b>NIC930HPRO</b>	A1D-310-V4.08.05-NB	H.264 MPEG4 MJPEG	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.14
<b>NIC950HPRO</b>	A1D-310-V4.12.09-NB	H.264 MPEG4 MJPEG	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v2.9
<b>NIC990</b>	M.0.2.5	H.264 MJPEG	1	Camera	1920x1080	Y/N	6/1	Pan Tilt Zoom	Motion	None	v1.19





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HD-PRO302DN	DC Standard	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO310DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO332DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
HD-PRO350DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/IR	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO350DN W/IR/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO351DN W/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO351DN W/IR/H	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
HD-PRO352DN W	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>HD-PRO352DN W/IR</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
<b>HD-PRO370DN WOUT</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
<b>HD-PRO370W</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.8
<b>HD-PRO392DN W/V</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
<b>HD-PRO410DN W/H</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
<b>HD-PRO410DN W/H-POE</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
<b>HD-PRO518DN</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
<b>HD-PRO610DN W</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
<b>HD-PRO692DN W/V/IR</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
<b>HD-PRO710DN W</b>	mw2014070 3NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>HD-PRO750DN W</b>	mw20140703NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
<b>HD-PRO750DN W/IR</b>	mw20140703NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
<b>HD-PRO810DN W/H</b>	mw20140703NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
<b>HD-PRO810DN W/H/M</b>	mw20140703NSA	H.264 MJPEG	1	Camera	2592x1944	Y/N	1/1	Zoom	Motion	Supported by design	v3.8
<b>HD-PRO890</b>	mw20140703NSA	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8
<b>HD-PRO890/OUT</b>	mw20140703NSA	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**For display mode, please set on the Mobotix web setting page first.**

**No support Audio from Camera when viedo format is MJPEG.**

**Using ExtIO, please set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	MX-V4.1.9.29	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/Y	2/2	-	Motion	None	v2.19
D12D-IT	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
D12D-Sec	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	-	Supported by design	v1.0
D14D-Sec	MX-V4.1.0.2	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Test by link	v2.2
D15D-Sec	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v3.3
D15D-Sec-Dnight	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	None	v2.19
D15D-Sec-Night-Pano	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
D15D-Sec-Pano	Refer to D15D-Sec-Dnight(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
D22M-Basic	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	2/2	-	-	Supported by design	v1.0
D22M-IT	MX-V3.4.0.9	MJPEG MxPEG	1	Camera	1408x576	Y/N	2/2	-	-	None	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**For display mode, please set on the Mobotix web setting page first.**

**No support Audio from Camera when viedo format is MJPEG.**

**Using ExtIO, please set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D22M-Sec	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
D24M-Basic	None	MJPEG MxPEG	1	Camera	2560x1536	Y/N	-	-	-	Supported by design	v1.1
D24M-IT	None	MJPEG MxPEG	1	Camera	2560x1536	Y/N	2/2	-	-	Supported by design	v1.1
D24M-Sec	MX-V4.0.1.15	MJPEG MxPEG	1	Camera	2560x1536	Y/N	2/2	-	-	None	v1.1
M10D	M10-V2.2.2.17	MJPEG	1	Camera	1408x576	Y/N	-	-	-	None	v1.0
M12D-IT	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
M12D-Sec	MX-V3.4.0.9	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	-	None	v1.0
M12D-Web	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	-	Supported by design	v1.0
M15D-Sec	4.3.4.5	MJPEG MxPEG	1	Camera	3072x2048	Y/Y	2/2	-	Motion	None	v4.11
M15D-Sec-DNight	Refer to M15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	3072x2048	Y/Y	2/2	-	Motion	Supported by design	v2.19



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**For display mode, please set on the Mobotix web setting page first.**

**No support Audio from Camera when viedo format is MJPEG.**

**Using ExtIO, please set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M15M-Sec</b>	Refer to M15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	3072x2048	Y/Y	2/2	-	Motion	Supported by design	v2.19
<b>M22M-IT</b>	None	MJPEG MxPEG	1	Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
<b>M22M-Sec</b>	None	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	-	Supported by design	v1.0
<b>M24M-Sec</b>	MX-V4.0.4.28	MJPEG MxPEG	1	Camera	2048x1536	Y/N	-	-	Motion	Test by link	v2.3
<b>Q22M-Basic</b>	None	MJPEG MxPEG	1	Fisheye Camera	1408x576	Y/N	-	-	-	Supported by design	v1.0
<b>Q22M-Sec</b>	MX-V3.4.5.10	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/N	2/2	-	-	None	v1.0
<b>Q24M-Sec</b>	MX-V4.0.1.7	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/Y	-	-	-	None	v1.0
<b>Q25M-Secure</b>	MX-V4.1.10.35	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/Y	2/2	-	Motion	None	v3.4
<b>S14D-Sec</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
<b>S14D-Sec-Night</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**For display mode, please set on the Mobotix web setting page first.**

**No support Audio from Camera when viedo format is MJPEG.**

**Using ExtIO, please set on the Mobotix web setting page first.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>S14M-Sec</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/N	2/2	-	Motion	Supported by design	v2.19
<b>S15D-Sec</b>	MX-V4.1.9.29	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	None	v3.3
<b>S15M-Sec</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
<b>S15M-Sec-Night</b>	Refer to S15D-Sec(MX-V4.1.9.29)	MJPEG MxPEG	1	Camera	2048x1536	Y/Y	2/2	-	Motion	Supported by design	v2.19
<b>T25M-Secure</b>	MX-V4.1.10.35	MJPEG MxPEG	1	Fisheye Camera	2048x1536	Y/Y	2/2	-	Motion	None	v3.4



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>INC-2000BX</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
<b>INC-2036BF</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
<b>INC-2036DF</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
<b>INC-2036DM</b>	v2.0.0801.1002.139.0.132.0.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	None	v5.8
<b>INC-2622BV</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
<b>INC-2812BV</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8
<b>INC-2812DV</b>	Refer to INC-2036DM(v2.0.0801.1002.139.0.132.0.1)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v5.8





-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
HMNC100	00910	H.264	1	Camera	1280x720	N/N	-	-	-	None	v3.8
HMNC500	00910	H.264	1	Camera	1280x720	Y/N	-	-	-	None	v3.9

OEM

--: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N24320	01_C020	H.264 H.265 MJPEG	1	Fisheye Camera	2048x1520	Y/Y	1/1	-	Motion	Supported by design	v4.7
N24520	01_C013	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.6
N26210	M2.15.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v4.0
N26211	M2.15.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v4.0
N36210	03_C002	H.264 MJPEG	1	Camera	1920x1080	-	-	-	-	Supported by design	v4.0
N36220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	Supported by design	v4.12
N36320	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1520	-	-	-	Motion	Supported by design	v4.2
N36520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	-	-	-	Motion	Supported by design	v4.10
N37320	M3.1.5.17	H.264 MJPEG	1	Camera	1920x1080	N/Y	2/2	-	Motion	Supported by design	v4.0
N37510	M3.1.5.19	H.264 MJPEG	1	Camera	2560x1920	Y/Y	2/2	-	Motion	Supported by design	v4.0

OEM

--: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N38210	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.0
N38220	01_C013	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.0
N38520	01_C028	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.5
N74210	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.0
N74211	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.0
N74320	01_C014	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v4.8
N74520	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.9
N76210	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	-	Supported by design	v4.0
N76220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	Supported by design	v4.12
N76320	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Motion	Supported by design	v4.2

OEM

--: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
N76520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
N77320	M3.1.5.21	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v4.0
N77510	M3.04.15.C0 1	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.0
N78210	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.0
N78220	01_C030	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.0
N78520	01_C028	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.6



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**1. Version 1.02 can be backward compatible to version 1.01.**

**2. ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software.  
 To confirm the compatibility, it is recommended to execute testing prior to any further usage.**

**The following products have been already verified by NUUO.**

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AXIS	P3301	5.11	MJPEG H.264	1	Camera	768x576	Y/Y	1/1	-	Motion	None	v1.2
BASLER	BIP2-1600-25c-dn	3.14.1	MJPEG H.264	1	Camera	1600x1200	N/N	-	-	-	None	v3.9
Note:	1. The I/O number is 0 in onvif/onvif. (Camera Firmware issue) 2. Only one stream profile in onvif/onvif (Camera Firmware issue) 3. Not support MPEG4 in onvif/onvif (Camera Firmware issue) 4. Not support motion. (Camera Firmware issue) 5. Not support audio but software shows enable/disabe audio option. (Camera Firmware issue) 6. The list of camera Resolution isn't synchronized with the one on camera's web. (Camera Firmware issue) 7. Cannot connect video when FPS >= 2. (Camera Firmware issue) 8. The list of camera Framerate isn't synchronized with the one on camera's web. 9. Not support http but software shows http option at protocol setting. (NUUO software limitation) 10. Cannot connect video streaming if RTSP port is changed. (Camera Firmware issue)											
Canon	VB-H41	Ver 1.0.0(Built Number: 2483:50)	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	-	None	v3.6
Note:	1. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 2. Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation) 3. Snapshot does not support. (NUUO server limitation)											
D-link	DCS-C43W-20F/B02	V4.0.2.R1 1.000005 23.12010	H.264	1	Camera	1280x720	N/N	-	-	Motion	None	v3.5
Note:	1. Some resolution of 2nd stream cannot to be set. (Camera Firmware issue) 2. 3rd stream cannot use. (Camera Firmware issue) 3. Due to Onvif restriction, dependency between framerate and bitrate cannot be showed. (ONVIF limitation) 4. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 5. Camera cannot support connection via HTTP.											
HiStream	HH9803C-L16	2.3.1.4.0.22	MJPEG H.264	1	Camera	704x480	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
Note:	1. Camera only support H.264 and MJPEG, but it responds that it can support H.264 and MJPEG and MPEG4. (Camera Firmware issue) 2. Due to Onvif restriction, some frame rate and bit rates cannot be set. (ONVIF limitation) 3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue) 4. DI/DO/MD's status cannot get from camera. (Camera Firmware issue) 5. Camera cannot support connection via HTTP.											



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**1. Version 1.02 can be backward compatible to version 1.01.**

**2. ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software.  
 To confirm the compatibility, it is recommended to execute testing prior to any further usage.**

**The following products have been already verified by NUUO.**

Brand Name	Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Jetstor	JV-OSD0200-X20	V6.04.01-CGBO24200-140808	MJPEG H.264	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	None	v3.8
Note:	1. Camera cannot respond valid status of motion detection. (Camera Firmware issue) 2. Camera cannot support connection via HTTP. 3. Camera is unable to achieve maximum FPS. (Camera Firmware issue)											
LILIN	IPS518	1.2.02	MJPEG H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.13
Note:	1. The range of bitrate and frame rate may be different from what camera web shows. (Camera Firmware issue) 2. Image setting, digital input, talk and motion detection do not function. (Camera Firmware issue) 3. Zoom and focus do not function normally. (Camera Firmware issue) 4. Video settings may not be synchronized to camera web. (Camera Firmware issue) 5. Audio is not available under TCP and UDP. (Camera performance limitation) 6. Autodetection and camera search do not function. (Generic model) 7. The camera supports 4 streams, while only 3 streams could be displayed. (NUUO server limitation) 8. Some frame rates and bit rates cannot be set. (ONVIF limitation) 9. Dependency between frame rate and bitrate is not shown. (ONVIF limitation) 10. Flip and mirror are not supported. (ONVIF limitation)											
ONVIF	ONVIF 17.06	v3.4.0804.1003.3.0.83.0.0	H.265 H.264 MJPEG	1	Camera	2536x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v5.11
Note:	Support generic dwarf Test by IPR57/41ACDN/Z/13 in DP v5.11.(FW : v3.4.0804.1003.3.0.83.0.0) 1. Motion detection is not supported on MJPEG. (Camera performance limitation) 2. Not support PTZ (Camera Fireware issue) 3. The result of camera search is wrong. (NUUO server limitation)											
Qihan	QH-NV431	v2.3.8.1	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v3.4
Note:	1. Due to Onvif restriction, some bit rates cannot be set. (ONVIF limitation) 2. 2nd or 3rd stream cannot be connected when 1st stream under high bitrate. (Camera performance limitation)											



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**1. Version 1.02 can be backward compatible to version 1.01.**

**2. ONVIF specification must be fully implemented by camera vendors in order to be supported by NUUO software.  
 To confirm the compatibility, it is recommended to execute testing prior to any further usage.**

**The following products have been already verified by NUUO.**

Brand Name	Device Name	Tested Firmwar e	Video Forma t	Video Ch	Device Type	Max Resolu tion	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePa ck Version
Stanley	1310-F	NSD-1.0.9.58	H.264	1	Camera	1280x720	N/N	-	-	Motion	None	v3.4
TVT	TD9422M	3.4.0Beta6	H.264	1	Camera	1280x720	Y/N	-	-	Motion	None	v3.5
Note:	1. Camera only support H.264, but it responds that it can support H.264 and MJPEG. (Camera Firmware issue) 2. Camera cannot respond valid status of motion detection. (Camera Firmware issue) 3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue) 4. Camera cannot support audio with a-law. (ONVIF limitation) 5. Camera cannot support connection via HTTP.											
Tyco	ADVEIPSD37AH	V1.04_STD-1	H.264 MJPEG	1	Camera	704x576	Y/N	1/1	Pan Tilt Zoom	Motion	None	v3.5
Note:	1. Camera only support H.264, but it responds that it can support H.264 and MJPEG. (Camera Firmware issue) 2. Camera cannot respond valid status of motion detection. (Camera Firmware issue) 3. Camera doesn't support talk, but it responds that it can talk. (Camera Firmware issue) 4. Camera cannot support audio with a-law. (ONVIF limitation) 5. Camera cannot support connection via HTTP.											
Wapa	BL-C7HA1080IL-T18	V6.03.05-CGBO24200-1210	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	-	None	v3.4
Note:	1. Due to Onvif restriction, some bit rates cannot be set. (ONVIF limitation) 2. Framerate setting has no effect on streaming. (Camera Firmware issue)											



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IP36MDOM 3MPX</b>	1.0.0.5 20160727	H.264	1	Camera	2048x1536	Y/Y	-	-	Motion	None	v5.3



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-HCE481	None	MJPEG	1	Camera	640x480	Y/Y	2/1	-	Motion	Supported by design	v1.0
BB-HCM100	None	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.2
BB-HCM110	None	MJPEG	1	Camera	640x480	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.2
BB-HCM311	None	MJPEG	1	Camera	640x480	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
BB-HCM331	1.3	MJPEG	1	Camera	640x480	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.0
BB-HCM371	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
BB-HCM381	1.32	MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
BB-HCM403	None	MJPEG	1	Camera	640x480	Y/Y	2/1	-	Motion	Supported by design	v1.0
BB-HCM511	3.20R01	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	-	Motion	None	v1.0
BB-HCM515	3.14R01	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/1	-	Motion	None	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-HCM527	3.51R00	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	-	Motion	None	v1.0
BB-HCM531	3.51R00	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	-	Motion	None	v1.0
BB-HCM547	3.60R00	H.264 MJPEG	1	Camera	640x480	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v1.3
BB-HCM580	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	-	Motion	Supported by design	v1.2
BB-HCM581	3.21R00	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
BB-HCM701	4.30R00	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.3
BB-HCM705	4.30R00	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/N	1/0	-	Motion	None	v1.1
BB-HCM715	4.30R00	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.1
BB-HCM735	4.30R00	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.1
BB-HCS301	None	MJPEG	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BB-SC364	4.32	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v5.6
BB-SC382	Refer to BB-SC384B(V4.63)	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.4
BB-SC384B	V4.63	H.264 MJPEG	1	Camera	1280x960	Y/N	3/1	Pan Tilt Zoom	Motion	None	v5.4
BB-ST162	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v2.17
BB-SW172	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v2.17
BB-SW374	Refer to BB-SC364(4.32)	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.6
BL-C1	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
BL-C10	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
BL-C101	3.52R00	MJPEG MPEG4	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.0
BL-C111	3.10R01	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
BL-C121	3.52R00	MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	None	v1.0
BL-C131	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
BL-C140	3.51	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.2
BL-C160	3.51R01	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
BL-C20	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
BL-C210	4.31R00	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.7
BL-C230	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.7
BL-C30	None	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
BL-VP101	1.67	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Test by link	v2.16
BL-VP104	1.81	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Test by link	v2.16

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>BL-VP104W</b>	Refer to BL-VP104(1.81)	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	Motion	Supported by design	v2.17
<b>BL-VT164</b>	1.66	H.264 MJPEG	1	Camera	1280x720	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v2.16
<b>BL-VT164W</b>	Refer to BL-VT164(1.66)	H.264 MJPEG	1	Camera	1280x720	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v2.17
<b>DG-GXE100</b>	2.02	H.264	1	Camera	720x480	N/N	-	Pan Tilt Zoom	Motion	Test by link	v4.0
<b>DG-GXE500</b>	1.6	H.264	4	Video Server	720x480	Y/Y	3/2	Pan Tilt Zoom	Motion	Test by link	v4.0
<b>DG-NF284</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>DG-NF302</b>	1.5	MJPEG MPEG4	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.0
<b>DG-NP240</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
<b>DG-NP244</b>	1.70J2	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.0
<b>DG-NP304</b>	1.5	MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	None	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
DG-NS202	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
DG-NS202A	2.60J3	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NS950	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NS954	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NW960	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-NW964	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
DG-SC385	Refer to WV-SC385(1.61)	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v2.18
DG-SF132	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
DG-SF334	1	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	None	v1.11
DG-SP102	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>DG-SW155</b>	Refer to SW-155/M(1.06)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.8
<b>K-EF134L</b>	V2.42	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v4.1
<b>K-EW114L</b>	2.420.PS00.0.T, build:2014-09-19	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v4.1
<b>KX-HCM110</b>	None	MJPEG	1	Camera	640x480	Y/N	2/1	-	Motion	Supported by design	v1.0
<b>KX-HCM280A</b>	None	MJPEG	1	Camera	640x480	N/N	1/1	-	Motion	Supported by design	v1.0
<b>WJ-GXE500</b>	1.03	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.7
<b>WJ-NT304</b>	1.04	MJPEG MPEG4	4	Video Server	640x480	Y/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>WJ-NT314</b>	None	MJPEG MPEG4	4	Video Server	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.0
<b>WV-NF284</b>	v1.02	MJPEG MPEG4	1	Camera	640x480	Y/N	-	Pan Tilt Zoom	Motion	None	v1.0
<b>WV-NF302</b>	1.40E4_1.06	MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	None	v1.0

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-NM100</b>	None	MJPEG MPEG4	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>WV-NP1000</b>	None	MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	Supported by design	v1.0
<b>WV-NP1004</b>	1.21	MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v1.0
<b>WV-NP240</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
<b>WV-NP244</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/N	-	-	Motion	Supported by design	v1.0
<b>WV-NP304</b>	1.50E5_1.06	MJPEG MPEG4	1	Camera	1280x	Y/Y	-	-	Motion	None	v1.0
<b>WV-NP472</b>	None	MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.0
<b>WV-NP502</b>	1	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	-	-	Motion	None	v1.0
<b>WV-NS202</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v1.0
<b>WV-NS202A</b>	2.6	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-NS324</b>	2.01	MJPEG	1	Camera	640x480	N/N	-	Pan Tilt Zoom	Motion	None	v1.0
<b>WV-NS950</b>	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
<b>WV-NS954</b>	1.06E0	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
<b>WV-NW484</b>	160000	MJPEG MPEG4	1	Camera	640x480	N/N	-	-	Motion	None	v1.7
<b>WV-NW502S</b>	1.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	-	-	Motion	None	v1.0
<b>WV-NW960</b>	1.5	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
<b>WV-NW964</b>	1.40E3	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	None	v1.0
<b>WV-SC384</b>	Refer to WV-SC385(2.1)	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.18
<b>WV-SC385</b>	2.1	H.264	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v4.2
<b>WV-SC386</b>	1.44	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-SC588</b>	2.43	H.264	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v5.9
<b>WV-SC588A</b>	Refer to WV-SC588(2.43)	H.264	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v5.9
<b>WV-SF132</b>	Refer to WV-SP102(1.81)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.17
<b>WV-SF135</b>	Refer to SW-155/M(1.06)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.17
<b>WV-SF332</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.7
<b>WV-SF335</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Supported by design	v1.7
<b>WV-SF336</b>	1.03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	None	v1.7
<b>WV-SF342</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.11
<b>WV-SF346</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.11
<b>WV-SF438</b>	1.04	H.264 MJPEG	1	Fisheye Camera	2048x1536	Y/Y	3/1	-	Motion	None	v2.17

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SF539	1.6	H.264	1	Camera	1920x1080	Y/Y	3/1	-	Motion	Test by link	v4.0
WV-SFN310	v1.71	H.264	1	Camera	1280x960	Y/N	3/1	-	Motion	None	v3.13
WV-SFN310J	Refer to WV-SFN310(v1.71)	H.264	1	Camera	1280x960	Y/N	3/1	-	Motion	Supported by design	v3.13
WV-SFN311	Refer to WV-SFN310(v1.71)	H.264	1	Camera	1280x960	Y/N	3/1	-	Motion	Supported by design	v3.13
WV-SFV481	1.12	H.264	1	Camera	2992x2992	Y/Y	3/1	-	Motion	None	v4.2
WV-SFV611L	Refer to WV-SFV631L(1.83)	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2
WV-SFV631L	1.83	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2
WV-SFV631LT	Refer to WV-SFV631L(1.83)	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2
WV-SP102	1.81	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Test by link	v2.17
WV-SP105	1.61	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v2.10

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
WV-SP302	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	Supported by design	v1.7
WV-SP305	None	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	Supported by design	v1.7
WV-SP306	1.03	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	-	-	Motion	None	v1.7
WV-SP508	1.05	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	-	Motion	Test by link	v2.1
WV-SP509	1.07	H.264 MJPEG	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v2.1
WV-SPN311	v1.71	H.264	1	Camera	1280x720	Y/Y	3/1	-	Motion	None	v4.0
WV-SPN631	Refer to WV-SFV631L(1.83)	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2
WV-SPW631L	Refer to WV-SFV631L(1.83)	H.264	1	Camera	2048x1536	Y/Y	3/1	-	Motion	None	v4.2
WV-ST162	1.81	H.264 MJPEG	1	Camera	800x600	N/N	-	Pan Tilt Zoom	Motion	Test by link	v2.17
WV-ST165	1.44	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-SW152/M</b>	Refer to SW-155/M(1.06)	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v1.17
<b>WV-SW155</b>	2.02	H.264	1	Camera	1280x720	N/N	3/1	-	Motion	Test by link	v4.0
<b>WV-SW155/M</b>	1.06	H.264 MJPEG	1	Camera	640x480	N/N	-	-	Motion	None	v1.17
<b>WV-SW158</b>	1.07	H.264 MJPEG	1	Camera	2048x1536	Y/N	-	-	Motion	None	v3.11
<b>WV-SW172</b>	Refer to WV-ST162(1.81)	H.264 MJPEG	1	Camera	800x600	N/N	-	Pan Tilt Zoom	Motion	Supported by design	v2.17
<b>WV-SW174W</b>	1.81	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v3.1
<b>WV-SW175</b>	Refer to WV-ST165(1.44)	H.264 MJPEG	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	Test by link	v2.1
<b>WV-SW314</b>	Refer to WV-SW316L(1.46)	H.264 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v2.1
<b>WV-SW316</b>	1.46	H.264 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v2.1
<b>WV-SW316L</b>	1.46	H.264 MJPEG	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v2.1

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WV-SW352</b>	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.13
<b>WV-SW355</b>	1.01	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v1.13
<b>WV-SW395</b>	Refer to WV-SC385(2.1)	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v2.18
<b>WV-SW396</b>	1.44	H.264 MJPEG MPEG4	1	Camera	1280x960	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v2.0
<b>WV-SW458</b>	1.6	H.264	1	Camera	1920x1080	Y/Y	3/1	-	Motion	None	v4.0
<b>WV-SW558</b>	Refer to WV-SP509(1.07)	H.264 MJPEG	1	Camera	640x480	N/N	3/1	-	Motion	Supported by design	v2.1
<b>WV-SW559</b>	Refer to WV-SP509(1.07)	H.264 MJPEG	1	Camera	640x480	Y/Y	3/1	-	Motion	Supported by design	v2.1
<b>WV-SW598</b>	2.07	H.264	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v4.2



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D5118	1.6.13.9310-A1.4567	H.264 MJPEG	1	Camera	1280x960	N/N	-	Pan Tilt Zoom	Motion	None	v1.13
D5220	1.8.3.8-20121119.9320-A1.8615	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	Pan Tilt Zoom	Motion	None	v2.20
IBPS110-ER	03.29.59	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Zoom	Motion	Test by link	v4.15
ID10	None	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	-	Supported by design	v1.5
ID30	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	Supported by design	v1.5
IDE20	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	Supported by design	v1.5
IDS0	None	H.264 MJPEG MPEG4	1	Camera	800x608	Y/N	1/1	-	-	Supported by design	v1.5
IE10	None	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	-	Supported by design	v1.5
IE30	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	Supported by design	v1.5
IEE10	None	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	-	Supported by design	v1.5

-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IEE20</b>	None	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	-	Supported by design	v1.5
<b>IES0</b>	None	H.264 MJPEG MPEG4	1	Camera	800x608	Y/N	1/1	-	-	Supported by design	v1.5
<b>IL10</b>	1.8.2.4.8310-03.9119	H.264 MJPEG	1	Camera	1280x720	N/N	-	-	-	None	v2.20
<b>IM10</b>	1.8.2.18-20121109-1.8272-01.8	H.264 MJPEG	1	Camera	1280x960	Y/N	-	-	Motion	None	v2.20
<b>IMPS110-1</b>	03.29.59	H.264 MJPEG	1	Camera	800x600	Y/Y	1/1	Zoom	Motion	Test by link	v4.15
<b>IMSO</b>	None	H.264 MJPEG MPEG4	1	Camera	800x608	Y/N	1/1	-	-	Supported by design	v1.5
<b>IP110</b>	01.02.0006	MPEG4 MJPEG	1	Camera	704x576	N/N	-	-	-	None	v1.19
<b>IX10</b>	None	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/1	-	-	None	v1.6
<b>IX30</b>	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	Supported by design	v1.5
<b>IXE20</b>	1.6.4.9081	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	-	-	None	v1.5





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IXS0</b>	1.4.9.9080	H.264 MJPEG MPEG4	1	Camera	800x608	Y/N	-	-	-	None	v1.5
<b>SpectralIV-IP</b>	01.02.0006	MPEG4 MJPEG	1	Camera	704x576	N/N	-	-	-	None	v1.19

-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PBY-H626A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7926A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7926AM	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7982	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7982M	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H79882	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7A26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7A82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7A855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7B82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10

-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PBY-H7B82M	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-H7B882	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HB26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HB855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HC26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HC855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HD26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HD855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HH26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HH855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10

-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PBY-HK26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HK855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HL26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HL26AM	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HL82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HL882	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HMi855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HNi855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HP82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HQ26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10

-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PBY-HQ855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HS26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HS855	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-HV26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-Hi26A	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-Hi26AM	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-Hi82	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-Hi82M	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
PBY-Hi882	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10

# Probe

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PIC-H2010	v1.0.4_2012 1029	H.264	1	Camera	1920x1088	Y/N	1/1	-	Motion	None	v2.9
PID-H1300	v1.0.1_2012 1005	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.9
PIN-H1310	v1.0.0_2012 0627	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	None	v2.4
PMI-H2000	v1.0.2_2012 0906	H.264 MJPEG	1	Camera	1920x1088	Y/N	2/1	Pan Tilt Zoom	Motion	None	v2.9



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmwar e	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v1.8.0601 .1001.11 0.0.36.1. 0	H.264 MJPEG	1	Fisheye Camera	2592x1944	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.8

Note:	<p>Support generic dewarp</p> <ol style="list-style-type: none"><li>1. Audio in with Raw PCM codec are not supported.(Camera Firmware issue)</li><li>2. Home function are not supported. (Camera Firmware issue)</li><li>3. The streaming has broken under MJPEG format.(Camera Firmware issue)</li><li>4. Due to Onvif restriction, some frame rate and bit rates cannot be set.(Camera performance limitation)</li></ol>
-------	--



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>C6475</b>	2	MJPEG MPEG4	1	Camera	704x480	N/N	-	Pan Tilt Zoom	-	None	v1.0
<b>PNV-9080R</b>	1.00_16062 0	H.264 H.265	1	Camera	4000x3000	Y/N	1/1	-	Motion	Test by link	v5.9
<b>QNV-7080R</b>	1.00_16081 9	H.264 H.265	1	Camera	2592x1520	Y/Y	1/1	-	Motion	Test by link	v5.9
<b>SNB-1000</b>	1.07_11040 7	H.264 MJPEG MPEG4	1	Camera	640x480	N/N	1/1	-	-	None	v1.17
<b>SNB-1001</b>	1.00_11122 6	H.264 MJPEG	1	Camera	640x480	Y/Y	1/0	-	Motion	Test by link	v2.2
<b>SNB-2000</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	N/N	2/2	-	-	Supported by design	v1.2
<b>SNB-3000</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	-	Supported by design	v1.2
<b>SNB-3002</b>	Refer to SND- 3082/F(2.10 _130416)	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	Motion	Supported by design	v2.18
<b>SNB-5000</b>	3_24_14070 1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v4.14
<b>SNB-5000A</b>	Refer to SND- 5080/F(3.10 _130416)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.16





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNB-5001	1.00_12052 1	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8
SNB-5003	1.12_13103 1	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v3.0
SNB-5004	3.00_14090 3	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.1
SNB-6003	Refer to SND- 6083(1.00_1 30412)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.14
SNB-6004	3.01_14080 4	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v3.10
SNB-7000	None	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	Supported by design	v1.13
SNB-7001	Refer to SND- 7011(1.00_1 20601)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v2.7
SNB-7002	1.06_13040 2	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.16
SNB-7004	3.00_14091 5	H.264	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v5.0
SNC-B2315	2.11	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-B2331	1	H.264 MJPEG MPEG4	1	Camera	720x576	N/N	2/2	-	Motion	None	v1.0
SNC-B2335	1.01	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0
SNC-B5368	1	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0
SNC-B5395	2.1	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0
SNC-B5399	1.01	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	Motion	None	v1.0
SNC-C6225	1.01	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.0
SNC-C7225	1.01	MJPEG MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.0
SNC-C7478	1.01_09062 5	MJPEG MPEG4	1	Camera	720x576	Y/Y	8/4	Pan Tilt Zoom	Motion	None	v1.0
SNC-M300	2.11_09072 9	MJPEG MPEG4	1	Camera	2048x1536	Y/Y	2/2	-	Motion	None	v1.0
SND-1011	1.00_11122 6	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Test by link	v2.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SND-1080</b>	1.00_11122_6	H.264 MJPEG	1	Camera	640x480	Y/Y	1/0	-	Motion	Test by link	v2.2
<b>SND-3080</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	N/N	2/2	-	-	Supported by design	v1.2
<b>SND-3082</b>	Refer to SND-3082/F(2.10_130416)	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	Motion	Supported by design	v2.18
<b>SND-3082/F</b>	2.10_130416	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	Motion	None	v2.16
<b>SND-5010</b>	1.00_12062_6	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v2.9
<b>SND-5011</b>	1.00_12052_1	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8
<b>SND-5061</b>	1.00_12052_1	H.264 MJPEG	1	Camera	1280x1080	N/N	1/0	-	Motion	None	v2.8
<b>SND-5080/F</b>	3.10_130416	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.16
<b>SND-5083</b>	Refer to SNB-5004(1.12_131031)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>SND-5084</b>	Refer to SNB-5004(1.12_131031)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SND-6011R</b>	1.11_13101 1	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Test by link	v3.2
<b>SND-6083</b>	1.00_13041 2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.16
<b>SND-6084</b>	3.01_14080 4	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Test by link	v3.10
<b>SND-6084R</b>	Refer to SNB- 6004(1.00_1 30316)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
<b>SND-7011</b>	1.00_12060 1	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	None	v2.7
<b>SND-7061</b>	Refer to SND- 7011(1.00_1 20601)	H.264 MJPEG	1	Camera	2048x1536	N/N	1/0	-	Motion	Supported by design	v2.7
<b>SND-7080</b>	1.00_11031 9	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	None	v1.17
<b>SND-7082</b>	1.00_12082 4	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v2.7
<b>SND-7082/F</b>	Refer to SNB- 7002(1.06_1 30402)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>SND-L6013R</b>	Refer to SNO- L6083R(1.00 _150403)	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v4.8



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNF-7010V</b>	1.00_130806	H.264 MJPEG	1	Fisheye Camera	2048x1536	Y/Y	-	-	Motion	None	v2.18
<b>SNF-8010</b>	1.00_140719	H.264	1	Fisheye Camera	2560x2048	Y/Y	1/1	-	Motion	Test by link	v4.7
<b>SNO-1080R</b>	1.00_120125	H.264 MJPEG	1	Camera	640x480	Y/Y	1/0	-	Motion	Test by link	v2.2
<b>SNO-5080R</b>	3.10_130416	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v2.16
<b>SNO-6011R</b>	Refer to SND-6011R(1.11_131011)	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v3.5
<b>SNO-6084</b>	Refer to SND-6083(1.00_130412)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>SNO-6084R</b>	Refer to SNB-6004(1.00_130316)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
<b>SNO-7080R</b>	2.00_121004	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Test by link	v3.2
<b>SNO-7082R</b>	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>SNO-7084R</b>	3.00_140915	H.264	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Test by link	v4.11



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNO-L6013R</b>	Refer to SNO-L6083R(1.00_150403)	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v4.8
<b>SNO-L6083R</b>	1.00_150403	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	None	v4.7
<b>SNP-3120V</b>	1.22_110603	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.17
<b>SNP-3301</b>	1.21_110310	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.13
<b>SNP-3302/H</b>	Refer to SNP-3371/H/TH(1.01_111104)	H.264 MJPEG MPEG4	1	Video Server	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.1
<b>SNP-3370</b>	1.21_110310	H.264 MJPEG MPEG4	1	Camera	704x480	Y/N	4/2	Pan Tilt Zoom	Motion	None	v1.17
<b>SNP-3371/H/TH</b>	1.01_111104	H.264 MJPEG MPEG4	1	Video Server	704x576	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v2.0
<b>SNP-3430H</b>	1.07_110324	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	8/4	Pan Tilt Zoom	Motion	None	v1.17
<b>SNP-5200/H</b>	1.00_110309	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	4/2	Pan Tilt Zoom	Motion	Test by link	v1.17
<b>SNP-5300</b>	1.10_130523	H.264 MJPEG	1	Camera	1280x1024	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v2.17



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNP-6200	1.00_130703	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v2.17
SNP-6200H	Refer to SNP-6200(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200HP	Refer to SNP-6200(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200P	Refer to SNP-6200(V1.00_120302)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.6
SNP-6200RH	3.02_140722	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.11
SNP-6320H	1.01_141007	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.10
SNV-1080	Refer to SNO-1080R(1.00_120125)	H.264 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	Supported by design	v2.2
SNV-1080R	Refer to SNO-1080R(1.00_120125)	H.264 MJPEG	1	Camera	640x480	Y/Y	1/0	-	Motion	Supported by design	v2.2
SNV-3080	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	-	-	Supported by design	v1.2
SNV-3082	Refer to SND-3082/F(2.10_130416)	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	Motion	Supported by design	v2.18



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNV-3120	1.20_10122 1	H.264 MJPEG MPEG4	1	Camera	704x576	Y/N	-	Zoom	-	None	v1.11
SNV-5010	2.00_11060 8	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	None	v1.17
SNV-5080	Refer to SND- 5080/F(3.10 _130416)	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.16
SNV-5080R	3.10_13041 6	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.16
SNV-5084	Refer to SNB- 5004(1.12_1 31031)	H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
SNV-6012M	1.00_13070 4	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	-	Motion	Test by link	v3.1
SNV-6084	Refer to SND- 6083(1.00_1 30412)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
SNV-6084R	Refer to SNB- 6004(1.00_1 30316)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.1
SNV-7080	1.00_11031 9	H.264 MJPEG	1	Camera	2048x1536	Y/N	1/1	-	-	Test by link	v1.17
SNV-7080R	Refer to SNO- 7080R(2.00_ 121004)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Zoom	Motion	Supported by design	v3.2





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNV-7082</b>	Refer to SNB-7002(1.06_130402)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>SNV-L6083R</b>	1.00_150403	H.264	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v4.8
<b>SNZ-5200</b>	1.02_110603	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Zoom	Motion	None	v1.17
<b>SPE-100</b>	v1.19 110317 3	H.264 MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.19
<b>SPE-400</b>	1.40_120201	H.264 MJPEG MPEG4	4	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v2.0
<b>XNB-8000</b>	1.01_170520	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v5.12
<b>XND-6080</b>	1.01_170520	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.12
<b>XND-6080R</b>	1.01_170520	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.12
<b>XND-6080RV</b>	1.01_170520	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.12
<b>XND-6080V</b>	1.01_170520	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.12



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
XNO-8080R	1.01_170520	H.265 H.264	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Test by link	v5.12



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-100PBIA	2.400.BW00.0.T, build : 2015-10-22	H.264 MJPEG	1	Camera	1280x960	Y/Y	-	-	Motion	None	v4.10
SNC-200PDIA	2.210.BW00.8.R	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v4.10
SNC-211FDIA	Refer to SNC-200PDIA(V2.210.BW00.8.R.20151124)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v4.12
SNC-211RSIA	2.210.BW01.0.R.A.2017.3N.NR, build : 2015-04-09	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v4.1
SNC-231RZNA	2.400.BW06.0.R.T1.484, build : 2016-01-13	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Pan Tilt Zoom	Motion	None	v4.11
SNC-311FBIF	Refer to SNC-311FEIF(V2.420.BW00.0.T.20150213)	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v4.0
SNC-311FEIF	V2.420.BW00.0.T.20150213	H.264 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.0
SNC-311RBIA	V2.420.BW00.0.T.20150213	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Zoom	Motion	None	v4.0
SNC-311RDIA	Refer to SNC-311RBIA(V2.420.BW00.0.T.20150213)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	-	Motion	Supported by design	v4.0



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-311RINA</b>	Refer to SNC-311RBIA(V2.420.BW00.0.T.20150213)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	-	Motion	Supported by design	v4.0
<b>SNC-3302</b>	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.20
<b>SNC-3303</b>	v1.0.3.454	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	None	v3.3
<b>SNC-3305</b>	1.0.2.386	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	-	Motion	None	v2.19
<b>SNC-331DLNN</b>	V2.400.BW00.0.R	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v4.4
<b>SNC-3322</b>	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.20
<b>SNC-3342</b>	v1.0.0.11	H.264 MJPEG	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v2.4
<b>SNC-3901MDN</b>	3.5	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.4
<b>SNC-3903M</b>	0.9.6.6	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	-	Test by link	v1.11
<b>SNC-390DN/W</b>	1.5	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-4302	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v2.20
SNC-431FBIF	V2.400.BW0 0.0.R.20160 324	H.264 MJPEG	1	Camera	2688x1520	N/N	-	-	Motion	Test by link	v4.15
SNC-431FEIF	Refer to SNC-431FBIF(2.4 00.BW00.0. R, build : 2016-03-24)	H.264 MJPEG	1	Camera	2688x1296	N/N	-	-	Motion	Supported by design	v4.16
SNC-431RBIA	Refer to SNC-100PBIA(2.4 00.BW00.0.T , build : 2015-10-22)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v4.12
SNC-431RDIA	Refer to SNC-100PBIA(2.4 00.BW00.0.T , build : 2015-10-22)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Supported by design	v4.12
SNC-431RLNN	Refer to SNC-331DLNN(V2 .400.BW00.0 .R, build : 2015-7-27)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Pan Tilt Zoom	Motion	Supported by design	v4.12
SNC-4323IR	Refer to SNC-6323IRH(v1. 0.3.454)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v3.3
SNC-5211MIR	3.1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	-	None	v1.3
SNC-5211R/W	1.5	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	None	v1.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-5312IR</b>	Refer to SNC-6312IRH(1.0.2.386)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v2.19
<b>SNC-5315IR</b>	Refer to SNC-6315IRH(1.0.2.386)	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	Supported by design	v2.19
<b>SNC-5321MIR</b>	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	-	Supported by design	v1.11
<b>SNC-5323IRH</b>	Refer to SNC-6323IRH(v1.0.3.454)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v3.3
<b>SNC-565IR/W</b>	1.5	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Zoom	-	None	v1.1
<b>SNC-6163ID</b>	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	-	Supported by design	v1.11
<b>SNC-620/W</b>	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	-	Supported by design	v1.1
<b>SNC-6201M</b>	3.1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	-	-	None	v1.3
<b>SNC-6202</b>	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.20
<b>SNC-6212IR</b>	Refer to SNC-6312IRH(1.0.2.386)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	Supported by design	v2.19



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-6302	Refer to SNC-3302(v1.0.3.447)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.20
SNC-6303	Refer to SNC-3303(v1.0.3.454)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilt	Motion	Supported by design	v3.3
SNC-6303M	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	-	Supported by design	v1.11
SNC-6312IRH	1.0.2.386	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.19
SNC-6315IRH	1.0.2.386	H.264 MJPEG	1	Camera	2592x1944	Y/Y	1/1	Zoom	Motion	None	v2.19
SNC-6323IRH	v1.0.3.454	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v3.3
SNC-6332	1.0.0.10	H.264 MJPEG	1	Camera	1600x1200	Y/Y	4/1	-	Motion	None	v2.1
SNC-670ID/W	1.3	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	-	None	v1.1
SNC-8322I/HO	v1.0.3.447	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.20
SNC-P3601M	3.5	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	-	None	v1.4



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-P3603M</b>	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt	-	Supported by design	v1.11
<b>SVS-3001</b>	None	H.264 MJPEG	1	Camera	720x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.19





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FBN-D101N</b>	v1.0.1_2012 1005	H.264 MJPEG	1	Camera	1280x720	Y/	1/1	-	Motion	Supported by design	v3.8
<b>FBN-D101P</b>	v1.0.1_2012 1005	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	-	Motion	Supported by design	v3.8
<b>PSN-1012N</b>	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
<b>PSN-1012P</b>	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
<b>PSSN-1012N</b>	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
<b>PSSN-1012P</b>	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	2/1	Pan Tilt Zoom	Motion	Supported by design	v3.8
<b>RIN-0012N</b>	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8
<b>RIN-0012P</b>	v1.0.4_2012 1029	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion	Supported by design	v3.8



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Shany all series don't support Home feature, has B/W image with very low quality value in MJPEG codec.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-10XX	Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002FF)	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
SNC-20XX	Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002FF)	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
SNC-21X0	SHANY gWT510971 5N00001 V21 110922FF	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/N	1/1	Pan Tilt Zoom	-	Test by link	v1.16
SNC-21XX	SHANY gWT813003 5N00001 V21 110915FF	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
SNC-22XX	SHANY gWT820271 5N00001 V21 110922FF	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/N	1/1	Pan Tilt Zoom	-	Test by link	v1.16
SNC-23XX	SHANY gWT830003 6N00001 V21 110915FF	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/N	1/1	Pan Tilt Zoom	-	None	v1.16
SNC-81XX	Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002FF)	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
SNC-91XX	SHANY gWT8SD823 6SE0000 V21 111002EE	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Test by link	v1.16
SNC-D1XX	Refer to SNC-91XX(SHANY gWT8SD823 6SE0000 V21 111002FF)	H.264 MJPEG MPEG4	1	Camera	720x480	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Shany all series don't support Home feature, has B/W image with very low quality value in MJPEG codec.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-HD2XX</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
<b>SNC-HD81X2</b>	SHANY gWT820102 2SE0001 V21 110915FF	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt Zoom	-	None	v1.16
<b>SNC-HD91X2</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15
<b>SSC-RX01N</b>	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/1	Pan Tilt Zoom	-	Supported by design	v1.15

# SONY

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.  
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	1.7.0	H.264 MJPEG	1	Fisheye Camera	1920x1080	Y/Y	2/2	-	Motion	None	v2.17
Note:	Support generic dewarp Support G6 model. In certain scenarios i.e. under high frame rate and resolution with multiple stream condition, camera might have limitation by bandwidth specification. For further information, please visit Sony A&E Portal: <a href="https://www.security.sony.biz/ssp/ae/homeDisplay.do">https://www.security.sony.biz/ssp/ae/homeDisplay.do</a>										
SNC-CH110/B	1.22.00	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v1.8
SNC-CH110/S	1.22.00	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v1.8
SNC-CH120	1.8	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/0	-	Motion	Test by link	v2.18
SNC-CH140	1.07.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/2	-	Motion	None	v1.3
SNC-CH160	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	Zoom	Motion	None	v3.7

**SONY.**

--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.**  
**Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-CH180</b>	1.10.03	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	1/2	-	Motion	Test by link	v1.3
<b>SNC-CH210/B</b>	1.78.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.11
<b>SNC-CH210/S</b>	1.78.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	None	v2.11
<b>SNC-CH220</b>	1.21.02	H.264 MJPEG MPEG4	1	Camera	1920x1440	N/N	1/1	-	Motion	None	v1.8
<b>SNC-CH240</b>	1.10.01	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.3
<b>SNC-CH260</b>	1.78.00	H.264 MJPEG MPEG4	1	Camera	1920x1440	N/N	1/1	Zoom	Motion	None	v2.11
<b>SNC-CH280</b>	1.26.01	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/Y	1/2	Zoom	Motion	None	v1.9
<b>SNC-CM120</b>	1	MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-CS10</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.11
<b>SNC-CS11</b>	1.05	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.11

**SONY.**

--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.  
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-CS20	1	MJPEG MPEG4	1	Camera	768x576	Y/Y	1/2	-	Motion	None	v1.11
SNC-CS3	None	MJPEG	1	Camera	736x480	N/N	1/2	-	Motion	Supported by design	v1.11
SNC-CS50	2.21	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	-	Motion	None	v1.11
SNC-CX600W	1.7.0	H.264 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v2.17
SNC-DF40	1.17	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.11
SNC-DF50	1.11	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/2	-	Motion	None	v1.11
SNC-DF70	1.17	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.11
SNC-DF80	1.11	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/2	-	Motion	None	v1.11
SNC-DF85	0.9	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/2	-	Motion	None	v1.11
SNC-DH110	1.82.01	H.264 MJPEG	1	Camera	1280x960	N/N	-	-	Motion	None	v3.7

**SONY**

-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.  
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-DH110/B	1.27.00	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	None	v1.11
SNC-DH110/W	Refer to SNC-DH110/B (1.27.00)	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH110T/B	Refer to SNC-DH110/B (1.27.00)	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH110T/W	Refer to SNC-DH110/B (1.27.00)	H.264 MJPEG MPEG4	1	Camera	1280x960	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH120	1.78.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	Zoom	Motion	None	v2.11
SNC-DH120T	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v1.7
SNC-DH140	1.07.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/2	-	Motion	None	v1.3
SNC-DH140T	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/2	-	Motion	Supported by design	v1.7
SNC-DH160	1.13.00	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v1.7
SNC-DH180	1.10.02	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/2	-	Motion	None	v1.2

**SONY.**

--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.**  
**Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-DH210/B	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH210/W	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH210T/B	1.27.00	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	None	v1.9
SNC-DH210T/W	None	H.264 MJPEG MPEG4	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v1.11
SNC-DH220	1.82.01	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.7
SNC-DH220T	None	H.264 MJPEG MPEG4	1	Camera	1920x1440	N/N	1/1	-	Motion	Supported by design	v1.11
SNC-DH240	1.10.02	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/Y	1/2	-	Motion	Test by link	v1.3
SNC-DH240T	None	H.264 MJPEG MPEG4	1	Camera	1680x1056	Y/Y	1/2	-	Motion	Supported by design	v1.7
SNC-DH260	1.30.00	H.264 MJPEG MPEG4	1	Camera	1920x1440	N/N	1/1	Zoom	Motion	None	v1.9
SNC-DH280	1.26.01	H.264 MJPEG MPEG4	1	Camera	1920x1440	Y/Y	1/2	Zoom	Motion	None	v1.9



**SONY**

--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.  
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-DM110</b>	None	MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
<b>SNC-DM160</b>	1.01	MJPEG MPEG4	1	Camera	1280x960	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-DS10</b>	1.01	MJPEG MPEG4	1	Camera	768x576	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-DS60</b>	1	MJPEG MPEG4	1	Camera	768x576	Y/Y	1/2	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-EB600</b>	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
<b>SNC-EB600B</b>	1.9.2	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v3.0
<b>SNC-EB602R</b>	Refer to SNC-EB632R(2.2.1)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	Supported by design	v3.9
<b>SNC-EB630</b>	1.9.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v2.20
<b>SNC-EB630B</b>	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
<b>SNC-EB632R</b>	2.2.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.9

**SONY**

--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.  
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SNC-EM600	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM601	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM602R	Refer to SNC-EB600B(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM630	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM631	Refer to SNC-EB630(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.0
SNC-EM632R	1.9.2	H.264 MJPEG	1	Camera	1920x1080	N/N	-	Zoom	Motion	None	v3.1
SNC-EP520	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v1.14
SNC-EP521	1.42.00	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.18
SNC-EP550	1.51.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.18
SNC-EP580	1.42.00	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.0

**SONY.**

--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.**  
**Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-ER520</b>	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v1.14
<b>SNC-ER521</b>	1.40.00	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v1.14
<b>SNC-ER550</b>	1.78.00	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v2.11
<b>SNC-ER580</b>	1.82.01	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v3.6
<b>SNC-ER585</b>	1.78.00	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v2.15
<b>SNC-HM662</b>	1.2.0	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	None	v4.12
<b>SNC-P1</b>	1.28	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.11
<b>SNC-P5</b>	1.28	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/1	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-RH124</b>	1.84.00	H.264 MJPEG	1	Camera	1280x720	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.7
<b>SNC-RH164</b>	1.10.01	H.264 MJPEG MPEG4	1	Camera	1280x720	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v1.3

**SONY.**

--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.**  
**Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-RS44N</b>	None	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
<b>SNC-RS44P</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
<b>SNC-RS46N</b>	None	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
<b>SNC-RS46P</b>	1.10.02	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v1.3
<b>SNC-RS84N</b>	None	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
<b>SNC-RS84P</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
<b>SNC-RS86N</b>	None	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
<b>SNC-RS86P</b>	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v1.11
<b>SNC-RX530</b>	3.03	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-RX550</b>	2.01	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11

**SONY.**

--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.  
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-RX570</b>	3.01	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-RZ25</b>	1.29	MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-RZ30</b>	3.14	MJPEG	1	Camera	736x480	N/N	3/2	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-RZ50</b>	2.21	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.11
<b>SNC-VB600</b>	1.9.2	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	None	v2.20
<b>SNC-VB600B</b>	1.7.0	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	None	v2.17
<b>SNC-VB630</b>	2.2.1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	None	v3.10
<b>SNC-VB635</b>	1.11.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	None	v3.1
<b>SNC-VM600</b>	Refer to SNC- VB600(1.9.2 )	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v3.0
<b>SNC-VM600B</b>	Refer to SNC- VB600B(1.7. 0)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v2.17

**SONY**

--: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.  
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-VM601</b>	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v3.0
<b>SNC-VM601B</b>	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v3.3
<b>SNC-VM602R</b>	Refer to SNC-VB600(1.9.2)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	2/2	-	Motion	Supported by design	v3.0
<b>SNC-VM630</b>	Refer to SNC-VM632R(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v3.0
<b>SNC-VM631</b>	Refer to SNC-VM632R(1.9.2)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	Supported by design	v3.0
<b>SNC-VM632R</b>	1.9.2	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	-	Motion	None	v3.0
<b>SNC-WR600</b>	1.11.0	H.264 MJPEG	1	Camera	1280x1024	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.2
<b>SNC-WR602</b>	Refer to SNC-WR600(1.11.0)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.2
<b>SNC-WR630</b>	1.11.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.1
<b>SNC-WR632</b>	Refer to SNC-WR630(1.11.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.1

**SONY.**

--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.**  
**Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNC-XM631</b>	2.2.1	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.9
<b>SNC-XM632</b>	1.12.0	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	None	v3.2
<b>SNC-XM636</b>	Refer to SNC-XM632(1.12.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.2
<b>SNC-XM637</b>	Refer to SNC-XM632(1.12.0)	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Supported by design	v3.2
<b>SNC-Z20</b>	1.06	MJPEG	1	Camera	736x480	N/N	1/2	Zoom	Motion	None	v1.11
<b>SNC-ZB550</b>	1.82.01	H.264 MJPEG	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v3.11
<b>SNT-EP104</b>	None	H.264 MJPEG MPEG4	1	Video Server	720x480	N/N	-	-	-	Supported by design	v1.11
<b>SNT-EP154</b>	1.10.01	H.264 MJPEG MPEG4	4	Video Server	720x480	N/N	-	-	Motion	None	v1.3
<b>SNT-EX101</b>	None	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.11
<b>SNT-EX101E</b>	1.10.01	H.264 MJPEG MPEG4	1	Video Server	720x480	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.3

**SONY.**

**--: not available on camera**

**Y: Support Function**

**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**When use 2nd stream on "E" and "X" series, IP-cameras motion detection will not able to use.  
Please refer to Sony user's guide.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SNT-EX104</b>	1.10.01	H.264 MJPEG MPEG4	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	Test by link	v1.3
<b>SNT-EX154</b>	1.10.01	H.264 MJPEG MPEG4	4	Video Server	720x480	Y/Y	4/4	Pan Tilt Zoom	Motion	None	v1.3
<b>SNT-V704</b>	2.15	MJPEG MPEG4	4	Video Server	720x480	Y/Y	4/4	-	Motion	None	v1.11





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Nitida 12000</b>	01.10:01.08 :01.13:01.1 1:01.05:00. 04	H.264	1	Camera	1920x1080	N/N	-	-	-	None	v4.1



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Some framerate and bitrate can't be set due to Onvif restriction.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	v1.9.0601.1 001.3.0.36.0 .0 v3.4.0804.1 003.3.0.83.0 .0	H.265 H.264 MJPEG	1	Fisheye Camera	2536x1920	Y/Y	2/2	Pan Tlit Zoom	Motion	None	v5.11
Note:	<p align="center">Support generic dwarf</p> <p align="center">Test by IPR57/41ACDN/Z/13 in DP v5.11.(FW : v3.4.0804.1003.3.0.83.0.0)</p> <p align="center">1. Motion detection is not supported on MJPEG. (Camera performance limitation)</p> <p align="center">2. Not support PTZ (Camera Fireware issue)</p> <p align="center">Test by IPC54-40EDN in DP v3.13.(FW : v1.9.0601.1001.3.0.36.0.0) (I/O ch : 1/1)</p> <p align="center">1. The ranges of bitrate and framerate may be different from camera web. (Camera Firmware issue)</p> <p align="center">2. Motion detection is not supported on MJPEG. (Camera performance limitation)</p> <p align="center">3. Bitrate of actual streaming may be different from the setting. (Camera Firmware issue)</p> <p align="center">4. Frame rate of actual streaming may be different from the setting. (Camera Firmware issue)</p>										
<b>IPR54/14A LDN(II)/2 3</b>	v2.0.0601.1 002.3.0.56.0 .0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Test by link	v4.12
<b>IPR56/20A PDN/13</b>	v2.0.0701.1 002.3.0.114. 1.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	-	Motion	Test by link	v4.12
<b>IPS54/70D N/Z18</b>	Refer to IPS54/70/D N/ZR18(v1.6 _build04401 4_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tlit Zoom	Motion	Supported by design	v2.6
<b>IPS54/70D N/ZR18</b>	v1.6_build04 4014_148	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tlit Zoom	Motion	None	v2.17
<b>IPS54/70D R/Z18</b>	Refer to IPS54/70/D N/ZR18(v1.6 _build04401 4_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tlit Zoom	Motion	Supported by design	v2.6



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Some framerate and bitrate can't be set due to Onvif restriction.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPS54/70DR/ZR18</b>	Refer to IPS54/70DN/ZR18(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>IPS54/71DN/Z18</b>	Refer to IPS54/70DN/ZR18(v1.6_build044014_026)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilit Zoom	Motion	Supported by design	v2.9
<b>IPS54/80DR</b>	Refer to IPS54/70DN/ZR18(v1.6_build044014_026)	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilit Zoom	Motion	Supported by design	v2.9
<b>SN-IPC54/11DN</b>	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPC54/11EDN</b>	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPC54/11FDN</b>	v1.6_build044014_027	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	None	v2.6
<b>SN-IPC54/12DN</b>	v2.0.0601.1002.3.0.56.0_0_20151027	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	None	v4.14
<b>SN-IPC54/12EDN</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPC54/12FDN</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Some framerate and bitrate can't be set due to Onvif restriction.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPC54/14E DN</b>	Refer to SN-IPD54/12VDN(v1.6_build044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPC54/31E DN</b>	Refer to SN-IPV54/31UDN(v1.6_build044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPC54/40E DN</b>	v1.6_build044014_148	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	None	v2.16
<b>SN-IPC55/20E DN</b>	v1.8.1001.1001.3.0.46.0.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	None	v3.10
<b>SN-IPD54/11V DN</b>	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPD54/11V DR</b>	Refer to SN-IPC54/11FDN(v1.6_build044014_027)	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPD54/12V DN</b>	v1.9.0601.1001.3.0.22.0.0	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	None	v3.10
<b>SN-IPD54/12V DR</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPD54/14V DN</b>	Refer to SN-IPD54/12VDN(v1.6_build044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Some framerate and bitrate can't be set due to Onvif restriction.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPD54/14V DR</b>	Refer to SN-IPD54/12VD N(v1.6_build 044014_106 )	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPD54/31V DN</b>	Refer to SN-IPV54/31UD N(v1.6_build 044014_137 )	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPD54/31V DR</b>	Refer to SN-IPV54/31UD N(v1.6_build 044014_137 )	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPD54/40V DN</b>	Refer to SN-IPC54/40ED N(v1.6_build 044014_137 )	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11
<b>SN-IPR54/11A KDN</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/11A LDN</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/11A NDN</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/11D N</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/12A KDN</b>	Refer to SN-IPD54/12VD N(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Some framerate and bitrate can't be set due to Onvif restriction.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPR54/12A LDN</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/12A NDN</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/12DN</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPR54/14A KDN</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPR54/14A PDN</b>	Refer to SN-IPD54/12VDN(v1.6_build 044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPR54/31A KDN</b>	Refer to SN-IPV54/31UDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPR54/31A PDN</b>	Refer to SN-IPV54/31UDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPR54/31UDN</b>	v1.7.1001.3.0.13	H.264	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.2
<b>SN-IPR54/40A KDN</b>	Refer to SN-IPC54/40EDN(v1.6_build 044014_137)	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Some framerate and bitrate can't be set due to Onvif restriction.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPR54/40A PDN</b>	Refer to SN-IPC54/40ED N(v1.6_build 044014_137 )	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11
<b>SN-IPR57/41A CDN/Z</b>	v3.3.0804.1 002.1.1.66.1 .5	H.264 MJPEG	1	Camera	2592x1520	Y/Y	-	Zoom	Motion	None	v5.6
<b>SN-IPS56/30C DR/ZS12</b>	v2.0.0702.1 002.3.0.119. 0.0	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/1	Pan Tilit Zoom	Motion	None	v4.15
<b>SN-IPV54/11D N</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/11D R</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/11U DN</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/11U DR</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/11Z DR</b>	Refer to SN-IPC54/11FD N(v1.6_build 044014_027 )	H.264 MJPEG	1	Camera	1280x720	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/12D N</b>	Refer to SN-IPD54/12VD N(v1.9.0601 .1001.3.0.22 .0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Some framerate and bitrate can't be set due to Onvif restriction.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPV54/12DR</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/12UDN</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/12UDR</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/12ZDR</b>	Refer to SN-IPD54/12VDN(v1.9.0601.1001.3.0.22.0.0)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.6
<b>SN-IPV54/14UDR</b>	Refer to SN-IPD54/12VDN(v1.6_build044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPV54/14ZDR</b>	Refer to SN-IPD54/12VDN(v1.6_build044014_106)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPV54/31UDN</b>	v1.6_build044014_148	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	None	v2.16
<b>SN-IPV54/31UDR</b>	Refer to SN-IPV54/31UDN(v1.6_build044014_137)	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12





--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Some framerate and bitrate can't be set due to Onvif restriction.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>SN-IPV54/31Z DR</b>	Refer to SN-IPV54/31UD N(v1.6_build 044014_137 )	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.12
<b>SN-IPV54/40U DN</b>	Refer to SN-IPC54/40ED N(v1.6_build 044014_137 )	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11
<b>SN-IPV54/40U DR</b>	Refer to SN-IPC54/40ED N(v1.6_build 044014_137 )	H.264 MJPEG	1	Camera	2592x1920	Y/N	1/1	Pan Tilit Zoom	Motion	Supported by design	v2.11
<b>SN-VSR54/04</b>	build044014_136_1	H.264	4	Video Server	704x576	Y/N	2/1	Pan Tilit Zoom	Motion	None	v2.19
<b>VSR54/01</b>	v1.6_build044014_026	H.264 MJPEG	1	Video Server	704x480	Y/N	2/1	Pan Tilit Zoom	Motion	None	v2.6



-: not available on camera

Y: Support Function

N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TV-IP262P	1.0.3	H.264 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	None	v3.5
TV-IP262PI	Refer to TV-IP262P(1.0.3)	H.264 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v3.6
TV-IP310PI	V5.0.1 140303	H.264	1	Camera	2048x1536	N/N	-	-	Motion	None	v3.6
TV-IP311PI	Refer to TV-IP310PI(V5.0.1 140303)	H.264	1	Camera	2048x1536	N/N	-	-	Motion	Supported by design	v3.6
TV-IP572P	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572PI	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572W	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP572WI	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP672P	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6
TV-IP672PI	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TV-IP672W	1.1.2	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	None	v3.6
TV-IP672WI	Refer to TV-IP672W(1.1.2)	H.264 MPEG4	1	Camera	1280x800	Y/Y	-	Pan Tilt	Motion	Supported by design	v3.6



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TCAM series (230/250/251/270)</b>	V1.T122 V1.108F	H.264	1	Camera	720x576	Y/N	1/1	Pan Tilt Zoom	-	None	v1.0
<b>TCAM-570</b>	V1.111R04-T100	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.19
<b>TCAM-5x10</b>	V2.201R01_T100	MJPEG H.264	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt	Motion	None	v1.19
<b>TCS-200</b>	T122	H.264	1	Video Server	720x576	Y/N	2/2	Pan Tilt Zoom	Motion	None	v1.0
<b>TCS-2000</b>	V1.111R04-T100	MJPEG H.264	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.19
<b>TN-B200CE</b>	Refer to TN-B202CEIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>TN-B202CEIR</b>	V3.311R01	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.0
<b>TN-D1202CE</b>	Refer to TN-B202CEIR(V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>TN-P1220CS</b>	Refer to TN-P1222CGPLX (V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>TN-P1222CGPLX</b>	V3.311R01	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	None	v3.0



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>TN-P1230CS</b>	Refer to TN-P1222CGPLX (V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>TN-P3220CS</b>	Refer to TN-P1222CGPLX (V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v3.0
<b>TN-P3220CSIR</b>	V3.311R01	H.264	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.0
<b>TN-P3220CTIR</b>	Refer to TN-P3220CSIR (V3.311R01)	H.264	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v3.0



-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>ADC-P114-302IR</b>	V3.1.0.150818	H.264 MPEG4	1	Camera	1920x1080	Y/Y	7/2	Pan Tilt Zoom	Motion	Test by link	v5.8
<b>ADCi350-B111</b>	V3.1.0.150909	H.264	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.8



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPE1100M</b>	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
<b>IPE3100</b>	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
<b>IPE3500</b>	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
<b>IPE3500M</b>	1.6.7	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.14
<b>IPE4100</b>	1.6.6	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v1.17
<b>IPE5500</b>	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
<b>IPE6500</b>	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
<b>IPE7500</b>	Refer to IPE3500M(1.6.7)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.17
<b>IPN100HD</b>	1.4.0.11	H.264 MJPEG	1	Camera	1280x720	Y/Y	1/1	-	Motion	None	v2.13
<b>IPN1202HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPN2102HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
<b>IPN302HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
<b>IPN3102HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
<b>IPN3202HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
<b>IPN3502HD</b>	1.4.0.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.13
<b>IPN3502HDIR</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
<b>IPN352HD</b>	1.10.0.16	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.6
<b>IPN6602HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
<b>IPN6802HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
<b>IPX3302HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13





-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>IPX3702HD</b>	Refer to IPN3502HD(1.4.0.11)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.13
<b>IPX4202HD</b>	1.4.1.8	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.13
<b>IPX4602HD</b>	Refer to IPX4202HD(1.4.1.8)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.13
<b>NVC1000</b>	1.6.7	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	-	None	v1.17
<b>NVC4000</b>	1.6.7	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	2/2	Pan Tilt Zoom	-	None	v1.17
<b>NVC4000-R12</b>	None	H.264 MJPEG MPEG4	4	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.14
<b>NVC4000-R40</b>	None	H.264 MJPEG MPEG4	4	Video Server	720x576	Y/Y	2/2	Pan Tilt Zoom	-	Supported by design	v1.14



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>US-AVC4-2-600NR-I2</b>	5.0.2.6495	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	-	-	None	v1.16

**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Ctyri Dva Osm</b>	1023-1007-1016-1003	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.15
<b>Ctyri Nula Nula</b>	1031-1007-1022-1003	H.264	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.5
<b>Ctyri Pet Devet</b>	1023-1007-1016-1003	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	None	v2.15
<b>Ctyri Pet Sedm</b>	Refer to Ctyri Pet Devet(1023-1007-1016-1003)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/1	-	Motion	Supported by design	v2.18
<b>Devet Tri Jedna</b>	1052-1028-1038-1008	H.264	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.8
<b>Pet Ctyri Dva</b>	Refer to Pet Dva(1022-1014-1014-1010)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>Pet Ctyri Dva B</b>	1067-1026-1035-1014	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.6
<b>Pet Dva Jedna</b>	1022-1014-1014-1010	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.16
<b>Pet Nula Nula</b>	Refer to Pet Dva Jedna(1022-1014-1014-1010)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.16

-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Pet Osm Tri</b>	1067-1026-1035-1014-B3A6	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.6
<b>Pet Pet Dva</b>	1067-1026-1035-1014	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.6
<b>Pet Sedm Jedna</b>	1067-1026-1035-1014-A1A1	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v4.6
<b>Pet Sest Jedna</b>	1067-1026-1035-1014	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v4.6
<b>Pet Sest Pet</b>	1026-1017-1020-1007	H.264 MJPEG	1	Camera	1920x1080	N/N	1/1	Zoom	Motion	None	v3.5
<b>Tri Dva Osm</b>	1054-1028-1036-1008	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.16
<b>Tri Jedna Jedna</b>	1054-1028-1036-1008	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	None	v2.18
<b>Tri Jedna Sedm</b>	Refer to Tri Dva Osm(1054-1028-1036-1008_	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v2.16
<b>Tri Pet Devet</b>	Refer to Tri Pet Sedm(1050-1027-1034-1008)	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.15
<b>Tri Pet Sedm</b>	1050-1027-1034-1008	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.15

# Viakom

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Tri Sest Pet	Refer to Tri Jedna(1054-1028-1036-1008)	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	-	Motion	Supported by design	v2.18



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>M2TiA</b>	VISION_2014.09.10_v1.1.5.19	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.8
<b>MTi</b>	VISION 1.1.5.10 20140109	H.264 MJPEG	1	Camera	1280x1024	N/N	-	-	Motion	None	v3.1
<b>NVS202</b>	2014.10.14_v1.1.5.20	H.264 MJPEG	1	Video Server	960x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.9
<b>VD102i</b>	Refer to M2TiA(VISION 1.1.5.10 20140109)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
<b>VD10M2</b>	Refer to M2TiA(VISION 1.1.5.10 20140109)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.8
<b>VISION M3Ti</b>	VISION 1.1.5.13 20140227	H.264 MJPEG	1	Camera	2048x1537	Y/Y	1/1	Zoom	Motion	None	v3.2
<b>VISION M3i</b>	1.1.2.46	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v2.17
<b>VISION Mi</b>	1.1.2.46	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v2.17
<b>VISION NVS102</b>	IP VISION 1.1.0.16 20120316	H.264 MJPEG	1	Video Server	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.1



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>VISION VDA101SM 2Ti</b>	Refer to VN7XSM2Ti-IR(VISION_2014.09.10_v1.1.5.19)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Supported by design	v3.8
<b>VISION VPD101PM 2Ti</b>	Refer to VN7XSM2Ti-IR(VISION_2014.09.10_v1.1.5.19)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Supported by design	v3.8
<b>VISION i</b>	IP VISION 1.1.0.16 20120316	H.264 MJPEG	1	Camera	720x576	Y/Y	1/1	-	Motion	None	v2.1
<b>VN10M2</b>	Refer to M2TiA(VISION 1.1.5.10 20140109)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.8
<b>VN200i</b>	Refer to M2TiA(VISION 1.1.5.10 20140109)	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.1
<b>VN6XSM2Ti-IR</b>	Refer to VN7XSM2Ti-IR(VISION_2014.09.10_v1.1.5.19)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	Supported by design	v3.8
<b>VN7XSM2Ti-IR</b>	VISION_2014.09.10_v1.1.5.19	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Zoom	Motion	None	v3.8
<b>VPD202BM 2Ti-IR</b>	1.5.20 20141113	H.264 MJPEG	1	Video Server	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v3.10



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VK2-1080BIR35V16e	Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080BIR37e	Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080BIR3V9F	2.0.3-T4_release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.8
VK2-1080VFD3V9F	2.2.4-T3_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	1/0	Zoom	Motion	None	v3.4
VK2-1080VFDIR37e	Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080VRD3V9	1.8.8-T4_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v3.4
VK2-1080VRDIR35V16e	1.1.8-T8_Release	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.4
VK2-1080VRDIR37e	Refer to VK2-1080VRDIR35V16e(1.1.8 - T8_Release)	H.264 MJPEG MPEG4	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v3.4
VK2-1080VRDIR3V9F	1.7.0-T4_release	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/N	1/0	Zoom	Motion	None	v3.1





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VK2-1080XVRD PTZ	1.2.1-X1_release	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	Pan Tilt Zoom	Motion	None	v3.8



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
Generic	0101b	H.264 MPEG4 M-JPEG	1	Camera	2560x1920	Y/Y	8/8	Pan Tilt Zoom	Motion	None	v4.3
AB5353H	Refer to IP8335H(01 00h)	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	3/1	-	Motion	Supported by design	v2.16
AF5172	Refer to FE8172(010 0f)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	Supported by design	v2.16
AF5172V	Refer to FE8172(010 0f)	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	Supported by design	v2.16
BB5116	Refer to IP8161(0101 b)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v2.4
BB5315	Refer to IP8332(0101 a)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
BD5115	Refer to FD8134(010 0e)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
CC8130	0100d	H.264 MJPEG	1	Camera	1280x800	Y/N	-	-	Motion	None	v2.10
FD61x1	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
FD61x2	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD7130	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
FD7131	None	MJPEG MPEG4	1	Camera	720x576	N/Y	1/1	-	Motion	Supported by design	v1.0
FD7132	0100f	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
FD7141	0100g	MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	-	Motion	None	v1.0
FD7160	None	MJPEG MPEG4	1	Camera	1600x1200	N/Y	-	-	Motion	Supported by design	v1.0
FD8131	Refer to FD8133(0100e)	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v2.4
FD8131V	0300d	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Test by link	v2.15
FD8133	None	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.7
FD8133V	None	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.0
FD8134	0100e	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	None	v1.7



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8134V	None	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.0
FD8135H	0202c	H.264 MJPEG	1	Camera	1280x800	Y/Y	3/1	-	Motion	None	v2.20
FD8136	0100f	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.2
FD8137H	0101a	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v3.0
FD8137HV	Refer to FD8137H(0101a)	H.264 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Supported by design	v3.0
FD8138-H	Refer to IB8338-H(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v4.3
FD8151V	0100c	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	-	Motion	None	v2.10
FD8154	0100d	H.264 MJPEG	1	Camera	1280x1024	Y/N	1/0	-	Motion	None	v3.5
FD8155H	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
FD8161	0100e	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v1.1



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unble to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8162	None	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v1.12
FD8163	0101b	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v2.14
FD8164	0100d	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v2.20
FD8165H	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
FD8166	0100g	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Test by link	v2.15
FD8166A	0200e	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	Supported by design	v5.11
FD8167	0103a	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.3
FD8167A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
FD8168	0100e	H.264 MJPEG	1	Camera	1920x1080	Y/N	-	-	Motion	Test by link	v3.6
FD8169	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.11



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unble to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8169A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v5.11
FD816BA-HF2	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/N	1/1	-	Motion / Reocord	None	v5.12
FD816BA-HF3	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD816BA-HT	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8171	0100e	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Test by link	v3.3
FD8181	Refer to FD8381-EV(0101c)	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.3
FD8182-F2	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8182-T	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8335H	0101a	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	3/1	-	Motion	Test by link	v2.3
FD8338-HV	Refer to IB8338-H(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v4.3



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>FD8355EH V</b>	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
<b>FD8361</b>	0202b	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Test by link	v1.12
<b>FD8361L</b>	Refer to FD8361(0202b)	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.12
<b>FD8362</b>	Refer to FD8362E(0102a)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.2
<b>FD8362E</b>	0102a	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Test by link	v2.2
<b>FD8363</b>	0102a	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.5
<b>FD8365EH V</b>	Refer to IP816A-HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
<b>FD8367</b>	Refer to Generic(0101b)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1
<b>FD8367-TV</b>	Refer to Generic(0101b)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.1
<b>FD8367-V</b>	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unble to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8369-V	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
FD836BA-HT	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD836BA-HTV	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD836BA-HVF2	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8371EV	0100i	H.264 MJPEG MPEG4	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.1
FD8372	0100f	H.264 MJPEG MPEG4	1	Camera	2560x1920	Y/Y	3/1	-	Motion	Test by link	v2.3
FD8381-EV	0101c	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	None	v4.3
FD8382-ETV	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8382-EVF2	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FD8382-TV	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12





-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unble to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
FD8382-VF2	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
FE8171V	0100d	H.264 MJPEG	1	Camera	1536x1536	Y/Y	1/1	-	Motion	Test by link	v1.13
FE8172	0100f	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	None	v2.5
FE8172V	Refer to FE8172(0100f)	H.264 MJPEG MPEG4	1	Camera	1920x1920	Y/Y	1/1	-	Motion	Supported by design	v2.16
FE8173	0100c	H.264 MJPEG MPEG4	1	Fisheye Camera	1536x1536	Y/Y	1/1	-	Motion	Test by link	v2.15
FE8174	0100e	H.264 MJPEG MPEG4	1	Fisheye Camera	1920x1920	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v3.1
FE8180	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.9
FE8181	v0200b	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v4.0
FE8391-V	0100f	H.264 MJPEG	1	Camera	2944x2944	Y/Y	1/1	-	Motion	None	v4.9
IB8338-H	0100e	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v4.3



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IB8364	0101a	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Test by link	v3.0
IB8367-RT	0100f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v4.5
IB8367A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
IB8369	0100f	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Test by link	v3.11
IB8369A	0200e	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	Supported by design	v5.11
IB836BA-HF3	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB836BA-HT	0103f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8381	Refer to FD8381-EV(0101c)	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Supported by design	v4.3
IB8382-EF3	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-ET	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unble to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IB8382-F3	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-RF3	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-RT	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IB8382-T	0103f	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion / Record	Supported by design	v5.12
IP21x1	None	MJPEG	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
IP21x2	None	MJPEG	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
IP3132	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP3133	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP3135	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP3135-PLNX	None	H.263	1	Camera	720x576	Y/N	1/2	-	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP3136	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP3136-PLNX	None	H.263	1	Camera	720x576	Y/N	1/2	-	Motion	Supported by design	v1.0
IP3137	None	H.263	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP31x1	0201b	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	None	v1.0
IP31x1-TLFN	None	MPEG4	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
IP31x2	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP31x7	None	H.263	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP51x2	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP51x4	None	MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP6114	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP6124	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP61x2	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP61x4	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP61x7	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP7130	0100c	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
IP7131	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7132	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7133	0100b	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
IP7134	0100b	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
IP7135	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP7137	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
IP7138	0101h	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.0
IP7139	None	MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP7142	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP7151	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP7152	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP7153	0100g	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
IP7154	0100b	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
IP7160	0101b	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	None	v1.0
IP7161	None	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP71x7	None	MPEG4	1	Camera	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
IP7251	0100f	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
IP7330	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/0	-	Motion	Supported by design	v1.0
IP7361	None	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Supported by design	v1.0
IP8130	0100e	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/0	-	Motion	Test by link	v2.17
IP8130W	Refer to IP8130(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.17
IP8131	Refer to IP8131W(0100e)	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/0	-	Motion	Supported by design	v2.17
IP8131W	0100e	H.264 MJPEG	1	Camera	1280x800	Y/Y	1/0	-	Motion	Test by link	v2.17
IP8132	None	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Supported by design	v1.7
IP8133W	0100c	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/Y	1/1	-	Motion	Test by link	v1.16



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8151	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.7
IP8152	0100e	H.264 MJPEG	1	Camera	1280x1024	Y/Y	1/0	Pan Tilt Zoom	Motion	None	v2.13
IP8155HP	Refer to IP816A- HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8161	0101b	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.1
IP8162	0100f	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.10
IP8162P	0100f	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v1.10
IP8165HP	Refer to IP816A- HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8166	0200e	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/0	-	Motion	Supported by design	v5.11
IP816A-HP	0100f	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	None	v4.3
IP8172	0100a0	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Test by link	v2.8





-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8173H	0100i	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/0	Pan Tilt Zoom	Motion	Test by link	v2.19
IP8330	0100e	H.264 MPEG4 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.7
IP8331	0100c	H.264 MPEG4 MJPEG	1	Camera	640x480	N/N	1/0	-	Motion	None	v1.16
IP8332	None	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/0	-	Motion	Supported by design	v1.7
IP8335H	0100h	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	3/1	-	Motion	Test by link	v2.0
IP8336W	0102b	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/0	-	Motion	Test by link	v2.19
IP8337H	0100b	H.264 MJPEG	1	Camera	1280x800	N/N	1/0	-	Motion	Test by link	v2.19
IP8352	0100g	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.14
IP8355EH	Refer to IP816A- HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8361	0100c	H.264 MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/1	-	Motion	Test by link	v2.3



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
IP8362	0100d	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.2
IP8364	0101a	H.264 MJPEG	1	Camera	1920x1080	N/N	1/0	-	Motion	None	v3.0
IP8365EH	Refer to IP816A- HP(0100f)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	3/1	Pan Tilt Zoom	Motion	Supported by design	v4.3
IP8371E	0100g	H.264 MPEG4 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	Test by link	v2.18
IP8372	0100e	H.264 MPEG4 MJPEG	1	Camera	2560x1920	Y/Y	2/1	-	Motion	None	v2.10
I27151	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	-	Motion	Supported by design	v1.0
MD7530	0100d	MJPEG MPEG4	1	Camera	640x480	Y/N	1/0	-	Motion	None	v1.11
MD7560	0100c	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/0	-	Motion	Test by link	v1.10
MD7560X	Refer to MD7560(010 0c)	MJPEG MPEG4	1	Camera	1600x1200	Y/Y	1/0	-	Motion	Supported by design	v1.17
MD8531H	0100h	H.264 MPEG4 MJPEG	1	Camera	1280x960	Y/Y	1/1	-	Motion	Test by link	v3.4



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
MD8562	0100c	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/N	1/0	-	Motion	None	v1.16
MS8391-EV	0100e	H.264 MJPEG	1	Camera	7552x1416	Y/Y	1/1	-	Motion	Test by link	v4.10
PD8136	0100e	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Test by link	v2.12
PT3134	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT31x2	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT31x3	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT31x4	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT31x7	None	H.263	1	Camera	720x576	Y/N	1/1	Pan Tilt	Motion	Supported by design	v1.0
PT7000	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
PT7135	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PZ7137	None	MPEG4	1	Camera	720x576	Y/N	-	Pan Tilt	Motion	Supported by design	v1.0
PT8133	0100g	H.264 MJPEG MPEG4	1	Camera	1280x800	Y/N	-	Pan Tilt	Motion	Test by link	v2.2
PZ61x2	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
PZ61x4	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
PZ7131	0100b	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
PZ7132	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.7
PZ7151	0101b	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
PZ7152	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
PZ71X1	None	MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
PZ71X2	None	MJPEG MPEG4	1	Camera	704x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unble to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
PZ81X1	None	H.264 MJPEG MPEG4	1	Camera	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.14
PZ81X1W	0100e	H.264 MJPEG MPEG4	1	Camera	720x480	Y/Y	1/1	Pan Tilt Zoom	Motion	Test by link	v1.14
SD61x2	None	MJPEG MPEG4	1	Camera	720x576	Y/Y	4/1	Pan Tilt Zoom	Motion	Supported by design	v1.0
SD7151	0301b	H.264 MPEG4 MJPEG	1	Camera	640x480	Y/Y	4/1	Pan Tilt Zoom	Motion	None	v1.18
SD81X1	0100g	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/Y	4/1	Pan Tilt Zoom	Motion	Test by link	v2.1
SD8362E	0104a	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	3/2	Pan Tilt Zoom	Motion	Test by link	v2.1
SD8363E	0202b	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v3.4
SD8364E	0200d	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v3.6
SD83X1	0100e	H.264 MPEG4 MJPEG	1	Camera	720x480	Y/Y	3/2	Pan Tilt Zoom	Motion	Test by link	v1.15
SD83X2	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	3/2	Pan Tilt Zoom	Motion	Supported by design	v1.15



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
SD83X3	0102d	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	3/2	Pan Tilt Zoom	Motion	Test by link	v2.1
SD83x4	Refer to SD83x6(0200c)	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	Supported by design	v2.20
SD83x6	0200c	H.264 MPEG4 MJPEG	1	Camera	720x576	Y/Y	4/2	Pan Tilt Zoom	Motion	None	v2.20
SD9364-EHL	0100h_15	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	4/2	Pan Tilt Zoom	Motion	Test by link	v4.12
SF8172	0100d	H.264 MPEG4 MJPEG	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	None	v2.16
SF8172V	Refer to SF8172(0100f)	H.264 MPEG4 MJPEG	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	Supported by design	v2.16
SF8174	0100c	H.264 MPEG4 MJPEG	1	Fisheye Camera	1920x1920	Y/Y	1/1	-	Motion	Test by link	v3.4
TC5330	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
TC5331	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
TC5630	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
TC5631	None	MPEG4	1	Camera	720x576	Y/N	-	-	Motion	Supported by design	v1.0
VS2101	None	MJPEG	1	Video Server	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
VS2401	None	MJPEG	4	Video Server	720x576	N/N	4/2	-	Motion	Supported by design	v1.0
VS2402	None	MJPEG	4	Video Server	720x576	N/N	4/2	-	Motion	Supported by design	v1.0
VS2403	0103b	MJPEG	4	Video Server	720x576	N/N	4/4	Pan Tilt Zoom	Motion	None	v1.0
VS3100	None	H.263	1	Video Server	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
VS3101	None	H.263	1	Camera	720x576	N/N	1/1	-	Motion	Supported by design	v1.0
VS3102	None	H.263	1	Video Server	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
VS3102-XLTH	None	H.263	1	Video Server	720x576	Y/N	1/1	-	Motion	Supported by design	v1.0
VS7100	0101e	MJPEG MPEG4	1	Video Server	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**MPEG4: Unable to connect through HTTP.**

**Smart stream function support only if Vivotek camera support this function.**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
VS8100	0100g	H.264 MJPEG	1	Video Server	720x576	Y/N	-	Pan Tilt Zoom	Motion	None	v3.1
VS8102	0200c	H.264 MPEG4 MJPEG	1	Video Server	720x576	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.13
VS8401	None	H.264 MPEG4 MJPEG	4	Video Server	720x576	Y/Y	4/4	Pan Tilt Zoom	Motion	Supported by design	v1.15
VS8801	0202a3	H.264 MPEG4 MJPEG	8	Video Server	720x576	Y/Y	8/8	Pan Tilt Zoom	Motion	None	v3.4





**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>MPIX-21DF</b>	2.420.WT00. 0.T, build: 2014-06-19	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v3.13
<b>MPIX-30- VDV-IRM</b>	2.420.WT00. 0.T	H.264 MJPEG	1	Camera	2048x1536	N/N	1/1	Zoom	Motion	None	v3.11
<b>MPIX- 50BIMR</b>	2.210.WT00. 0.R	H.264 MJPEG	1	Camera	2560x1920	Y/Y	2/1	Zoom	Motion	None	v3.11



**-: not available on camera**  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>WK-SD6000HD</b>	v1.4.1.8	H.264 MJPEG	1	Camera	1920x1080	Y/Y	-	Pan Tilt Zoom	Motion	Test by link	v3.2



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>YUC-H626A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7926A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7926AM</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7A26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-H7A82</b>	VH1.0.0.3_Y	H.264 MJPEG	1	Camera	2688x1520	Y/Y	1/1	-	Motion	None	v4.8
<b>YUC-H7A855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.8
<b>YUC-HB26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HB855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HC26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HC855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>YUC-HD26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HD855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HH26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HH855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HK26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HK855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HL26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HL26AM</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HMi855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HNi855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.**  
**Test by link: Audio-in/out, I/O, Camera Search, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>YUC-HQ26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HQ855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HS26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HS855</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-HV26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-Hi26A</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10
<b>YUC-Hi26AM</b>	Refer to YUC-H7A26A(VE1.0.20.10_Y)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v4.10



-: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>Generic</b>	Tested by P6210(2.1.5.20)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Montion	None	v3.11
Note:	1. It may fail to set Profile 2 to 1920x1080 or 1280x720. (Camera Firmware issue) 2. Not support to set profile 3 to 1920x1080 or 1280x720; while the setting is supported in camera web. (Camera Firmware issue)										
<b>B5010</b>	None	H.264 MPEG4 MJPEG	1	Camera	640x480	N/N	-	-	Motion	Supported by design	v2.10
<b>B5110</b>	None	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
<b>B5111</b>	M2.1.6.02C045	H.264 MPEG4 MJPEG	1	Camera	1280x800	N/N	-	-	Motion	None	v4.9
<b>B5210</b>	M2.1.6.05	H.264 MPEG4 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.10
<b>B6110</b>	MG.0.6.01_C1	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
B6210	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0
B6220	03_C002	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Motion	None	v4.12
B6320	01_C018	H.264 H.265 MJPEG	1	Camera	2048x1536	N/N	-	-	Motion	None	v4.10
B6330	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
B6520	01_C018	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Test by link	v4.10
B6530	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
B7210	M2.1.6.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	-	Montion	None	v3.12
B7320	M3.1.5.17	H.264 MJPEG	1	Camera	2048x1536	Y/Y	2/2	-	Montion	None	v2.18
B7510	M3.1.5.19	H.264 MJPEG	1	Camera	2560x1920	Y/Y	2/2	-	Montion	None	v3.0
B8210	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	None	v3.11



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>B8220</b>	01_C030	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	None	v5.6
<b>B8520</b>	01_C028	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v4.5
<b>CB3210</b>	Refer to B8220(01_C 030)	H.264 H.265 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v5.10
<b>CB3211</b>	Refer to B8220(01_C 030)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion / Record	Supported by design	v5.10
<b>CB5220</b>	Refer to B8220(01_C 030)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion / Record	Supported by design	v5.10
<b>CB6230</b>	Refer to B8220(01_C 030)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.7
<b>CB6330</b>	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.9
<b>CD3210</b>	Refer to B8220(01_C 030)	H.264 H.265 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	Supported by design	v5.10
<b>CD3211</b>	Refer to B8220(01_C 030)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion / Record	Supported by design	v5.10
<b>CD5220</b>	Refer to B8220(01_C 030)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion / Record	Supported by design	v5.10





-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>CD6230</b>	Refer to B8220(01_C030)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.7
<b>CD6330</b>	Refer to B8520(01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.9
<b>D3100</b>	M2.1.6.02.0830	H.264 MJPEG MPEG4	1	Camera	1280x800	N/N	1/1	-	Motion	None	v2.10
<b>D3200</b>	M2.1.6.02C066	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.10
<b>D4210</b>	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.10
<b>D4211</b>	03_C011	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v5.4
<b>D4220</b>	Refer to B8220(01_C030)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	Supported by design	v5.6
<b>D4320</b>	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v4.8
<b>D4520</b>	01_C017	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	None	v4.9
<b>D510E</b>	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D5110	None	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.15
D5111	None	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.15
D5112	Refer to D5113(M2.1.6.01)	H.264 MPEG4 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	Supported by design	v2.10
D5113	M2.1.6.01	H.264 MPEG4 MJPEG	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.6
D520E	LM.1.6.16.03	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
D5210	M2.1.6.04	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	1/1	-	Motion	None	v3.6
D610A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
D6111	MG.0.6.01_C1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.0
D611E	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
D6210	03_C002	H.264 MJPEG	1	Camera	1920x1080	N/N	-	-	Motion	None	v4.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D6220	Refer to B6220(03_C002)	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/1	-	Montion	Supported by design	v4.12
D6320	01_C013	H.264 H.265 MJPEG	1	Camera	2048x1520	N/N	-	-	Montion	None	v4.2
D6330	Refer to B8520(01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
D6520	Refer to B6520(01_C020)	H.264 H.265 MJPEG	1	Camera	2560x1920	N/N	-	-	Motion	Supported by design	v4.10
D6530	Refer to B8520(01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
D7110	MG.1.6.03P7_app7	H.264 MJPEG MPEG4	1	Camera	1280x1024	N/N	1/1	Pan Tilt	Motion	Test by link	v2.0
D7111	M2.0.3.3.6	H.264 MJPEG MPEG4	1	Camera	1280x720	N/N	1/1	-	Motion	None	v2.5
D7210	Refer to D3200(M2.1.6.02C066)	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v2.12
D7320	M3.1.5.21	H.264 MJPEG	1	Camera	2048x1536	Y/Y	1/1	-	Motion	None	v3.2
D7510	M3.04.15.C01	H.264 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	None	v2.15



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
D8210	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	None	v3.11
D8220	01_C020	H.264 H.265 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Montion	None	v4.2
D8520	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v4.6
F1100	Refer to F1105(BP.1. 6.01)	MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	Supported by design	v1.15
F1105	BP 1.6.01	MJPEG	1	Camera	1280x720	Y/N	-	-	Motion	None	v2.6
F210A	LM.1.6.18P9 _testport2	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	None	v1.0
F3000	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.5
F3005	None	H.264 MJPEG MPEG4	1	Camera	640x480	Y/N	1/1	-	Motion	Supported by design	v2.5
F3101	Refer to F3106(MG.1. 6.03P7_exhi bit2)	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v2.0
F3102	Refer to F3110(M2.1. 6.02C045)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.11



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F3105	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	-	-	Motion	Supported by design	v1.0
F3106	MG.1.6.03P7_exhibit2	H.264 MPEG4 MJPEG	1	Camera	1280x1024	Y/Y	-	-	Motion	Test by link	v2.0
F3107	M2.1.6.05	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v4.3
F3110	M2.1.6.02C045	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.10
F3115	Refer to F3110(M2.1.6.02C045)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/Y	1/1	-	Motion	None	v2.11
F312A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
F3201	Refer to F3206(M2.1.6.01C2)	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Supported by design	v2.0
F3206	M2.1.6.01C2	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt	Motion	Test by link	v2.0
F3210	M2.1.6.03C019	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v2.14
F3215	M2.1.6.05C016	H.264 MPEG4 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	None	v3.8



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F4215	Refer to D4211(03_C011)	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	-	Motion	Supported by design	v5.4
F5100	MG.0.5.0.1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	None	v1.0
F5105	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
F510E	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F510W	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F5110	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
F5115	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	-	Motion	Supported by design	v1.0
F511E	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F511W	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F520E	LM.1.6.16.0 3P2	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0



--: not available on camera  
**Y: Support Function**  
**N: Not Support Function**

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
F521E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0
F531E	Refer to F210A(LM.1. 6.18P9_test port2)	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	Pan Tilt Zoom	Motion	Supported by design	v2.0
F610A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
F611E	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	Supported by design	v1.0
F7110	MG.1.6.02C9	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v1.15
F7115	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.15
F7210	M2.1.6.04	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	None	v3.13
F721A	None	MJPEG MPEG4	1	Camera	640x480	Y/Y	-	-	Motion	Supported by design	v1.0
F7220	Refer to B8520(01_C 028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
F731E	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	-	Motion	None	v1.0



-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
<b>F7320</b>	Refer to B8520(01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
<b>F7520</b>	Refer to B8520(01_C028)	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v5.0
<b>M510E</b>	LM.1.6.16.03	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
<b>M510W</b>	LM.1.6.16.03P2	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
<b>M511E</b>	LM.1.6.16.03P2	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
<b>M511W</b>	LM.1.6.16.03	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0
<b>P4320</b>	01_C020	H.264 H.265 MJPEG	1	Camera	2048x1520	Y/Y	1/1	Pan Tilt Zoom	Montion	None	v4.7
<b>P4520</b>	01_C020	H.264 H.265 MJPEG	1	Camera	2560x1920	Y/Y	1/1	-	Motion	Test by link	v4.6
<b>P5110</b>	None	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	Supported by design	v1.9
<b>P5111</b>	Refer to P5116(M2.1.6.02)	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	Pan Tilt	Montion	Supported by design	v2.15





-: not available on camera  
 Y: Support Function  
 N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
 Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

**Turn on the Analog Video output will lead to unconnectable. (NUUO server limitation)**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
P5115	G.0.6.01_C1	H.264 MJPEG MPEG4	1	Camera	1280x1024	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.9
P5116	M2.1.6.02	H.264 MPEG4 MJPEG	1	Camera	1280x800	Y/N	1/1	Pan Tilt	Montion	None	v2.15
P5210	None	H.264 MJPEG MPEG4	1	Camera	1920x1080	Y/Y	2/2	Pan Tilt Zoom	Motion	Supported by design	v1.0
P6210	M2.1.5.11	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	V3.9
P6211	02_C022	H.264 MJPEG	1	Camera	1920x1080	Y/Y	1/1	Pan Tilt Zoom	Motion	None	V3.9
P8220	01_C034	H.265 H.264 MJPEG	1	Camera	1920x1080	Y/Y	2/1	Pan Tilt Zoom	Motion	Test by link	v5.12
V1100	M2.1.6.03	H.264 MJPEG MPEG4	1	Camera	704x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v2.19
V111T	LM.1.6.16.0 3	MJPEG MPEG4	1	Camera	640x480	Y/Y	1/1	Pan Tilt Zoom	Motion	None	v1.0

## NetworkCamera

-: not available on camera  
Y: Support Function  
N: Not Support Function

**Remarks:**

**Supported by design: The covered model's spec is different from the delivered spec.  
Test by link: Audio-in/out, I/O, Camera Serarch, Edge IVS event can not test via link.**

**For Edge IVS event:**

**Event type : Motion, Record, Tampering, Tripwire, and Perimeter detection**

Device Name	Tested Firmware	Video Format	Video Ch	Device Type	Max Resolution	Audio-in/out	I/O Ch	PTZ	Edge Feature	Remarks	DevicePack Version
AT-HK4A26LP R-ZS	V5.4.5	H.264 MPEG4	1	Camera	1920x1080	Y/Y	1/1	Zoom	Motion	None	v5.12